acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

1 Identification

Product identifier

· Trade name: Seliwanoff Reagent

Product code: SE4005SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

Emergency telephone number: ChemTel Inc. (800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms:



· Signal word: Danger Hazard statements: H290 May be corrosive to metals. H315 Causes skin irritation. H318 Causes serious eye damage. Precautionary statements: Keep only in original container. P234 P264 Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. P280 If on skin: Wash with plenty of water. P302+P352 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 1)

P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
7732-18-5	Water	90.65%
7647-01-0	hydrochloric acid Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	9.25%
108-46-3	resorcinol STOT SE 1, H370-H371; STOT RE 2, H373 Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317	0.10%
	information:	

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

• Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.

· After eye contact:

- Protect unharmed eye.
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

Strong irritant with the danger of severe eye injury.

Gastric or intestinal disorders when ingested.

Danger:

Sensitizing effect by skin contact is possible with prolonged exposure.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 2)

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

$^{\cdot}$ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[.] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires: Combustible liquid.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

• **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

• Further information about storage conditions: Keep containers tightly sealed.

(Cont'd. on page 4)

(Cont'd. of page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

 Control parameters Components with limit values that require monitoring at the workplace: 7647-01-0 hydrochloric acid 				
REL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm			
TLV (USA)	Ceiling limit value: 2.98 mg/m³, 2 ppm			
EL (Canada)	Ceiling limit value: 2 ppm			
EV (Canada)	Ceiling limit value: 2 ppm			
LMPE (Mexico)	Ceiling limit value: 2 ppm A4			
108-46-3 resord	cinol			
REL (USA)	Short-term value: 90 mg/m³, 20 ppm Long-term value: 45 mg/m³, 10 ppm			
TLV (USA)	Short-term value: 90 mg/m³, 20 ppm Long-term value: 45 mg/m³, 10 ppm			
EL (Canada)	Short-term value: 20 ppm Long-term value: 10 ppm			
EV (Canada)	Short-term value: 90 mg/m³, 20 ppm Long-term value: 45 mg/m³, 10 ppm			
LMPE (Mexico)	Short-term value: 20 ppm Long-term value: 10 ppm A4			

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

• **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present. • **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves** Butyl rubber, BR Fluorocarbon rubber (Viton) Neoprene gloves

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 4)

Nitrile rubber, NBR Natural rubber, NR Sensibilization by the components in the glove materials is possible. • **Eye protection:**

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • Body protection: Protective work clothing • Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Information on basic physical an	d chemical properties	
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Nearly odorless	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<2.0 (Estimate)	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	>100 °C (>212 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
• Oxidizing properties:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.01-1.05 g/cm³ (8.43-8.76 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity		
		(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 5)

Dynamic: Kinematic: Other information

Not determined. Not determined. No relevant information available.

10 Stability and reactivity

• **Reactivity:** Reacts with acids, alkalis and oxidizing agents.

- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- Toxic fumes may be released if heated above the decomposition point.

Possibility of hazardous reactions

Corrosive action on metals.

Reacts with certain metals.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid No relevant information available.

· Incompatible materials Metals. Strong acids Oxidizers · Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides (NOx) Carbon monoxide and carbon dioxide Chlorine

11 Toxicological information

Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

7647-01-0 hvdrochloric acid

Oral LD50 900 mg/kg (rabbit)

· Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

· On the eye: Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitizing effect by skin contact is possible with prolonged exposure.

Based on available data, the classification criteria are not met.

IARC (International Agency for Research on Cancer):

7647-01-0 hydrochloric acid

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

(Cont'd. on page 7)

3

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 6)

None of the ingredients are listed.

· Probable route(s) of exposure: Indestion. Inhalation. Eve contact. Skin contact. · Acute effects (acute toxicity, irritation and corrosivity): Irritating to skin. Causes serious eye damage. • **Repeated dose toxicity:** Sensitizing effect by skin contact is possible with prolonged exposure. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

• Results of PBT and vPvB assessment

· **PBT:** Not applicable.

vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[•] Uncleaned packagings

(Cont'd. on page 8)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 7)

Recommendation: Disposal must be made according to official regulations.
 Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1789
UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA	Hydrochloric acid Solution HYDROCHLORIC ACID SOLUTION
Transport hazard class(es)	
DOT	
Consister of the second	
Class	8
Label ADR/RID/ADN	8
Class Label	8 (C1) 8
	0
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Not applicable.
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Acids
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 8)

· DOT

· Quantity limitations

On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

• Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7647-01-0 hydrochloric acid

· Section 313 (Specific toxic chemical listings):

7647-01-0 hydrochloric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

7647-01-0 hydrochloric acid

108-46-3 resorcinol

Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

3

3

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 26, 2018

Revision: November 26, 2018

Trade name: Seliwanoff Reagent

(Cont'd. of page 9) ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr 1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com