

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 1 of 10

## Wide Range pH Indicator

### SECTION 1: Identification

#### Product identifier

**Product name:** Wide Range pH Indicator

**Product code:** AR-1031-60 EW

#### Recommended use of the product and restriction on use

**Relevant identified uses:** Laboratory Chemicals

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

##### Manufacturer:

##### United States

Aqua Analytics  
39555 Orchard Hill Place  
Suite 600  
Novi  
MI 48375  
(888) 712-4000

#### Emergency telephone number:

##### United States

Emergency Telephone No.: (800) 424-9300

### SECTION 2: Hazard(s) identification

#### GHS classification:

Flammable liquids, category 2

Eye irritation, category 2A

Specific target organ toxicity - single exposure, category 3, central nervous system

Carcinogenicity, category 1B

Germ cell mutagenicity, category 2

Reproductive toxicity, category 2

#### Label elements

##### Hazard pictograms:



**Signal word:** Danger

#### Hazard statements:

H225 Highly flammable liquid and vapor

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

H350 May cause cancer

H341 Suspected of causing genetic defects

H361 Suspected of damaging fertility or the unborn child

#### Precautionary statements:

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 2 of 10

## Wide Range pH Indicator

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P233 Keep container tightly closed  
P240 Ground/bond container and receiving equipment  
P241 Use explosion-proof electrical/ventilating/light/equipment  
P242 Use only non-sparking tools  
P243 Take precautionary measures against static discharge  
P280 Wear protective gloves/protective clothing/eye protection/face protection  
P264 Wash skin thoroughly after handling  
P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
P271 Use only outdoors or in a well-ventilated area  
P201 Obtain special instructions before use  
P202 Do not handle until all safety precautions have been read and understood  
P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower  
P370+P378 In case of fire: Use agents recommended in section 5 for extinction  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing  
P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell  
P308+P313 If exposed or concerned: Get medical advice/attention  
P405 Store locked up  
P403+P233 Store in a well ventilated place. Keep container tightly closed  
P501 Dispose of contents and container as instructed in Section 13

**Hazards not otherwise classified:** None

## SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 845-10-3	Methyl Red, Sodium Salt	<1
CAS number: 34722-90-2	Bromthymol Blue, Sodium Salt	<1
CAS number: 67-63-0	Isopropyl Alcohol	>70
CAS number: 2303-01-7	Metacresol Purple, Sodium Salt	<1
CAS number: 77-09-8	Phenolphthalein	<1

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position  
Maintain an unobstructed airway

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 3 of 10

## Wide Range pH Indicator

Get medical advice/attention if you feel unwell

### After skin contact:

Rinse affected area with soap and water  
If symptoms develop or persist, seek medical attention

### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes  
Remove contact lens(es) if able to do so during rinsing  
Seek medical attention if irritation persists or if concerned

### After swallowing:

Rinse mouth thoroughly  
Seek medical attention if irritation, discomfort, or vomiting persists

## Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Not determined or not applicable.

### Delayed symptoms and effects:

Not determined or not applicable.

## Immediate medical attention and special treatment

### Specific treatment:

Not determined or not applicable.

### Notes for the doctor:

Not determined or not applicable.

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors  
Vapors can flow to distant ignition sources and flashback  
Liquid is volatile and may generate an explosive atmosphere

### Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing  
Refer to Section 8

### Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols  
Avoid contact with skin, eyes and clothing

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Ensure air handling systems are operational  
Beware of vapors accumulating to form explosive concentrations  
Vapors can accumulate in low areas  
Ensure adequate ventilation

### Environmental precautions:

Should not be released into the environment

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 4 of 10

## Wide Range pH Indicator

Prevent from reaching drains, sewer or waterway

### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

### Reference to other sections:

Not determined or not applicable.

## SECTION 7: Handling and storage

### Precautions for safe handling:

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

Use only non-sparking tools.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

Store locked up.

Use appropriate containment to avoid environmental contamination.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Isopropyl Alcohol	67-63-0	ACGIH TLV STEL 400 ppm
	Isopropyl Alcohol	67-63-0	ACGIH TLV TWA 200 ppm
NIOSH	Isopropyl Alcohol	67-63-0	NIOSH IDLH 2,000 ppm
	Isopropyl Alcohol	67-63-0	NIOSH STEL 500 ppm, 1,225 mg/m <sup>3</sup>
	Isopropyl Alcohol	67-63-0	NIOSH TWA 400 ppm, 980 mg/m <sup>3</sup>
United States (OSHA)	Isopropyl Alcohol	67-63-0	OSHA PEL TWA 400 ppm, 980 mg/m <sup>3</sup>

### Biological limit values:

Substance	Identifier	Determinant	Sampling time	Permissible limits
Isopropyl Alcohol	67-63-0	Acetone	End of shift at end of workweek.	40 mg/L

### Information on monitoring procedures:

Not determined or not applicable.

### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

### Personal protection equipment

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 5 of 10

## Wide Range pH Indicator

### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

### Skin and body protection:

Select glove material impermeable and resistant to the substance.

### Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Dark Green Colored Liquid
Odor	Mild alcohol
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Does not react under normal conditions of use and storage.

### Chemical stability:

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 6 of 10

## Wide Range pH Indicator

### Conditions to avoid:

Ignition sources, excess heat, open flames, hot surfaces.

### Incompatible materials:

Oxidizers, aldehydes.

### Hazardous decomposition products:

Acrid and irritating fumes, including toxic oxides of carbon will heat to combustion.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Serious eye damage/irritation

**Assessment:** Causes serious eye irritation

**Product data:** No data available.

**Substance data:**

Name	Result
Isopropyl Alcohol	Causes serious eye irritation.

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Carcinogenicity

**Assessment:** May cause cancer

**Product data:** No data available.

**Substance data:**

Name	Species	Result
Phenolphthalein	Phenolphthalein	May cause cancer.

### International Agency for Research on Cancer (IARC):

Name	Classification
Isopropyl Alcohol	Group 3 - Not classifiable as to its carcinogenicity to humans
Phenolphthalein	Group 2B - Possibly carcinogenic to humans

### National Toxicology Program (NTP):

Name	Classification
Phenolphthalein	Reasonably anticipated to be human carcinogens

### Germ cell mutagenicity

**Assessment:** Suspected of causing genetic defects

**Product data:** No data available.

**Substance data:**

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 7 of 10

## Wide Range pH Indicator

Name	Result
Phenolphthalein	Suspected of causing genetic defects.

### Reproductive toxicity

**Assessment:** Suspected of damaging fertility or the unborn child

**Product data:** No data available.

**Substance data:**

Name	Result
Phenolphthalein	Suspected of damaging fertility or the unborn child.

### Specific target organ toxicity (single exposure)

**Assessment:** May cause drowsiness or dizziness

**Product data:** No data available.

**Substance data:**

Name	Result
Isopropyl Alcohol	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**Information on likely routes of exposure:** No data available.

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available.

**Other information:** No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Chronic (long-term) toxicity

**Product data:** No data available.

**Substance data:** No data available.

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 8 of 10

## Wide Range pH Indicator


### SECTION 13: Disposal considerations

#### Disposal methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

### SECTION 14: Transport information


#### United States Transportation of dangerous goods (49 CFR DOT)

UN number	1993
UN proper shipping name	Flammable Liquids, N.O.S. Isopropanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None
Passenger air/rail	5L
Cargo aircraft only	60L

#### International Maritime Dangerous Goods (IMDG)

UN number	1993
UN proper shipping name	Flammable Liquids, N.O.S. Isopropanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None

#### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1993
UN proper shipping name	Flammable Liquids, N.O.S. Isopropanol
UN transport hazard class(es)	3 
Packing group	II
Environmental hazards	None
Special precautions for user	None

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	None
Ship type	None
Pollution category	None

### SECTION 15: Regulatory information



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 9 of 10

## Wide Range pH Indicator

### United States regulations

#### Inventory listing (TSCA):

67-63-0	Isopropyl Alcohol	Listed
77-09-8	Phenolphthalein	Listed
845-10-3	Methyl Red, Sodium Salt	Listed
34722-90-2	Bromthymol Blue, Sodium Salt	Listed
2303-01-7	Metacresol Purple, Sodium Salt	Listed

**Significant New Use Rule (TSCA Section 5):** Not determined.

**Export notification under TSCA Section 12(b):** Not determined.

#### SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

**SARA Section 302 extremely hazardous substances:** Not determined.

#### SARA Section 313 toxic chemicals:

67-63-0	Isopropyl Alcohol	Not Listed
77-09-8	Phenolphthalein	Not Listed

**CERCLA:** Not determined.

**RCRA:** Not determined.

**Section 112(r) of the Clean Air Act (CAA):** Not determined.

#### Massachusetts Right to Know:

2303-01-7	Metacresol Purple, Sodium Salt	Not Listed
34722-90-2	Bromthymol Blue, Sodium Salt	Not Listed
67-63-0	Isopropyl Alcohol	Listed
77-09-8	Phenolphthalein	Not Listed
845-10-3	Methyl Red, Sodium Salt	Not Listed
845-10-3	Methyl Red, Sodium Salt	Not Listed

#### New Jersey Right to Know:

2303-01-7	Metacresol Purple, Sodium Salt	Not Listed
34722-90-2	Bromthymol Blue, Sodium Salt	Not Listed
67-63-0	Isopropyl Alcohol	Listed
77-09-8	Phenolphthalein	Listed
845-10-3	Methyl Red, Sodium Salt	Not Listed

#### New York Right to Know:

2303-01-7	Metacresol Purple, Sodium Salt	Not Listed
34722-90-2	Bromthymol Blue, Sodium Salt	Not Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.10.2017

Page 10 of 10

## Wide Range pH Indicator

67-63-0	Isopropyl Alcohol	Listed
77-09-8	Phenolphthalein	Not Listed
845-10-3	Methyl Red, Sodium Salt	Not Listed

### Pennsylvania Right to Know:

2303-01-7	Metacresol Purple, Sodium Salt	Not Listed
34722-90-2	Bromthymol Blue, Sodium Salt	Not Listed
67-63-0	Isopropyl Alcohol	Listed
77-09-8	Phenolphthalein	Not Listed
845-10-3	Methyl Red, Sodium Salt	Not Listed

### California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause cancer.

77-09-8	Phenolphthalein
---------	-----------------

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-3-0-0

**HMIS:** 2-3-0-0

Initial preparation date: 05.10.2017

**End of Safety Data Sheet**