Printing date: December 12, 2018

Revision: December 12, 2018

FIGURE INC	ntifier	
Trade name: Product code CAS Number 50-00-0		
Recommende	ed use and restriction on use ed use: Laboratory chemicals on use: No relevant information available.	
Manufacturer AquaPhoenix 860 Gitts Run Hanover, PA Phone: (717)6 Toll-Free: (866 info@aquapho Distributor: Fisher Science 6771 Silver Co Nazareth, PA (800) 955-117	Scientific, Inc. Road 17331 32-1291 5)632-1291 Denixsci.com e Education rest Road 18064	
ChemTel Inc. (800)255-3924	elephone number: 4 (North America) 585 (International)	
ChemTel Inc. (800)255-3924 +1 (813)248-0	4 (North America) 585 (International)	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i	4 (North America) 585 (International) dentification	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio	4 (North America) 585 (International) dentification on of the substance or mixture	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1	4 (North America) 585 (International) dentification on of the substance or mixture H290 May be corrosive to metals.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3	4 (North America) 585 (International) dentification on of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3 Acute Tox. 3	4 (North America) 585 (International) dentification on of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3 Acute Tox. 3 Acute Tox. 3	4 (North America) 585 (International) dentification on of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B	4 (North America) 585 (International) dentification on of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B Skin Sens. 1	4 (North America) 585 (International) dentification dentification n of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B Skin Sens. 1 Muta. 2	4 (North America) 585 (International) dentification n of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.	
ChemTel Inc. (800)255-3924 +1 (813)248-0 Hazard(s) i Classificatio Met. Corr.1 Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B Skin Sens. 1	4 (North America) 585 (International) dentification dentification h of the substance or mixture H290 May be corrosive to metals. H301 Toxic if swallowed. H311 Toxic in contact with skin. H311 Toxic in contact with skin. H311 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H350 May cause cancer.	



(Cont'd. on page 2)

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

	(Cont'd. of page 1)
 Signal word: Dar 	nger
 Hazard statemen 	ts:
H290	May be corrosive to metals.
H301+H311+H33 ⁻	1 Toxic if swallowed, in contact with skin or if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
 Precautionary state 	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original container.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	If swallowed: Immediately call a poison center/doctor.
	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311	Call a poison center/doctor.
	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other hazards ⁻	There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

50-00-0 Formaldehyde

4 First-aid measures

[•] Description of first aid measures

· General information: No special measures required.

· After inhalation:

Do not use mouth to mouth or mouth to nose resuscitation.

(Cont'd. on page 3)

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

	(Cont'd. of page
Provide oxygen treatment if affected person has difficulty breathing.	
Use a respiration bag or breathing device.	
In case of unconsciousness place patient stably in side position for transportation.	
· After skin contact:	
Immediately remove any clothing soiled by the product.	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation or rash occurs: Get medical advice/attention.	
Seek immediate help for blistering or open wounds.	
· After eye contact:	
Protect unharmed eye.	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
• Most important symptoms and effects, both acute and delayed:	
Breathing difficulty	
Coughing	
Allergic reactions	
Strong caustic effect on skin and mucous membranes.	
Dizziness	
Gastric or intestinal disorders when ingested.	
Nausea in case of ingestion.	
Vomiting.	
· Danger:	
Danger of gastric perforation.	
Danger of impaired breathing.	
Causes serious eye damage.	
Toxic if swallowed, in contact with skin or if inhaled.	
May cause cancer.	
Suspected of causing genetic defects.	
Indication of any immediate medical attention and special treatment needed:	
Medical supervision for at least 48 hours.	
If necessary oxygen respiration treatment.	
Later observation for pneumonia and pulmonary edema.	
Contains Formaldehyde. May produce an allergic reaction.	
If medical advice is needed, have product container or label at hand.	
5 Fire-fighting measures	

· Evtino	uuenina	modia
	juishing	IIICula

· Suitable extinguishing agents: Carbon dioxide Fire-extinguishing powder Foam Water fog / haze Gaseous extinguishing agents · For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 3)

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Isolate area and prevent access.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Protect from heat

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

[.] Handling

- **Precautions for safe handling:** Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle. Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidizing agents. Store away from metals.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

	(Cont'd. of page	
Components with limit values that require monitoring at the workplace:		
50-00-0 Formaldehyde		
PEL (USA)	Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)	
REL (USA)	Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A	
TLV (USA)	Short-term value: 0.37 mg/m ³ , 0.3 ppm Long-term value: 0.12 mg/m ³ , 0.1 ppm DSEN; RSEN	
EL (Canada)	Long-term value: 0.3 ppm Ceiling limit value: 1 ppm ACGIH A1; IARC 1; S(D), S(R)	
EV (Canada)	Short-term value: 1.0 ppm	
Ceiling limit value	1.5 ppm	
LMPE (Mexico)	Ceiling limit value: 0.3 ppm A2, SEN	
The usual precaut Keep away from for Immediately remo Wash hands befor Store protective cl Do not inhale gase Avoid contact with	<i>ve</i> and hygienic measures: tionary measures for handling chemicals should be followed. bodstuffs, beverages and feed. ve all soiled and contaminated clothing. re breaks and at the end of work. lothing separately. es / fumes / aerosols. the eyes and skin. trols: Provide adequate ventilation.	
Combine	ed Organic Vapor and Particulate Respirator is recommended for use during activities.	

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves
Nitrile rubber, NBR
Neoprene gloves
Butyl rubber, BR
Fluorocarbon rubber (Viton)
Natural rubber, NR
Sensibilization by the components in the glove materials is possible.
Eye protection:

(Cont'd. on page 6)

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 5)

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties		
 Information on basic physical a Appearance: 	nd chemical properties	
Form:	Fluid	
Color:	Colorless	
· Odor:	Pungent	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Melting point/Melting range: 	-92 ℃ (-133.6 ℉)	
 Boiling point/Boiling range: 	-21 ℃ (-5.8 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	~300 ℃ (~572 ℉)	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits 		
Lower:	7 Vol %	
Upper:	73 Vol %	
· Oxidizing properties:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	1.7 hPa (1.3 mm Hg)	
· Density at 20 °C (68 °F):	0.81 g/cm ³ (6.76 lbs/gal)	
 Relative density: 	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
 Solubility in / Miscibility with 		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
Dynamic at 20 ℃ (68 °F):	2 mPas	
Kinematic:	Not determined.	
[·] Other information	No relevant information available.	

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 6)

10 Stability and reactivity · Reactivity: No relevant information available. · Chemical stability: Stable under normal temperatures and pressures. • Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong acids and alkali. Reacts violently with oxidizing agents. Reacts with inorganic acid chlorides. Reacts with certain metals. Conditions to avoid Keep ignition sources away - Do not smoke. Store away from oxidizing agents. · Incompatible materials Oxidizers, strong bases, strong acids · Hazardous decomposition products Under fire conditions only: Carbon monoxide and carbon dioxide ____

1 Toxicol	ogical i	nformation	
		oxicological effects	
· Acute to:			
	ontact wit	h skin.	
Toxic if in			
Toxic if s			
· LD/LC50	values th	at are relevant for classification:	
Formalde	ehyde, AC	S	
Oral	LD50	>200 mg/kg (rat)	
Dermal	LD50	300 mg/kg	
Inhalative	LC50/4h	3 mg/l	
50-00-0 F	ormaldel	hyde	
Oral	LD50	>200 mg/kg (rat)	
· Primary i	rritant eff	ect:	
		g caustic effect on skin and mucous membranes.	
		caustic effect.	
 Sensitiza 	tion: Sen	sitization possible through skin contact.	
· IARC (Int	ernationa	I Agency for Research on Cancer):	
· NTP (Nat	ional Tox	icology Program):	
· OSHA-Ca	a (Occupa	tional Safety & Health Administration):	
Substanc	e is listed.		
		of exposure:	
Ingestion			
			(Cont'd. on page

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 7)

Inhalation. Eye contact. Skin contact. • Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage. Toxic if swallowed, in contact with skin or if inhaled. • Repeated dose toxicity: May cause sensitisation by skin contact. Danger of very serious irreversible effects.

- · Germ cell mutagenicity: Suspected of causing genetic defects.
- · Carcinogenicity: May cause cancer.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- [•] Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- [·] Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. on page 9)

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 8)

Transport information	
[·] UN-Number [·] DOT, ADR/RID/ADN, IMDG, IATA	UN2209
 UN proper shipping name DOT, IMDG, IATA ADR/RID/ADN 	FORMALDEHYDE SOLUTION 2209 FORMALDEHYDLÖSUNG
· Transport hazard class(es)	
· DOT	
· Class · Label	8 8
· ADR/RID/ADN	2 (00)
· Class · Label	8 (C9) 8
· IMDG, IATA	
· Class	8
·Label	8
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	III
· Environmental hazards	Not applicable.
 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Corrosive substances 80 F-A,S-B
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	x II of Not applicable.

15 Regulatory information

[·] Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

(Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 9)

15000

B1

1

· Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is listed.

· SARA

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act)

Substance is listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

· IARC (International Agency for Research on Cancer):

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Substance is listed.

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative

(Cont'd. on page 11)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: December 12, 2018

Revision: December 12, 2018

Trade name: Formaldehyde 37%

(Cont'd. of page 10) OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 Carc. 1B: Carcinogenicity - Category 1B · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com