Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

-	
1 Identification	
[·] Product identifi	er
 Trade name: Bisr Product code: BN 	<u>nuth Nitrate, 0.001M</u> N6870SS
· Recommended u	se and restriction on use se: Laboratory chemicals I se: No relevant information available.
 Details of the su Manufacturer/Sup AquaPhoenix Scie 860 Gitts Run Roa Hanover, PA 1733 Phone: (717)632-1 Toll-Free: (866)63 info@aquaphoenix 	ntific, Inc. Id 11 1291 2-1291
 Emergency telept ChemTel Inc. (800)255-3924 (N +1 (813)248-0585 	lorth America)
2 Hazard(s) iden	tification
· Classification o	f the substance or mixture
Met. Corr.1 H29	00 May be corrosive to metals.
Skin Corr. 1B H31	14 Causes severe skin burns and eye damage.
Eye Dam. 1 H31	18 Causes serious eye damage.
 Label elements GHS label element The product is class Hazard pictogram 	nts ssified and labeled according to the Globally Harmonized System (GHS).
A CONTRACTOR	
GHS05	
• Signal word: Dan • Hazard statement H290 May be corro	ts: osive to metals.
• Precautionary sta	ere skin burns and eye damage.
P234	Keep only in original container.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280 P301+P330+P331	Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing. (Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 1)

P305+P35	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other haz	zards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component	ts:		
7732-18-5	Water		>90%
7697-37-2	nitric acid	 Ox. Liq. 2, H272 Acute Tox. 3, H331 Met. Corr.1, H290; Skin Corr. 1A, H314 	<10%
10035-06-0	Bismuth Nitrate	 Ox. Sol. 2, H272 Eye Irrit. 2A, H319 	<0.1%
· Additional i	nformation:		

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately remove any clothing soiled by the product. Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate medical help for blistering or open wounds. · After eve contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Strong caustic effect on skin and mucous membranes. Coughing Methaemoglobinaemia · Danger: Danger of gastric perforation. (Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 2)

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced. Substance/product is oxidizing when dry.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered containers with water fog.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 3)

Open and handle receptacle with care. • Information about protection against explosions and fires: Substance/product is oxidizing when dry.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

7697-37-2 nitric acid	
-----------------------	--

1001 01 2 11111	
PEL (USA)	Long-term value: 5 mg/m ³ , 2 ppm
REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm
EV (Canada)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 4)

Material of gloves
 Neoprene gloves
 Fluorocarbon rubber (Viton)
 Laminated film gloves.
 Nitrile rubber, NBR

• Not suitable are gloves made of the following materials: PVA gloves • Eye protection:

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • **Body protection:** Acid resistant protective clothing.

• Limitation and supervision of exposure into the environment No relevant information available.

• Risk management measures No relevant information available.

Information on basic physical a	nd chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2.0	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

(Cont'd. of page 5)

Trade name: Bismuth Nitrate, 0.001M

Water:

Soluble.

· Partition coefficient (n-octanol/water): Not determined.

 Viscosity Dynamic: Kinematic:
 Other information

Not determined. Not determined. No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

* Possibility of hazardous reactions Reacts with alkali (lyes).

· Conditions to avoid Excessive heat.

· **Incompatible materials** No relevant information available.

· Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides (NOx)

Toxic metal oxide smoke

11 Toxicological information

- [·] Information on toxicological effects
- Acute toxicity: May be harmful if inhaled.
- · LD/LC50 values that are relevant for classification: None.
- Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye: Strong caustic effect.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion. Inhalation.

Eve contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 6)

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

[•] Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR, IMDG, IATA	UN2031	
· UN proper shipping name		
DOT, IATA	Nitric Acid with not more than 20%	
ADR, IMDG	NITRIC ACID with not more than 20%	

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

	(0	Cont'd. of pag
DOT		
UT JU CORROSVE		
Class	8	
Label	8	
ADR		
Class	8 (C1)	
Label	8	
IMDG, IATA		
Class	8	
Label	8	
Packing group DOT, ADR, IMDG, IATA	II	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Il of Not applicable.	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 302 (extremely hazardous substances):

 None of the ingredients are listed.
 Section 355 (extremely hazardous substances):
 7697-37-2 nitric acid
 Section 313 (Specific toxic chemical listings):

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 8)

7697-37-2 nitric acid

TSCA (Toxic Substances Control Act)

Contact manufacturer for further information.

Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

Contact manufacturer for further information.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Ox. Liq. 2: Oxidizing liquids – Category 2 Ox. Sol. 2: Oxidizing solids – Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 (Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 22, 2018

Revision: May 22, 2018

Trade name: Bismuth Nitrate, 0.001M

(Cont'd. of page 9) Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com