

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

## 1 Identification

- **Product identifier**
- **Trade name:** Catalyzed Molybdate Reagent
- **Product code:** PR1250SS
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover, PA 17331  
Phone: (717)632-1291  
Toll-Free: (866)632-1291  
info@aquaphoenixsci.com
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Met. Corr. 1 H290 May be corrosive to metals.  
Acute Tox. 3 H331 Toxic if inhaled.  
Skin Corr. 1A H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

### · Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### · Hazard pictograms:



GHS05 GHS06

#### · Signal word: Danger

#### · Hazard statements:

H290 May be corrosive to metals.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements:

P234 Keep only in original container.

P260 Do not breathe mist/vapors/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

(Cont'd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 1)




- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P363 Wash contaminated clothing before reuse.
- P390 Absorb spillage to prevent material damage.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P406 Store in corrosive resistant container with a resistant inner liner.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

• **Chemical characterization: Mixtures**

• **Components:**

7732-18-5	Water	71.934%
7697-37-2	nitric acid	27%
	 Ox. Liq. 2, H272  Acute Tox. 3, H331  Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
10361-44-1	bismuth (III) nitrate	0.15%
12027-67-7	ammonium molybdate	0.916%

• **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

• **Description of first aid measures**

• **General information:** Immediately remove any clothing soiled by the product.

• **After inhalation:**

Supply fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

• **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

• **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 2)

- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**  
Breathing difficulty  
Eye damage.  
Coughing  
Strong caustic effect on skin and mucous membranes.  
Gastric or intestinal disorders when ingested.  
Nausea in case of ingestion.
- **Danger:**  
Danger of gastric perforation.  
Danger of impaired breathing.  
Causes serious eye damage.  
Toxic if inhaled.
- **Indication of any immediate medical attention and special treatment needed:**  
Medical supervision for at least 48 hours.  
If necessary oxygen respiration treatment.  
Later observation for pneumonia and pulmonary edema.  
If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No relevant information available.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.  
Substance/product is oxidizing when dry.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Ensure adequate ventilation.
- **Environmental precautions**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**  
Use limestone to neutralize and/or absorb spill.  
Substance/product is oxidizing when dry.  
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**

(Cont'd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 3)

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
  - Prevent formation of aerosols.
  - Avoid splashes or spray in enclosed areas.
  - Use only in well ventilated areas.
- **Information about protection against explosions and fires:** Substance/product is oxidizing when dry.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
  - Store only in the original receptacle.
  - Unsuitable material for receptacle: aluminium.
  - Unsuitable material for receptacle: steel.
- **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Do not store together with alkalis (caustic solutions).
  - Store away from metals.
- **Further information about storage conditions:**
  - Keep containers tightly sealed.
  - Prevent from drying out.
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### 7697-37-2 nitric acid

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL (USA)	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV (USA)	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm
EV (Canada)	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm

### · Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Cont'd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 4)

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:** Use suitable respiratory protective device when aerosol or mist is formed.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
Butyl rubber, BR  
Fluorocarbon rubber (Viton)  
Natural rubber, NR  
Neoprene gloves  
Nitrile rubber, NBR  
Sensibilization by the components in the glove materials is possible.
- **As protection from splashes gloves made of the following materials are suitable:** PVC gloves
- **Not suitable are gloves made of the following materials:** PVA gloves
- **Eye protection:**  
Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Acid resistant protective clothing.
- **Limitation and supervision of exposure into the environment**  
No relevant information available.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

- **Appearance:**
  - Form:** Liquid
  - Color:** Clear, colorless
- **Odor:** Not determined.
- **Odor threshold:** Not determined.

- **pH-value at 20 °C (68 °F):** <1.0
- **Melting point/Melting range:** Not determined.
- **Boiling point/Boiling range:** Not determined.

- **Flash point:** The product is not flammable.

- **Flammability (solid, gaseous):** Not applicable.

- **Auto-ignition temperature:** Not determined.

(Cont'd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 5)

· <b>Decomposition temperature:</b>	Not determined.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Oxidizing properties:</b>	Substance/product is oxidizing when dry.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density:</b>	
<b>Relative density:</b>	Not determined.
<b>Vapor density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Soluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No relevant information available.

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
Do not allow to dry out
- **Possibility of hazardous reactions**  
Substance/product is oxidizing when dry.  
Reacts with alkali (lyes).  
Corrosive action on metals.  
Reacts with metals forming hydrogen.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** No relevant information available.
- **Incompatible materials**  
Metals.  
Alkalis
- **Hazardous decomposition products**  
Hydrogen  
Under fire conditions only:  
Nitrogen oxides  
Toxic metal oxide smoke

(Cont'd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 6)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:** Toxic if inhaled.

- **LD/LC50 values that are relevant for classification:**

<b>ATE (Acute Toxicity Estimate)</b>		
Inhalative	LC50/4h	>9.8 mg/l (rat)

<b>7697-37-2 nitric acid</b>		
Inhalative	LC50/4h	>2.65 mg/l (rat)

- **Primary irritant effect:**

- **On the skin:** Strong caustic effect on skin and mucous membranes.

- **On the eye:** Strong caustic effect.

- **Sensitization:** Based on available data, the classification criteria are not met.

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.		
-------------------------------------	--	--

- **NTP (National Toxicology Program):**

None of the ingredients are listed.		
-------------------------------------	--	--

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.		
-------------------------------------	--	--

- **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):**

Causes severe skin burns and eye damage.

Toxic if inhaled.

- **Repeated dose toxicity:** No relevant information available.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

- **Carcinogenicity:** Based on available data, the classification criteria are not met.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

- **STOT-single exposure:** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity** No relevant information available.

- **Persistence and degradability** No relevant information available.

- **Bioaccumulative potential:** No relevant information available.

- **Mobility in soil:** No relevant information available.

- **Additional ecological information**

- **General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Cont'd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 7)

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**

· DOT, ADR/RID/ADN, IMDG, IATA UN2031

· **UN proper shipping name**

· DOT Nitric acid solution  
· ADR/RID/ADN, IMDG, IATA NITRIC ACID solution

· **Transport hazard class(es)**

· DOT



· Class 8

· Label 8

· ADR/RID/ADN



· Class 8 (C1)

· Label 8

(Cont'd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 8)

· **IMDG, IATA**



· **Class** 8  
· **Label** 8

· **Packing group**  
· **DOT, ADR/RID/ADN, IMDG, IATA** II

· **Environmental hazards** Not applicable.

· **Special precautions for user** Warning: Corrosive substances  
· **Danger code (Kemler):** 80  
· **EMS Number:** F-A,S-Q  
· **Segregation groups** Acids

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**  
· **Quantity limitations** On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· **United States (USA)**  
· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 355 (extremely hazardous substances):**

7697-37-2 nitric acid

· **Section 313 (Specific toxic chemical listings):**

7697-37-2 nitric acid

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

(Cont'd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

**Trade name: Catalyzed Molybdate Reagent**

(Cont'd. of page 9)

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

All ingredients are listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Ox. Liq. 2: Oxidizing liquids – Category 2

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com