# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

Identificatio	on	
· Product iden	ntifier	
· Trade name: N	NAP 100	
· Product code:	: PE1500	
· CAS Number:		
64742-52-5		
· Recommende	d use and restriction on use	
· Recommende	d use: Laboratory chemicals	
· Restrictions o	on use: No relevant information available.	
· Details of the	e supplier of the Safety Data Sheet	
· Manufacturer/	/Supplier:	
AquaPhoenix S	Scientific, Inc.	
860 Gitts Run I		
Hanover, PA 1		
Phone: (717)63		
Toll-Free: (866		
info@aquapho	enixsci.com	
	lephone number:	
ChemTel Inc.		
	(North America)	
+1 (813)248-05	585 (International)	
2 Hazard(s) io	dentification	
	dentification n of the substance or mixture	
· Classificatio		
• Classificatio Skin Irrit. 2 H	n of the substance or mixture	
• Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H:	<b>n of the substance or mixture</b> 315 Causes skin irritation.	
• Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H:	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways.	
• Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. nts	
Classificatio     Skin Irrit. 2 Hi     Eye Irrit. 2B Hi     Asp. Tox. 1 Hi     Label elemen     GHS label elem	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. nts ments	/stem (GHS).
Classificatio     Skin Irrit. 2 Hi     Eye Irrit. 2B Hi     Asp. Tox. 1 Hi     Label elemen     GHS label elem	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. nts ments classified and labeled according to the Globally Harmonized Sy	/stem (GHS).
Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi Label element GHS label element The product is	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. nts ments classified and labeled according to the Globally Harmonized Sy	<i>r</i> stem (GHS).
Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi Label element GHS label element The product is	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. nts ments classified and labeled according to the Globally Harmonized Sy	<i>r</i> stem (GHS).
Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H: Asp. Tox. 1 H: Label element GHS label element The product is Hazard pictog	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams:	<i>ı</i> stem (GHS).
Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi Label element GHS label element The product is	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams:	/stem (GHS).
Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H: Asp. Tox. 1 H: Label element GHS label element The product is Hazard pictog GHS07 GHS08	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams:	<i>ı</i> stem (GHS).
Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H: Asp. Tox. 1 H: Label element GHS label element The product is Hazard pictog	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: Danger	/stem (GHS).
Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H: Asp. Tox. 1 H: Label element GHS label element The product is Hazard pictog GHS07 GHS08 Signal word: I Hazard statem	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: Danger	/stem (GHS).
Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H: Asp. Tox. 1 H: Label element GHS label element The product is Hazard pictog GHS07 GHS08 Signal word: I Hazard statemt H315+H320 Ca	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: Danger ments:	/stem (GHS).
Classificatio Skin Irrit. 2 H: Eye Irrit. 2B H: Asp. Tox. 1 H: Label element GHS label element The product is Hazard pictog GHS07 GHS08 Signal word: I Hazard statemt H315+H320 Ca	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. nts ments classified and labeled according to the Globally Harmonized Sy grams: 3 Danger nents: auses skin and eye irritation. ay be fatal if swallowed and enters airways.	/stem (GHS).
<ul> <li>Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi</li> <li>Label elemen GHS label elemen The product is</li> <li>Hazard pictog</li> <li>GHS07 GHS08</li> <li>Signal word: I Hazard statem H315+H320 Ca H304 Mi</li> <li>Precautionary P264</li> </ul>	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: 3 Danger ments: auses skin and eye irritation. ay be fatal if swallowed and enters airways. y statements: Wash thoroughly after handling.	/stem (GHS).
<ul> <li>Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi</li> <li>Label element</li> <li>GHS label element</li> <li>GHS label element</li> <li>Hazard pictog</li> <li>GHS07 GHS08</li> <li>Signal word: I</li> <li>Hazard statemt</li> <li>H315+H320 Catholic</li> <li>H304 Mit</li> <li>Precautionary</li> <li>P264</li> <li>P280</li> </ul>	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. Ints ments classified and labeled according to the Globally Harmonized Sy grams: 3 Danger nents: auses skin and eye irritation. ay be fatal if swallowed and enters airways. r statements: Wash thoroughly after handling. Wear protective gloves and eye protection.	<i>v</i> stem (GHS).
<ul> <li>Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi</li> <li>Label element</li> <li>GHS label element</li> <li>GHS label element</li> <li>Hazard pictog</li> <li>GHS07 GHS08</li> <li>Signal word: I</li> <li>Hazard statemt</li> <li>H315+H320 Cat H304 Mi</li> <li>Precautionary</li> <li>P264</li> <li>P280</li> <li>P301+P310</li> </ul>	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: 3 Danger nents: auses skin and eye irritation. ay be fatal if swallowed and enters airways. r statements: Wash thoroughly after handling. Wear protective gloves and eye protection. If swallowed: Immediately call a poison center/doctor.	<i>ı</i> stem (GHS).
<ul> <li>Classificatio Skin Irrit. 2 H3 Eye Irrit. 2B H3 Asp. Tox. 1 H3</li> <li>Label element GHS label element Hazard pictog</li> <li>Hazard pictog</li> <li>GHS07 GHS08</li> <li>Signal word: I Hazard statem H315+H320 Ca H304 M3</li> <li>Precautionary P264 P280 P301+P310 P331</li> </ul>	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: Danger nents: auses skin and eye irritation. ay be fatal if swallowed and enters airways. r statements: Wash thoroughly after handling. Wear protective gloves and eye protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.	/stem (GHS).
<ul> <li>Classificatio Skin Irrit. 2 Hi Eye Irrit. 2B Hi Asp. Tox. 1 Hi</li> <li>Label element</li> <li>GHS label element</li> <li>GHS label element</li> <li>Hazard pictog</li> <li>GHS07 GHS08</li> <li>Signal word: I</li> <li>Hazard statemt</li> <li>H315+H320 Cat H304 Mi</li> <li>Precautionary</li> <li>P264</li> <li>P280</li> <li>P301+P310</li> </ul>	n of the substance or mixture 315 Causes skin irritation. 320 Causes eye irritation. 304 May be fatal if swallowed and enters airways. ants ments classified and labeled according to the Globally Harmonized Sy grams: 3 Danger nents: auses skin and eye irritation. ay be fatal if swallowed and enters airways. r statements: Wash thoroughly after handling. Wear protective gloves and eye protection. If swallowed: Immediately call a poison center/doctor.	/stem (GHS). (Cont'd. on pag

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

#### Trade name: NAP 100

(Cont'd. of page 1)

P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

# **3** Composition/information on ingredients

#### · Chemical characterization: Substances

· CAS No. Description

64742-52-5 petroleum distillates, hydrotreated

#### 4 First-aid measures

<ul> <li>Description of first aid measures</li> <li>General information: Take affected persons out into the fresh air.</li> <li>After inhalation: In case of unconsciousness place patient stably in side position for transportation.</li> <li>After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. </li> <li>After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. </li> <li>After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Breathing difficulty Coughing Causes eye irritation. Gauses skin irritation. Gastric or intestinal disorders when ingested. Danger of impaired breathing. May be fatal if swallowed and enters airways. Indication of any immediate medical attention and special treatment needed: If swallowed or in case of vomiting, danger of entering the lungs. If swallowed or in case of vomiting, danger of entering the lungs.</li></ul>
If swallowed or in case of vomiting, danger of entering the lungs. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. If medical advice is needed, have product container or label at hand.
(Cont'd, on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

Trade name: NAP 100

(Cont'd. of page 2)

#### **5** Fire-fighting measures

#### · Extinguishing media

- Suitable extinguishing agents: Foam Gaseous extinguishing agents Carbon dioxide Fire-extinguishing powder
- Water fog / haze
- For safety reasons unsuitable extinguishing agents: Water stream. Water spray
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Wear fully protective suit.

# 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. For large spills, use respiratory protective device against the effects of fumes/dust/aerose

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. For large spills, wear protective clothing.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.

#### • Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container. For larger spills, add non-combustible inert binding material, then sweep up and discard. Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling

· Precautions for safe handling:

Avoid splashes or spray in enclosed areas. Prevent formation of aerosols.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: No special requirements.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

Trade name: NAP 100

(Cont'd. of page 3)

- Information about storage in one common storage facility: Store away from foodstuffs.
   Store away from oxidizing agents.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### Control parameters

• Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### · Exposure controls

- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

Protection of hands:



Protective gloves

- Material of gloves
   Neoprene gloves
   Nitrile rubber, NBR
- · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Oil resistant protective clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · Appearance:

Liquid Colorless

(Cont'd. on page 5)

Form: Color:

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

#### Trade name: NAP 100

		(Cont'd. of page 4
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.	
· Boiling point/Boiling range:	Not determined.	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	iter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<ul> <li>Other information</li> </ul>	No relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Reacts with strong oxidizing agents. Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No relevant information available.
- · Incompatible materials Oxidizers
- $\cdot$  Hazardous decomposition products Carbon monoxide and carbon dioxide

(Cont'd. on page 6)

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

Trade name: NAP 100

(Cont'd. of page 5)

٦

11 Toxicological information
· Information on toxicological effects
· Acute toxicity: Based on available data, the classification criteria are not met.
· LD/LC50 values that are relevant for classification:
64742-52-5 petroleum distillates, hydrotreated
Oral LD50 >5000 mg/kg (rat)
Dermal LD50 >5000 mg/kg (rabbit)
Primary irritant effect:
• On the skin: Irritant to skin and mucous membranes.
<ul> <li>On the eye: Causes eye irritation.</li> <li>Sensitization: Based on available data, the classification criteria are not met.</li> </ul>
· IARC (International Agency for Research on Cancer):
Substance is not listed.
· NTP (National Toxicology Program):
Substance is not listed.
OSHA-Ca (Occupational Safety & Health Administration):     Substance is not listed.
Probable route(s) of exposure:
Ingestion. Inhalation.
Eye contact.
Skin contact.
· Acute effects (acute toxicity, irritation and corrosivity):
Irritating to eyes and skin.
May be fatal if swallowed and enters airways.
<ul> <li>Repeated dose toxicity: No relevant information available.</li> </ul>
<ul> <li>Germ cell mutagenicity: Based on available data, the classification criteria are not met.</li> </ul>
<ul> <li>Carcinogenicity: Based on available data, the classification criteria are not met.</li> </ul>
<ul> <li>Reproductive toxicity: Based on available data, the classification criteria are not met.</li> </ul>
• STOT-single exposure: Based on available data, the classification criteria are not met.
<b>STOT-repeated exposure:</b> Based on available data, the classification criteria are not met.
Aspiration hazard: May be fatal if swallowed and enters airways.
12 Ecological information
· Toxicity
• Aquatic toxicity No relevant information available.
· Persistence and degradability No relevant information available.
• Bioaccumulative potential: No relevant information available.
• Mobility in soil: No relevant information available.
· Additional ecological information
· General notes:
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage
system.

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

#### Trade name: NAP 100

(Cont'd. of page 6)

#### · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

#### 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### · Uncleaned packagings

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
<ul> <li>· UN proper shipping name</li> <li>· DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not regulated.	
<ul> <li>Transport hazard class(es)</li> </ul>		
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not regulated.	
· Environmental hazards	Not applicable.	
· Special precautions for user	Not applicable.	
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	<b>x II of</b> Not applicable.	

#### 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

· SARA

## · Section 302 (extremely hazardous substances):

Substance is not listed.

(Cont'd. on page 8)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

Trade name: NAP 100

(Cont'd. of page 7)

· Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Section 313 (Specific to Substance is not listed.

· TSCA (Toxic Substances Control Act)

Substance is listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is not listed.

 $\cdot$  Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Substance is listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B Asp. Tox. 1: Aspiration hazard - Category 1 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

(Cont'd. on page 9)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 04, 2019

Revision: March 04, 2019

#### Trade name: NAP 100

(Cont'd. of page 8) Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com