# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

<ul> <li>Product identifier</li> <li>Trade name: Potassium lodide, 10% w/v</li> <li>Product code: DUPI1410-B</li> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toil-Free: (866)632-1291 Toil-Free: (866)632-1291 Toil-Free: (866)632-1291 Toil-Free: (866)632-1291 Toil-Free: (866)632-1291 Toil-Free: (866)632-1291</li> <li>Dubois Chemicals Inc. 3630 East Kemper Rd Cincinnati, OH 45241 (800) 438-2647</li> <li>Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> <li>GHS08</li> </ul>		
<ul> <li>Product code: DUPI1410-B</li> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd Cincinnati, OH 45241 (800) 438-2647</li> <li>Emergency telephone number: Chem Tel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)</li> <li>Z Hazard(s) identification</li> <li>Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>	· Product identifier	_
<ul> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd Cincinnati, OH 45241 (800) 438-2647</li> <li>Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)</li> <li>Z Hazard(s) identification</li> <li>Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>		
<ul> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd Cincinnati, OH 45241 (800) 438-2647</li> <li>Emergency telephone number: Chem Tel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)</li> <li>2 Hazard(s) identification</li> <li>Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>	· Recommended use: Laboratory chemicals	
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms:	<ul> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc.</li> <li>860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc.</li> <li>3630 East Kemper Rd Cincinnati, OH 45241</li> </ul>	
<ul> <li>Classification of the substance or mixture STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>	ChemTel Inc. (800)255-3924 (North America)	
<ul> <li>STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements <ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul> </li> </ul>	2 Hazard(s) identification	
<ul> <li>STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Label elements <ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul> </li> </ul>		
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>	· Classification of the substance or mixture	
GHS08	STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Ro exposure: Oral.	oute of
GHS08	<ul> <li>STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Reexposure: Oral.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>	oute of
	<ul> <li>STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Reexposure: Oral.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>	oute of
<ul> <li>Signal word: Danger</li> <li>Hazard statements: H372 Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.</li> <li>Precautionary statements: P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Cont'd. on page 2)</li> </ul>	<ul> <li>STOT RE 1 H372 Causes damage to the thyroid through prolonged or repeated exposure. Reexposure: Oral.</li> <li>Label elements <ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul> </li> </ul>	oute of

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Trade name: Potassium Iodide, 10% w/v

(Cont'd. of page 1)

• Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Componer	nts:	
7681-11-0	potassium iodide	10%
	🚸 STOT RE 1, H372	
1310-58-3	Potassium hydroxide	0.1%
	<ul> <li>Met. Corr.1, H290; Skin Corr. 1A, H314</li> <li>Acute Tox. 4, H302</li> </ul>	
497-19-8	Sodium carbonate	0.065%
	🚸 Eye Irrit. 2A, H319	
144-55-8	Sodium hydrogencarbonate	0.05%
7732-18-5	Water	89.785%
· Additional	information:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### **4 First-aid measures**

#### Description of first aid measures

#### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: If experiencing respiratory symptoms: Call a doctor.
- · After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

- Do not induce vomiting. Seek medical attention.
- · Most important symptoms and effects, both acute and delayed: Gastric or intestinal disorders when ingested. Nausea in case of ingestion.
- Danger: Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.
- Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

#### Extinguishing media

(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium lodide, 10% w/v

(Cont'd. of page 2)

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
   During heating or in case of fire poisonous gases are produc
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   For large spills, wear protective clothing.
   For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
   Ensure adequate ventilation.
- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- <sup>•</sup> Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

- **Reference to other sections** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### <sup>.</sup> Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.

#### <sup>•</sup> Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

#### <sup>·</sup> Control parameters

· Components	with limit values that require monitoring at the workplace:
7681-11-0 po	tassium iodide
TLV (USA)	Long-term value: NIC-0.015** mg/m <sup>3</sup> , (0.01*) ppm NIC-Skin; *inhalable fraction & vapor **inhal.;
	(Cont'd. on page 4)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium Iodide, 10% w/v

(Cont'd. of page 3)

1310-58-3 Pota	ssium hydroxide
	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
	Ceiling limit value: 2 mg/m <sup>3</sup>
LMPE (Mexico)	Ceiling limit value: 2 mg/m <sup>3</sup>

#### <sup>•</sup> Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

· Material of gloves

Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR Natural rubber, NR Sensibilization by the components in the glove materials is possible. **Eye protection:** 



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Not required under normal conditions of use.
- Limitation and supervision of exposure into the environment No relevant information available.

· Information on basic physical	and chemical properties	
· Appearance:	Lieuid	
Form:	Liquid	
Color:	Clear, colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	100-105 ℃ (212-221 ℉)	

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium Iodide, 10% w/v

		(Cont'd. of page
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 ℃ (68 ℉):	1.22 g/cm <sup>3</sup> (10.18 lbs/gal)	
<ul> <li>Relative density:</li> </ul>	Not determined.	
<ul> <li>Vapor density:</li> </ul>	Not determined.	
<ul> <li>Evaporation rate:</li> </ul>	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

#### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
   No decomposition if used and stored according to specify
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions Reacts with strong oxidizing agents.
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- <sup>·</sup> Hazardous decomposition products
- Under fire conditions only: Halogen gases. Corrosive gases/vapors

Nitrogen oxides (NOx)

### **11 Toxicological information**

(Cont'd. on page 6)

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium Iodide, 10% w/v

(Cont'd. of page 5)
Information on toxicological effects
<ul> <li>Acute toxicity: Based on available data, the classification criteria are not met.</li> </ul>
<ul> <li>LD/LC50 values that are relevant for classification:</li> </ul>
7681-11-0 potassium iodide
Oral LD50 3118 mg/kg (rat)
· Primary irritant effect:
• On the skin: Based on available data, the classification criteria are not met.
<ul> <li>On the eye: Based on available data, the classification criteria are not met.</li> <li>Sensitization: Based on available data, the classification criteria are not met.</li> </ul>
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
• NTP (National Toxicology Program):
None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.
Probable route(s) of exposure:
Ingestion.
Inhalation. Eye contact.
Skin contact.
· Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
· Repeated dose toxicity:
Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
• Carcinogenicity: Based on available data, the classification criteria are not met.
<ul> <li>Reproductive toxicity: Based on available data, the classification criteria are not met.</li> <li>STOT-single exposure: Based on available data, the classification criteria are not met.</li> </ul>
· STOT-repeated exposure:
Causes damage to the thyroid through prolonged or repeated exposure. Route of exposure: Oral.
· Aspiration hazard: Based on available data, the classification criteria are not met.
12 Ecological information
<sup>·</sup> Toxicity
· Aquatic toxicity No relevant information available.
• Persistence and degradability No relevant information available.
Bioaccumulative potential: No relevant information available.
Mobility in soil: No relevant information available.
· Additional ecological information
<ul> <li>General notes:</li> <li>Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage</li> </ul>
system.
· Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.
(Cont'd. on page 7)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium Iodide, 10% w/v

(Cont'd. of page 6)

• Other adverse effects No relevant information available.

#### 13 Disposal considerations

<sup>·</sup> Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- <sup>·</sup> Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Not regulated.	
Not regulated.	
Not regulated.	
Not regulated.	
Not applicable.	
Not applicable.	
ex II of Not applicable.	
	Not regulated. Not regulated. Not regulated. Not applicable. Not applicable. <b>x II of</b>

### 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Cont'd. on page 8)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium Iodide, 10% w/v

(Cont'd. of page 7)

#### TSCA (Toxic Substances Control Act)

All ingredients are listed.

#### · Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 · Sources Website, European Chemicals Agency (echa.europa.eu) Website. US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 13, 2019

Revision: December 19, 2018

Trade name: Potassium Iodide, 10% w/v

(Cont'd. of page 8)

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com