

SAFETY DATA SHEET

1. Identification

Product identifier CALCIUM HYDROXIDE, REAGENT (ACS)

Other means of identification

Product code 878

1305-62-0 **CAS** number **Synonyms** Hydrated lime

professional, scientific and technical activities: other professional, scientific and technical activities Recommended use

Recommended restrictions None known

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GFS Chemicals, Inc. 800 Kaderly Drive **Address** Columbus, OH 43228

United States

740-881-5501 **Telephone** Phone

> Toll Free 800-858-9682 740-881-5989 Fax

Website www.qfschemicals.com E-mail

service@gfschemicals.com **Emergency phone Emergency Assistance**

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1

Chemtrec 800-424-9300

Environmental hazards Hazardous to the aquatic environment, acute Category 3

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life. **Hazard statement**

Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe dust. Wash thoroughly after handling. Avoid release to the environment. Wear

protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: CALCIUM HYDROXIDE, REAGENT (ACS) 878 Version #: 02 1/8

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
CALCIUM HYDROXIDE	Hydrated lime	1305-62-0	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delaved

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Burning pain and severe corrosive skin damage. Causes serious eve damage. Symptoms may

blindness could result. Coughing.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

During fire, gases hazardous to health may be formed.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for

firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. Avoid the generation of dusts during clean-up. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. This product is miscible in water. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Wet down with water and dike for later disposal. Neutralize small amounts with diluted hydrochloric acid (HCI) and flush to sewer with large amounts of water. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

878 Version #: 02 2/8

Material name: CALCIUM HYDROXIDE, REAGENT (ACS)

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants	(29 CFR 1910.1000)
--	--------------------

Material	Туре	Value	Form
CALCIUM HYDROXIDE (CAS 1305-62-0)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit Value	es		
Material	Туре	Value	
CALCIUM HYDROXIDE (CAS 1305-62-0)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Material	Туре	Value	
CALCIUM HYDROXIDE (CAS	TWA	5 mg/m3	

Biological limit values Appropriate engineering controls

1305-62-0)

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Wear respirator if there is dust formation.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Powder.
Color White.
Odor Odorless.
Odor threshold Not available.

pH 12.4 (saturated solution)

Material name: CALCIUM HYDROXIDE, REAGENT (ACS)

878 Version #: 02 Revision date: June-26-2018 Issue date: June-02-2015 3 / 8

Melting point/freezing point 1076 °F (580 °C) Initial boiling point and Not available.

boiling range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Not available. Vapor pressure Vapor density Not available. **Relative density** Not available.

Solubility(ies)

2 g/l at 32°F Solubility (water) Not available. **Partition coefficient** (n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 2.24 g/cm3 estimated

Explosive properties Not explosive. **Molecular formula** Ca(OH)2 Molecular weight 74.10 g/mol **Oxidizing properties** Not oxidizing.

Specific gravity 2.24

10. Stability and reactivity

Reactivity This product may react with oxidizing agents. Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Do not mix with other chemicals.

Incompatible materials Acids. Oxidizing agents. Maleic anhydride. Nitroethane. Nitromethane. Nitroparaffins. Nitropropane.

Phosphorus.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. **Eye contact** Causes serious eye damage. **Ingestion** Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. Dusts may irritate the respiratory tract, skin and eyes. Coughing

Information on toxicological effects

Acute toxicity Not known.

Material name: CALCIUM HYDROXIDE, REAGENT (ACS)

878 Version #: 02 Revision date: June-26-2018 Issue date: June-02-2015 4/8 **Product Species Test Results**

CALCIUM HYDROXIDE (CAS 1305-62-0)

Acute Oral

LD50 Rat 7340 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

Not classified.

- repeated exposure

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Test Results Product Species

CALCIUM HYDROXIDE (CAS 1305-62-0)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 240 mg/l, 24 hours

> 220 mg/l, 48 hours 160 mg/l, 96 hours

Zambezi barbel (Clarias gariepinus) 33.8844 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Neutralize and flush solution into sewer connected to wastewater treatment system in compliance

> with applicable laws and regulations. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

Material name: CALCIUM HYDROXIDE, REAGENT (ACS) 878 Version #: 02 Revision date: June-26-2018 Issue date: June-02-2015 5/8

14. Transport information

DOT

UN number UN3262

UN proper shipping name Corrosive solid, basic, inorganic, n.o.s. (CALCIUM HYDROXIDE)

Transport hazard class(es)

Class 8 **Subsidiary risk** Label(s) 8 III **Packing group**

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

IB8, IP3, T1, TP33 **Special provisions**

Packaging exceptions 154 Packaging non bulk 213 240 Packaging bulk

IATA

UN number UN3262

UN proper shipping name Corrosive solid, basic, inorganic, n.o.s. (CALCIUM HYDROXIDE)

Transport hazard class(es)

Class 8 **Subsidiary risk** III **Packing group Environmental hazards** No. **ERG Code** 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3262

UN proper shipping name CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (CALCIUM HYDROXIDE) Transport hazard class(es)

8 Class **Subsidiary risk Packing group** III

Environmental hazards

Marine pollutant No. F-A, S-B

EmS Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

DOT



Material name: CALCIUM HYDROXIDE, REAGENT (ACS)

878 Version #: 02 Revision date: June-26-2018 Issue date: June-02-2015 6/8

IATA; IMDG



15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug
Administration (FDA)

Total food additive
Direct food additive

GRAS food additive

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Material name: CALCIUM HYDROXIDE, REAGENT (ACS)

878 Version #: 02 Revision date: June-26-2018 Issue date: June-02-2015 7 / 8

Country(s) or region Inventory name On inventory (yes/no)*

Philippines Philippine Inventory of Chemicals and Chemical Substances

PICCS)

Taiwan Chemical Substance Inventory (TCSI)

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue dateJune-02-2015Revision dateJune-26-2018

Material name: CALCIUM HYDROXIDE, REAGENT (ACS)

Version # 02

Disclaimer GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

Yes

sheet was written based on the best knowledge and experience currently available.

Revision information This document has undergone significant changes and should be reviewed in its entirety.

878 Version #: 02 Revision date: June-26-2018 Issue date: June-02-2015 8 / 8