Page: 1/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

1 Identification

· Product identifier

· Trade name: Calcium Oxide, Lab Grade

· Product code: CO4000

· CAS Number: 1305-78-8

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Distributor:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS05 GHS07

- · Signal word: Danger
- · Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Precautionary statements:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 1)

P260 Do not breathe dust.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves and eye protection.
P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 1305-78-8 Calcium oxide

4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air.

If experiencing respiratory symptoms: Call a doctor.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eve contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water.

Seek medical treatment.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Coughing

Irritating to respiratory system and skin.

Eye damage.

· Danger:

Danger of impaired breathing.

Causes serious eye damage.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 2)

· Indication of any immediate medical attention and special treatment needed:

Later observation for pneumonia and pulmonary edema.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- **Extinguishing media**
- Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

- · For safety reasons unsuitable extinguishing agents: Water or Halons.
- · Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions Avoid release to the environment.
- · Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- Precautions for safe handling:

Prevent formation of dust.

Use only in well ventilated areas.

- Information about protection against explosions and fires: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 3)

Protect from humidity and water.

Information about storage in one common storage facility:

Do not store together with acids.

Store away from water.

Store away from halogens.

Store away from foodstuffs.

- · Further information about storage conditions: Keep containers tightly sealed.
- · **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components	with limit	values	that require	monitoring a	t the workplace:

1305-78-8 Calcium oxide

PEL (USA)	Long-term value: 5 mg/m³
REL (USA)	Long-term value: 2 mg/m³ Long-term value: 2 mg/m³
TLV (USA)	Long-term value: 2 mg/m³
EL (Canada)	Long-term value: 2 mg/m³
	Long-term value: 2 mg/m³
LMPE (Mexico)	Long-term value: 2 mg/m³

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · **Breathing equipment:** Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

Eye protection:



Safety glasses

Face protection

Follow relevant national guidelines concerning the use of protective eyewear.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 4)

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

9 Physical and chemical properties

 Information on 	basic ph	nysical an	d chemica	I properties
------------------------------------	----------	------------	-----------	--------------

· Appearance:

Form: Solid
Color: White
Odor: Odorless
Odor threshold: Not determined.

pH-value: Not applicable.
 Melting point/Melting range: 2614 °C (4737.2 °F)
 Boiling point/Boiling range: 3570 °C (6458 °F)

· Flash point: Not applicable.

• Flammability (solid, gaseous): Product is not flammable.

Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

Danger of explosion: Product does not present an explosion hazard.

· Explosion limits

Lower: Not determined.
Upper: Not determined.
Oxidizing properties: Non-oxidizing.

· Vapor pressure: Not determined.

Density: 3.37 g/cm³ (28.12 lbs/gal)
 Relative density: Not determined.
 Vapor density: Not applicable.
 Evaporation rate: Not applicable.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not applicable. **Kinematic:** Not applicable.

Other information No relevant information available.

10 Stability and reactivity

· **Reactivity:** No relevant information available.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 5)

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Heating occurs when water is added.

Reacts with water.

Reacts with halogens.

Reacts with alcohols.

Reacts with halogenated compounds.

- Conditions to avoid Moisture.
- Incompatible materials

Acids.

Water

Halogens.

Halogenated compounds.

· Hazardous decomposition products No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

Substance is not listed.

· NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Irritating to respiratory system and skin.

Causes serious eye damage.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

Page: 7/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 6)

(Cont'd. on page 8)

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Avoid release to the environment.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information			
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1910		
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Calcium oxide		
· Transport hazard class(es)			
· DOT			
0088391K			
· Class	8		
· Label	8		
· ADR/RID/ADN			
· Class	8 (C6)		
· Label	8		

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 7)

· IMDG, IATA



· Class 8 · Label 8

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

• Environmental hazards Not applicable.

· Special precautions for user Warning: Corrosive substances

· Hazard identification number (Kemler code): -

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

IARC (International Agency for Research on Cancer):

Substance is not listed.

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 13, 2020

Trade name: Calcium Oxide, Lab Grade

(Cont'd. of page 8)

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com