_ |

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

| Product identifier Trade name: <u>Carnoy's Solution</u> Product code: S25237 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road | |
|--|--------|
| Product code: S25237 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. | |
| Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. | |
| Manufacturer/Supplier: AquaPhoenix Scientific, Inc. | |
| Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com • Distributor: Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 (800) 955-1177 | |
| • Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) | |
| 2 Hazard(s) identification | |
| Classification of the substance or mixture | |
| Flam. Liq. 2 H225 Highly flammable liquid and vapor. | |
| Met. Corr.1 H290 May be corrosive to metals. | |
| Acute Tox. 3 H331 Toxic if inhaled. | |
| Skin Irrit. 2 H315 Causes skin irritation. | |
| Eye Irrit. 2A H319 Causes serious eye irritation. | |
| Carc. 2 H351 Suspected of causing cancer. Route of exposure: Oral, Inhalation. | |
| Repr. 2 H361 Suspected of damaging fertility or the unborn child. | |
| STOT SE 3 H336 May cause drowsiness or dizziness. | |
| STOT RE 1 H372 Causes damage to the kidneys and the liver through prolonged or re exposure. Route of exposure: Oral and Inhalation. | peateo |
| · Label elements | |
| GHS label elements | |
| The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms: | |
| | |
| | |
| | |
| | |
| GHS02 GHS05 GHS06 GHS07 GHS08 | |

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

| Trade name | e: Carnoy's | Solution |
|------------|-------------|----------|
|------------|-------------|----------|

| | (O-mild - fm - m - 4) |
|-------------------------------------|--|
| · Signal word: Da | (Cont'd. of page 1) |
| · Hazard stateme | |
| | mable liquid and vapor. |
| H290 May be cor | |
| H331 Toxic if inh | |
| H315 Causes ski | |
| | rious eye irritation. |
| | of causing cancer. Route of exposure: Oral, Inhalation. |
| | of damaging fertility or the unborn child. |
| • | drowsiness or dizziness. |
| | amage to the kidneys and the liver through prolonged or repeated exposure. Route of |
| exposure: (| Oral and Inhalation. |
| Precautionary s | |
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P210 | Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| P233 | Keep container tightly closed. |
| P234 | Keep only in original container. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+P361+P35 | 3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P33 | 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. |
| P314 | Get medical advice/attention if you feel unwell. |
| P321 | Specific treatment - See Section 4 of this Safety Data Sheet. |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P370+P378 | In case of fire: Use foam, powder, or carbon dioxide for extinction. |
| P390 | Absorb spillage to prevent material damage. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P406 | Store in corrosive resistant container with a resistant inner liner. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international |
| | regulations. |
| [·] Other hazards | There are no other hazards not otherwise classified that have been identified. |

3 Composition/information on ingredients

· Chemical characterization: Mixtures

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

| (Cont [*] | 'd. of page 2 |
|---|---------------|
| · Components: | |
| 64-17-5 Ethanol Flam. Liq. 2, H225 Eye Irrit. 2A, H319 | 60% |
| 67-66-3 Chloroform / Trichloromethane Acute Tox. 3, H331 Carc. 2, H351; Repr. 2, H361; STOT RE 1, H372 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H336 | 30% |
| 64-19-7 Acetic acid Flam. Liq. 3, H226 Met. Corr.1, H290; Skin Corr. 1A, H314 | 10% |
| 10025-77-1 Ferric chloride hexahydrate Met. Corr.1, H290; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315 | 0.1% |
| • Additional information: | |

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

• Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

• After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Coughing

May cause drowsiness or dizziness.

Causes eye irritation.

Causes skin irritation.

Gastric or intestinal disorders when ingested.

Nausea

Disorientation

Profuse sweating Unconsciousness

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

(Cont'd. of page 3)

 Danger: May cause drowsiness or dizziness.
 Suspected of causing cancer. Route of exposure: Oral, Inhalation.
 May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.
 Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

· Suitable extinguishing agents:

- Alcohol resistant foam
- Water fog / haze

Carbon dioxide Gaseous extinguishing agents

Fire-extinguishing powder

• For safety reasons unsuitable extinguishing agents:

Water spray

Water stream.

· Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

During heating or in case of fire poisonous gases are produced.

[•] Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Use large quantities of foam as it is partially destroyed by the product. Cool endangered containers with water fog.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

(Cont'd. of page 4)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

[•] Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from metals.

Store away from oxidizers, strong acids, strong bases.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

| · Components w | rith limit values that require monitoring at the workplace: |
|----------------|---|
| 64-17-5 Ethano | 1 |
| PEL (USA) | Long-term value: 1900 mg/m³, 1000 ppm |
| REL (USA) | Long-term value: 1900 mg/m³, 1000 ppm |
| TLV (USA) | Short-term value: 1880 mg/m³, 1000 ppm |
| EL (Canada) | Short-term value: 1000 ppm |
| EV (Canada) | Long-term value: 1900 mg/m³, 1000 ppm |
| LMPE (Mexico) | Long-term value: 1000 ppm |
| | A3 |
| 67-66-3 Chloro | form / Trichloromethane |
| PEL (USA) | Ceiling limit value: 240 mg/m³, 50 ppm |
| REL (USA) | Short-term value: 9.78* mg/m³, 2* ppm *60-min; See Pocket Guide App. A |
| L | (Cont'd. on page 6) |

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

| | (Cont'd. of page 5) |
|----------------|---|
| TLV (USA) | Long-term value: 49 mg/m³, 10 ppm |
| EL (Canada) | Long-term value: 2 ppm IARC 2B; R |
| EV (Canada) | Long-term value: 49 mg/m³, 10 ppm |
| LMPE (Mexico) | Long-term value: 10 ppm A3 |
| 64-19-7 Acetic | acid |
| PEL (USA) | Long-term value: 25 mg/m³, 10 ppm |
| REL (USA) | Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm |
| TLV (USA) | Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm |
| EL (Canada) | Short-term value: 15 ppm Long-term value: 10 ppm |
| EV (Canada) | Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm |
| LMPE (Mexico) | Short-term value: 15 ppm Long-term value: 10 ppm |
| • Exposure cor | itrols |

Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

A recommendation for a suitable glove material is not available. Testing will be required to determine the suitability of any potential glove materials.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

- No relevant information available.
- Risk management measures No relevant information available.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

(Cont'd. of page 6)

| 9 Physical and chemical proper | ties |
|--|--|
| [·] Information on basic physical an | id chemical properties |
| · Appearance: Form: | Liquid |
| Color: | Colorless |
| · Odor: | Product specific |
| · Odor threshold: | Not determined. |
| · pH-value: | Not determined. |
| Melting point/Melting range: | Not determined. |
| Boiling point/Boiling range: | 62 °C (143.6 °F) |
| · Flash point: | 0 °C (32 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| · Auto-ignition temperature: | 425 °C (797 °F) |
| · Decomposition temperature: | Not determined. |
| · Danger of explosion: | Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. |
| · Explosion limits | |
| Lower: | 3.5 Vol % |
| Upper: | 17 Vol % |
| · Oxidizing properties: | Non-oxidizing. |
| · Vapor pressure at 20 °C (68 °F): | 210 hPa (157.5 mm Hg) |
| · Density at 20 °C (68 °F): | 1.02 g/cm³ (8.51 lbs/gal) |
| Relative density: | Not determined. |
| · Vapor density: | Not determined. |
| · Evaporation rate: | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Partly miscible. |
| · Partition coefficient (n-octanol/wate | r): Not determined. |
| · Viscosity | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| [·] Other information | No relevant information available. |

10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Used empty containers may contain product gases which form explosive mixtures with air.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

(Cont'd. of page 7)

Highly flammable liquid and vapor.

Conditions to avoid Keep ignition sources away - Do not smoke.

[·] Incompatible materials

Metals.

Oxidizers, strong bases, strong acids

[·] Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Chlorophosgene

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

| · LD/LC50 | values that | at are relevant for classification: | |
|--|---|--|---------------------|
| ATE (Acu | te Toxicit | y Estimate) | |
| Oral | LD50 | 2468-5549 mg/kg (rat) | |
| Dermal | LD50 | >6667 mg/kg (rabbit) | |
| Inhalative | LC50/4h | 10 mg/l | |
| 64-17-5 Et | thanol | | |
| Oral | LD50 | 7060 mg/kg (rat) | |
| | | 20000 mg/l (rat) | |
| 67-66-3 C | hloroforn | n / Trichloromethane | |
| Oral | LD50 | 800-2000 mg/kg (rat) (Estimate) | |
| Dermal | LD50 | >2000 mg/kg (rabbit) (Estimate) | |
| On the ey Sensitizat | e: Causes tion: Base | t to skin and mucous membranes. s eye irritation. ed on available data, the classification criteria are not met. | |
| | | I Agency for Research on Cancer): | |
| 64-17-5 E | | | 1 |
| | | / Trichloromethane | 2B |
| | | icology Program): | |
| 67-66-3 C | hloroform | / Trichloromethane | R |
| · OSHA-Ca | (Occupa | tional Safety & Health Administration): | |
| None of th | e ingredie | ents are listed. | |
| Ingestion. Inhalation. Eye conta Skin conta | ct. act. e cts (acut eyes and | | (Cont'd. on page 9) |

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

(Cont'd. of page 8)

Toxic if inhaled.

- **Repeated dose toxicity:** Danger of serious damage to health by prolonged exposure.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Suspected of causing cancer. Route of exposure: Oral, Inhalation.
- Reproductive toxicity: Suspected of damaging fertility or the unborn child.
- **STOT-single exposure:** May cause drowsiness or dizziness.
- STOT-repeated exposure:

May cause damage to organs through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Avoid transfer into the environment.
- Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

| · UN-Number | |
|--------------------------------|--|
| · DOT, ADR/RID/ADN, IMDG, IATA | UN3286 |
| · UN proper shipping name | |
| DOT | Flammable liquid, toxic, corrosive, n.o.s. (Ethanc Acetic acid, glacial, Chloroform) |
| · ADR/RID/ADN | FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHANC (ETHYL ALCOHOL), ACETIC ACID, GLACIAI CHLOROFORM) |
| ·IMDG | FLAMMABLE LÍQUID, TOXIC, CORROSIVE, N.O.S (ETHANOL (ETHYL ALCOHOL), ACETIC ACIE GLACIAL, CHLOROFORM) |

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

| ΙΑΤΑ | (Cont'd. of page FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.C (ETHANOL, ACETIC ACID, GLACIA CHLOROFORM) |
|--|---|
| Transport hazard class(es) | |
| DOT | |
| | |
| Class | 3 |
| Label | 3, 6.1, 8 |
| ADR/RID/ADN | |
| | |
| Class | 3 (FTC) |
| Label IMDG | 3+6.1+8 |
| | |
| Class | 3 |
| Label | 3/6.1/8 |
| | |
| · Class · Label | 3 3 (6.1, 8) |
| Packing group | |
| DOT, ADR/RID/ADN, IMDG, IATA | II |
| Environmental hazards | Not applicable. |
| Special precautions for user Hazard identification number (Kemler code): EMS Number: | Warning: Flammable liquids 368 F-E, <u>S-E</u> |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | f Not applicable. |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or (Cont'd. on page 11) mixture

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

| | (| (Cont'd. of pa |
|--------------------|--|----------------|
| United S | tates (USA) | |
| Section | 302 (extremely hazardous substances): | |
| None of | he ingredients are listed. | |
| Section | 313 (Specific toxic chemical listings): | |
| 67-66-3 | Chloroform / Trichloromethane | |
| TSCA (T | oxic Substances Control Act) | |
| All ingree | lients are listed or exempt. | |
| Clean A | r Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): | |
| | Chloroform / Trichloromethane | 20 |
| 64-17-5 67-66-3 | Ethanol Chloroform / Trichloromethane | |
| | Is known to cause developmental toxicity for females: | |
| | he ingredients are listed. | |
| | Is known to cause developmental toxicity for males: | |
| | he ingredients are listed. | |
| Chemica | Is known to cause developmental toxicity: listing refers specifically to alcoholic beverage consumption and is not applicable t | for product |
| 64-17-5 | | |
| 67-66-3 | Chloroform / Trichloromethane | |
| EPA (En | vironmental Protection Agency): | |
| 67-66-3 | Chloroform / Trichloromethane | B2, L |
| IARC (In | ternational Agency for Research on Cancer): | |
| 64-17-5 | | |
| 67-66-3 | Chloroform / Trichloromethane | |
| O a ma alla | n Domestic Substances List (DSL): | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Carnoy's Solution

(Cont'd. of page 11) OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers