Revision: February 13, 2020

1 Identification
· Product identifier
 Trade name: <u>Ceric Sulfate, 0.21N Solution</u> Product code: DUBP409290
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens 1 H317 May cause an allergic skin reaction
Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage.
Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. • Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 Signal word: Danger Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H314 Causes an allergic skin reaction. Precautionary statements:
 Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 Signal word: Danger Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Ceric Sulfate, 0.21N Solution

	(Cont'd. of page 1)
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P331	I If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

- 1			
ſ	16774-21-3	diammonium hexanitratocerate	5-10%
		 Ox. Sol. 2, H272 Met. Corr.1, H290; Skin Corr. 1C, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1A, H317 	
ſ		Sulfuric acid	5-10%
		Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
ſ	7732-18-5	Water	>80%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Ceric Sulfate, 0.21N Solution (Cont'd. of page 2) • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Allergic reactions Caustic effect on skin and mucous membranes. Danger of severe eye injury. Gastric or intestinal disorders when indested. Methaemoglobinaemia Danger: May be harmful if swallowed. Danger of gastric perforation. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand. 5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

[•] Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Slowly add calcium hydroxide slurry to material to neutralize acid.

Pick up mechanically. Send for recovery or disposal in suitable receptacles.

• Reference to other sections

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Ceric Sulfate, 0.21N Solution (Cont'd. of page 3) · Handling · Precautions for safe handling: Prevent formation of aerosols. Avoid splashes or sprav in enclosed areas. Use only in well ventilated areas. · Information about protection against explosions and fires: No special measures required. Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: steel. · Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with reducing agents, heavy-metal compounds, acids and alkalis. • Further information about storage conditions: Keep containers tightly sealed. Specific end use(s) No relevant information available. 8 Exposure controls/personal protection [•] Control parameters · Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. 7664-93-9 Sulfuric acid PEL (USA) Long-term value: 1 mg/m³ Long-term value: 1 mg/m³ REL (USA) Long-term value: 0.2* mg/m³ TLV (USA) *as thoracic fraction EL (Canada) Long-term value: 0.2 mg/m³ ACGIH A2: IARC 1 EV (Canada) Long-term value: 0.2 mg/m³ LMPE (Mexico) Long-term value: 0.2* mg/m³ A2;*fracción torácica • Exposure controls · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. · Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

For large spills, respiratory protection may be advisable.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 13, 2020

Trade name: Ceric Sulfate, 0.21N Solution

(Cont'd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves
 Butyl rubber, BR
 Nitrile rubber, NBR
 Neoprene gloves
 Fluorocarbon rubber (Viton)
 Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties		
Information on basic physical and chemical properties		
· Appearance:		
Form:	Liquid	
Color:	Orange	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<2	
Melting point/Melting range:	Not determined.	
 Boiling point/Boiling range: 	100-110 °C (212-166 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
• Oxidizing properties:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	>1.2 g/cm³ (>10.01 lbs/gal)	
· Relative density:	Not determined.	
		(Cont'd. on page

Revision: February 13, 2020

Vapor density: Evaporation rate: Solubility in / Miscibility with Water:	Not determined. Not determined.	
Solubility in / Miscibility with Water:		
Water:		
Destition of fision (a set	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	
Chemical stability: Stable under nor Thermal decomposition / condition	ns to be avoided:	
No decomposition if used and stored		
No decomposition if used and stored		
Possibility of hazardous reaction	ons	
	ons	
Possibility of hazardous reaction Toxic fumes may be released if heater Reacts with alkali (lyes). Corrosive action on metals.	ons	
Possibility of hazardous reaction Toxic fumes may be released if heater Reacts with alkali (lyes). Corrosive action on metals. Reacts with certain metals.	ons	
Possibility of hazardous reaction Toxic fumes may be released if heater Reacts with alkali (lyes). Corrosive action on metals. Reacts with certain metals. Reacts with reducing agents.	ons ed above the decomposition point.	
Possibility of hazardous reaction Toxic fumes may be released if heater Reacts with alkali (lyes). Corrosive action on metals. Reacts with certain metals. Reacts with reducing agents. Conditions to avoid No relevant i	ons ed above the decomposition point. nformation available.	
Possibility of hazardous reaction Toxic fumes may be released if heater Reacts with alkali (lyes). Corrosive action on metals. Reacts with certain metals. Reacts with reducing agents. Conditions to avoid No relevant in Incompatible materials No relevant	ons ed above the decomposition point. nformation available. ant information available.	
Possibility of hazardous reaction Toxic fumes may be released if heater Reacts with alkali (lyes). Corrosive action on metals. Reacts with certain metals. Reacts with reducing agents.	ons ed above the decomposition point. nformation available. ant information available.	

11 Toxicological information	
 Information on toxicological effects Acute toxicity: 	
· LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral LD50 >3,000 mg/kg (rat)	
Primary irritant effect:	
 On the skin: Caustic effect on skin and mucous membranes. 	
 On the eye: Strong irritant with the danger of severe eye injury. 	
Sensitization: Sensitization possible through skin contact.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
·	(Cont'd. on page 7)

Revision: February 13, 2020

	(Cont'd of a
NTP (National Toxicology Program):	(Cont'd. of p
7664-93-9 Sulfuric acid	
OSHA-Ca (Occupational Safety & Heal	th Administration):
None of the ingredients are listed.	
Probable route(s) of exposure:	
Ingestion. Inhalation.	
Eye contact.	
Skin contact.	
Acute effects (acute toxicity, irritation	and corrosivity):
May be harmful if swallowed. Causes severe skin burns and eye dama	
Repeated dose toxicity: Repeated expo	
	lable data, the classification criteria are not met.
Carcinogenicity: Based on available dat	
Reproductive toxicity: Based on available	ble data, the classification criteria are not met.
	able data, the classification criteria are not met.
· ·	vailable data, the classification criteria are not met.
Aspiration hazard: Based on available of	data, the classification criteria are not met.
Toxicity Aquatic toxicity Toxic for aquatic organi Persistence and degradability No re Bioaccumulative potential: No relevant	elevant information available. t information available.
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large	quantities of it to reach ground water, water course or se
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system.	
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system.	
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system. Other adverse effects No relevant inf	
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system. Other adverse effects No relevant inf	
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system. Other adverse effects No relevant inf Disposal considerations Waste treatment methods	
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system. Other adverse effects No relevant inf Disposal considerations Waste treatment methods Recommendation:	formation available.
Mobility in soil: No relevant information Additional ecological information General notes: Do not allow undiluted product or large system. Other adverse effects No relevant inf Disposal considerations Waste treatment methods Recommendation: Must not be disposed of together with ho The user of this material has the respon compliance with all relevant local, state a	

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Revision: February 13, 2020

Trade name: Ceric Sulfate, 0.21N Solution

(Cont'd. of page 7)

Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric ac diammonium hexanitratocerate)
ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (SULPHURIC ACID, diammonium hexanitratocerat ENVIRONMENTALLY HAZARDOUS
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (SULPHURIC ACID, diammonium hexanitratocerate
Transport hazard class(es)	
DOT	
Class Label	8 8
ADR/RID/ADN	0
Class Label	8 (C1) 8
IMDG	
Class Label	8 8
ΙΑΤΑ	
Class Label	8 8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	
Environmental hazards	
Marine pollutant:	Yes (DOT) Symbol (fish and tree)

Revision: February 13, 2020

(Cont'd. on page 10)

	(Cont'd. of pa
Special precautions for user Hazard identification number (Kemler code)	Warning: Corrosive substances
EMS Number:	F-A,S-B
Segregation groups	Acids
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
Desculatory information	
Regulatory information	
Safety, health and environmental regu	ulations/legislation specific for the substance
mixture	
United States (USA)	
SARA	
Section 302 (extremely hazardous substand None of the ingredients are listed.	;es):
•	-1-
Section 313 (Specific toxic chemical listings 7664-93-9 Sulfuric acid	5):
16774-21-3 diammonium hexanitratocerate	
TSCA (Toxic Substances Control Act)	
7664-93-9 Sulfuric acid	
16774-21-3 diammonium hexanitratocerate 7732-18-5 Water	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental t	oxicity for females:
None of the ingredients are listed.	
Chemicals known to cause developmental t	oxicity for males:
None of the ingredients are listed.	
Chemicals known to cause developmental t	oxicity:
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
16774-21-3 diammonium hexanitratocerate	
IARC (International Agency for Research on	ı Cancer):
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	

Revision: February 13, 2020

Trade name: Ceric Sulfate, 0.21N Solution
(Cont'd. of page 9) This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
 Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent OSHA: Occupational Safety & Health Administration Ox. Sol. 2: Oxidizing solids – Category 2 Met. Corr. 1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1C: Skin corrosion/irritation – Category 10 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Sources
 Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers
SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com