Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

1 Identification

· Product identifier

· Trade name: Chloride Reagent

· Product code: MN9269SS

· CAS Number:

67-56-1

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

STOT SE 1 H370 Causes damage to the central nervous system and optic nerve.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS06 GHS08

· Signal word: Danger · Hazard statements:

H225 Highly flammable liquid and vapor.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H370 Causes damage to the central nervous system and optic nerve.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

(Cont'd. on page 2)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

| | (Cont'd. of page 1) |
|----------------|--|
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P310 | If swallowed: Immediately call a poison center/doctor. |
| P330 | Rinse mouth. |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P307+P311 | IF exposed: Call a POISON CENTER or doctor/physician. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P361+P364 | Take off immediately all contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use for extinction: Alcohol resistant foam or water spray. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

67-56-1 Methanol

| · Components: | | | |
|---------------|---|--------|--|
| 67-56-1 | Methanol Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 TOT SE 1, H370 | 99.45% | |
| 538-62-5 | 1,5-diphenylcarbazone | 0.50% | |
| 115-39-9 | tetrabromophenol blue | 0.05% | |

4 First-aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

· After inhalation:

Supply fresh air.

Seek immediate medical advice.

(Cont'd. on page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 2)

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

· After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Nausea in case of ingestion.

Coughing

Causes eye irritation.

Causes mild skin irritation.

Gastric or intestinal disorders when ingested.

Acidosis

Nausea

Blindness

Disorientation

Unconsciousness

· Danger:

Danger of impaired breathing.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to the central nervous system and optic nerve.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents:

Alcohol resistant foam

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

Water fog / haze

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Cont'd. on page 4)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 3)

· Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

Page: 5/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 4)

8 Exposure controls/personal protection

· Control parameters

| · Components with limit values that require monitoring at the workplace: | | | |
|--|--|--|--|
| 67-56-1 Methanol | | | |
| PEL (USA) | Long-term value: 260 mg/m³, 200 ppm | | |
| REL (USA) | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin | | |
| TLV (USA) | Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI | | |
| EL (Canada) | Short-term value: 250 ppm Long-term value: 200 ppm Skin | | |
| EV (Canada) | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin | | |
| LMPE (Mexico) | Short-term value: 250 ppm Long-term value: 200 ppm | | |

· Ingredients with biological limit values:

PIEL, IBE

67-56-1 Methanol

BEI (USA) 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Use suitable respiratory protective device when high concentrations are present.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

Material of gloves
 Neoprene gloves

(Cont'd. on page 6)

(Cont'd. of page 5)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

- · Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

| Physical and chemical properties | | | | |
|---|--|--|--|--|
| Information on basic physical and chemical properties | | | | |
| Appearance: | | | | |
| Form: | Liquid | | | |
| Color: | Colorless | | | |
| Odor: | Alcohol-like | | | |
| Odor threshold: | Not determined. | | | |
| pH-value: | Not determined. | | | |
| Melting point/Melting range: | -98 °C (-208.4 °F) | | | |
| Boiling point/Boiling range: | 64.7 °C (148.5 °F) | | | |
| Flash point: | 11 °C (51.8 °F) | | | |
| Flammability (solid, gaseous): | Not applicable. | | | |
| Auto-ignition temperature: | 455 °C (851 °F) | | | |
| Decomposition temperature: | Not determined. | | | |
| Danger of explosion: | Product is not explosive. However, formation of explosive a vapor mixtures are possible. | | | |
| Explosion limits | | | | |
| Lower: | 5.5 Vol % | | | |
| Upper: | 44 Vol % | | | |
| Oxidizing properties: | Non-oxidizing. | | | |
| Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) | | | |
| Density at 20 °C (68 °F): | 0.79 g/cm³ (6.59 lbs/gal) | | | |
| Relative density: | Not determined. | | | |
| Vapor density: | Not determined. | | | |
| Evaporation rate: | Not determined. | | | |
| Solubility in / Miscibility with | | | | |
| Water: | Fully miscible. | | | |
| Partition coefficient (n-octanol/wate | er): Not determined. | | | |

Page: 7/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 6)

· Viscosity

Dynamic: Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Highly flammable liquid and vapor.

Reacts violently with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- · Incompatible materials Oxidizing agents.
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Toxic in contact with skin.

Toxic if inhaled.

Toxic if swallowed.

Oral LD50 101 mg/kg Dermal LD50 302 mg/kg Inhalative LC50/4h 3.02 mg/l

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eve: Causes eye irritation.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 7)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Toxic if swallowed, in contact with skin or if inhaled.

Causes mild skin irritation.

Causes eve irritation.

Causes damage to the central nervous system and optic nerve.

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Causes damage to the central nervous system and optic nerve.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Page: 9/11

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 8)

| Transport information | |
|---|------------------------------|
| UN-Number | |
| DOT, ADR/RID/ADN, IMDG, IATA | UN1230 |
| UN proper shipping name | |
| DOT | Methanol mixture |
| · ADR/RID/ADN · IMDG, IATA | METHANOL METHANOL mixture |
| | WETTANOL MIXTURE |
| Transport hazard class(es) | |
| DOT | |
| TOXIC | |
| Class | 3 |
| Label | 3, 6.1 |
| ADR/RID/ADN | |
| | |
| Class | 3 (FT1) |
| Label | 3+6.1 |
| IMDG | |
| | |
| Class | 3 |
| Label | 3/6.1 |
| IATA | |
| | |
| Class | 3 |
| Label | 3 (6.1) |
| Packing group DOT, ADR/RID/ADN, IMDG, IATA | II |
| Environmental hazards | Not applicable. |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): | 336 |
| EMS Number: | F-E,S-D |

Page: 10/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 9)

 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 10, 2020

Trade name: Chloride Reagent

(Cont'd. of page 10)

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity – Category 3
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com