#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

#### 1 Identification

· Product identifier

· Trade name: Chlorine Std,1000ppm

· Product code: CH9210SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific

860 Gitts Run Road,

Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

#### 2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not regulated.
- · Hazard pictograms: None.
- · Signal word:

None.

None.

- · Hazard statements: None.
- · Precautionary statements: None.

Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

Chemical characterization: Substances

· Components:

7722-64-7 potassium permanganate

0.0891%

© Ox. Sol. 2, H272 Repr. 2, H361; STOT RE 2, H373

👸 Skin Corr. 1C, H314; Eye Dam. 1, H318

(Cont'd. on page 2)

Page: 2/8

# **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

Trade name: Chlorine Std,1000ppm

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Rinse with warm water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

- · **Danger:** No relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No relevant information available.

### **5** Fire-fighting measures

- **Extinguishing media**
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Substance/product is oxidizing when dry.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, wear protective clothing.

**Environmental precautions** 

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage (Cont'd. on page 3)

Page: 3/8

# **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

Trade name: Chlorine Std,1000ppm

(Cont'd. of page 2)

system.

#### · Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- ·Handling
- Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- Information about protection against explosions and fires: Substance/product is oxidizing when dry.
- \* Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

· Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

Material of gloves Nitrile rubber, NBR Neoprene gloves

(Cont'd. on page 4)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

#### Trade name: Chlorine Std,1000ppm

(Cont'd. of page 3)

Butyl rubber, BR Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protection may be required for spills.
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

pH-value: Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F) Boiling point/Boiling range: 100 °C (212 °F)  Flash point: The product is not flammable.  Flammability (solid, gaseous): Not applicable.  Auto-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits Lower: Not determined. Upper: Not determined. Oxidizing properties: Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal) Relative density: Not determined. Not determined. Solubility in / Miscibility with Water: Fully miscible.	Form: Color: Codor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range:	Light Odorless Not determined.  Not determined.  0 °C (32 °F) 100 °C (212 °F)	
Color:  Odor: Odor threshold: Odor threshold:  PH-value: Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F)  Flash point:  Flammability (solid, gaseous):  Auto-ignition temperature:  Danger of explosion:  Explosion limits Lower: Upper: Oxidizing properties:  Vapor pressure at 20 °C (68 °F):  Vapor density: Vapor density: Vapor density: Vapor at 20 °C (68 °F):  Not determined.  Lower: Univer: Vapor density: Vapor density: Vapor density: Vapor missibility with Water:  Fully miscible.	Color: Odor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range:	Light Odorless Not determined.  Not determined.  0 °C (32 °F) 100 °C (212 °F)	
Odor: Odor threshold: Not determined.  PH-value: Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 °F) 100 °C (212 °F)  Flash point: The product is not flammable.  Flammability (solid, gaseous): Not applicable.  Auto-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Not determined. Oxidizing properties: Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal) Relative density: Not determined. Fully miscible.	Odor: Odor threshold: pH-value: Melting point/Melting range: Boiling point/Boiling range:	Odorless Not determined.  Not determined.  0 °C (32 °F) 100 °C (212 °F)	
Odor threshold:  Not determined.  PH-value: Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point: The product is not flammable.  Flammability (solid, gaseous): Not applicable.  Auto-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined. Not determined. Oxidizing properties: Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal) Not determined. Fully miscible.	pH-value: Melting point/Melting range: Boiling point/Boiling range:	Not determined.  Not determined.  0 °C (32 °F)  100 °C (212 °F)	
Melting point/Melting range: Boiling point/Boiling range: 100°C (212°F) The product is not flammable.  Flammability (solid, gaseous): Not applicable.  Auto-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits Lower: Upper: Not determined.  Oxidizing properties: Non-oxidizing.  Vapor pressure at 20°C (68°F): 23 hPa (17.3 mm Hg)  Density at 20°C (68°F): Not determined.  Not determined. Not determined.  Vapor density: Not determined. Not determined. Not determined.  Solubility in / Miscibility with Water: Fully miscible.	Melting point/Melting range: Boiling point/Boiling range:	0 °C (32 °F) 100 °C (212 °F)	
Boiling point/Boiling range: 100 °C (212 °F)  Flash point: The product is not flammable.  Flammability (solid, gaseous): Not applicable.  Auto-ignition temperature: Not determined.  Decomposition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits  Lower: Not determined.  Upper: Not determined.  Oxidizing properties: Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal)  Relative density: Not determined.  Vapor density: Not determined.  Vapor density: Not determined.  Solubility in / Miscibility with Water: Fully miscible.	Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:  Flammability (solid, gaseous):  Not applicable.  Auto-ignition temperature:  Not determined.  Decomposition temperature:  Not determined.  Product does not present an explosion hazard.  Explosion limits  Lower:  Upper:  Not determined.  Not determined.  Not determined.  Not determined.  Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F):  Relative density:  Not determined.  Not determined.  Not determined.  Non-oxidizing.  1.01 g/cm³ (8.43 lbs/gal)  Relative density:  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Solubility in / Miscibility with  Water:  Fully miscible.			
Flammability (solid, gaseous):  Not applicable.  Auto-ignition temperature:  Not determined.  Decomposition temperature:  Not determined.  Product does not present an explosion hazard.  Explosion limits  Lower:  Upper:  Not determined.  Not determined.  Non-oxidizing.  Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F):  Not determined.  Non-oxidizing.  1.01 g/cm³ (8.43 lbs/gal)  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Not determined.  Vapor density:  Not determined.  Solubility in / Miscibility with  Water:  Fully miscible.	Flack waint	The product is not flammable.	
Auto-ignition temperature:  Decomposition temperature:  Not determined.  Product does not present an explosion hazard.  Explosion limits  Lower:  Upper:  Not determined.  Not determined.  Not determined.  Oxidizing properties:  Non-oxidizing.  Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F):  Relative density:  Vapor density:  Vapor density:  Vapor density:  Not determined.  Not determined.  Not determined.  Not determined.  Solubility in / Miscibility with  Water:  Fully miscible.	Flash point:		
<ul> <li>Decomposition temperature: Not determined.</li> <li>Danger of explosion: Product does not present an explosion hazard.</li> <li>Explosion limits     Lower: Not determined.     Upper: Not determined.     Oxidizing properties: Non-oxidizing.</li> <li>Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)</li> <li>Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal)</li> <li>Relative density: Not determined.</li> <li>Vapor density: Not determined.</li> <li>Evaporation rate: Not determined.</li> <li>Solubility in / Miscibility with</li> </ul>	Flammability (solid, gaseous):	Not applicable.	
<ul> <li>Danger of explosion:</li> <li>Product does not present an explosion hazard.</li> <li>Explosion limits     Lower:</li></ul>	Auto-ignition temperature:	Not determined.	
Explosion limits Lower: Upper: Not determined. Not determined. Oxidizing properties: Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal) Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined.  Solubility in / Miscibility with Water: Fully miscible.	Decomposition temperature:	Not determined.	
Lower: Upper: Not determined. Not determined. Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal) Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined.  Solubility in / Miscibility with Water: Fully miscible.	Danger of explosion:	Product does not present an explosion hazard.	
Upper: Oxidizing properties: Non-oxidizing.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal) Relative density: Not determined. Vapor density: Vapor density: Vapor density: Not determined. Solubility in / Miscibility with Water: Fully miscible.	Explosion limits		
<ul> <li>Oxidizing properties: Non-oxidizing.</li> <li>Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)</li> <li>Density at 20 °C (68 °F): 1.01 g/cm³ (8.43 lbs/gal)</li> <li>Relative density: Not determined.</li> <li>Vapor density: Not determined.</li> <li>Evaporation rate: Not determined.</li> <li>Solubility in / Miscibility with Water: Fully miscible.</li> </ul>	Lower:	Not determined.	
<ul> <li>Vapor pressure at 20 °C (68 °F):</li> <li>Density at 20 °C (68 °F):</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> <li>Solubility in / Miscibility with Water:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> <li>Solubility in / Miscibility with Fully miscible.</li> </ul>			
Density at 20 °C (68 °F): Relative density: Vapor density: Vaporation rate: Not determined. Not determined. Not determined.  Fully miscible.	Oxidizing properties:	Non-oxidizing.	
Relative density: Vapor density: Not determined. Not determined.  Evaporation rate: Not determined.  Not determined.  Fully miscible.	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
<ul> <li>Vapor density: Not determined.</li> <li>Evaporation rate: Not determined.</li> <li>Solubility in / Miscibility with Water: Fully miscible.</li> </ul>	Density at 20 °C (68 °F):	1.01 g/cm³ (8.43 lbs/gal)	
· Evaporation rate: Not determined.  · Solubility in / Miscibility with Water: Fully miscible.			
· Solubility in / Miscibility with Water: Fully miscible.			
Water: Fully miscible.	Evaporation rate:	Not determined.	
. suly measure.	Solubility in / Miscibility with		
· Partition coefficient (n-octanol/water): Not determined.	Water:	Fully miscible.	
	Partition coefficient (n-octanol/water	er): Not determined.	

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

Trade name: Chlorine Std,1000ppm

(Cont'd. of page 4)

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

### 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents.

Reacts with certain metals.

Toxic fumes may be released if heated above the decomposition point.

- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

#### 7722-64-7 potassium permanganate

Oral LD50 1090 mg/kg (rat)

- Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: No relevant information available.

(Cont'd. on page 6)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

Trade name: Chlorine Std,1000ppm

(Cont'd. of page 5)

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- ·Toxicity
- · Aquatic toxicity

### 7722-64-7 potassium permanganate

LC50 0.47 mg/l (fish)

EC50 0.06 mg/l (daphnia)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Other adverse effects No relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA Not regulated.
- · UN proper shipping name
- · DOT, ADR/RID/ADN, IMDG, IATA Not regulated.
- Transport hazard class(es)

(Cont'd. on page 7)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

Trade name: Chlorine Std,1000ppm

		(Cont'd. of page 6)
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Environmental hazards	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

7722-64-7 potassium permanganate

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

7722-64-7 potassium permanganate

D

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

Page: 8/8

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 09, 2020

Trade name: Chlorine Std,1000ppm

(Cont'd. of page 7)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Ox. Sol. 2: Oxidizing solids – Category 2 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Repr. 2: Reproductive toxicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com