According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Chlorine Water

SECTION 1: Identification

Product identifier

Product name: Chlorine Water Product code: CL1000

Recommended use of the product and restriction on use Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

AquaPhoenix Scientific 860 Gitts Run Road Hanover PA 17331 (717) 632-1291

Emergency telephone number: United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Corrosive to metals, category 1 Skin corrosion, category 1A Serious eye damage, category 1 Specific target organ toxicity - single exposure, category 3, respiratory irritation Acute aquatic hazard, category 2

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H335 May cause respiratory irritation

H401 Toxic to aquatic life

Precautionary statements:

P234 Keep only in original container P260 Do not breathe dust/fume/gas/mist/vapors/spray P264 Wash skin thoroughly after handling

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Page 2 of 9

Chlorine Water

P280 Wear protective gloves/protective clothing/eye protection/face protection

P271 Use only outdoors or in a well-ventilated area

P273 Avoid release to the environment

P390 Absorb spillage to prevent material damage

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P406 Store in corrosive resistant stainless steel container with a resistant inner liner P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7782-50-5	Chlorine	0.6
CAS number: 7732-18-5	Deionized, Water	>99

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Get medical advice/attention if you feel unwell Move exposed individual to fresh air Immediately call a POISON CONTROL CENTER or seek medical attention

After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention Immediately remove all contaminated clothing Wash affected area with soap and water Immediately call a POISON CONTROL CENTER or seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes If symptoms develop or persist, seek medical attention

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Chlorine Water

Remove contact lens(es) if able to do so during rinsing Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists Immediately call a POISON CONTROL CENTER or seek medical attention Do not induce vomiting Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors May form corrosive mixtures with water

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Not determined or not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Chlorine Water

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation. Avoid breathing mist or vapor. Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store in corrosive resistant container with a resistant inner lining.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States (OSHA)	Chlorine	7782-50-5	TWA : 4H - 1 ppm (3 mg/m ³)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Chlorine Water

Information on basic physical and chemical properties

-	-
Appearance	Pale yellow liquid
Odor	Chlorine odor
Odor threshold	Not determined or not available.
рН	Not determined or not available.
Melting point/freezing point	0°C (32°F)
Initial boiling point/range	Decomposes
Flash point (closed cup)	Not determined or not available.
Evaporation rate	> 1
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.0 g/cm ³
Solubilities	Soluble in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Ammonia, organic matter, active metals, hydrogen, strong oxidizers, strong reducing agents.

Hazardous decomposition products:

Hydrogen chloride, hydrogen gas, liberates chlorine gas.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met. **Product data:** No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

CI

al preparation date: 11.28.2017	·						
lorine Water							
Substance data:							
Name	Route	Result					
Chlorine	inhalation	Fatal if inhaled					
kin corrosion/irritation							
Assessment: Causes severe skin burns and eye damage							
Product data: No data availab	-						
Substance data:							
Name	Result						
Chlorine	Causes skin irri	itation.					
Serious eye damage/irritation							
Assessment: Causes serious e	ve damage						
Product data: No data availab							
Substance data:							
	Result						
Name		ave initation					
Chlorine	Causes serious	eye irritation.					
Respiratory or skin sensitizatio	n						
Assessment: Based on availab		sification criteria are not met.					
Product data: No data availab							
	-						
Substance data: No data avai	lable.						
Carcinogenicity							
Assessment: Based on availab	ole data, the class	sification criteria are not met.					
Product data: No data availab	le.						
Substance data: No data avai	lable.						
International Agency for Res	search on Canc	er (IARC): None of the ingredients are listed.					
National Toxicology Progran	n (NTP): None o	f the ingredients are listed.					
Germ cell mutagenicity		-					
Assessment: Based on availab	le data. the class	sification criteria are not met.					
Product data: No data availab							
Substance data: No data avai	-						
Reproductive toxicity							
Assessment: Based on availab	la data tha class	sification critoria are not mot					
Product data: No data availab		sincation entena are not met.					
	-						
Substance data: No data avai		, ,					
Specific target organ toxicity (s		2)					
Assessment: May cause respir	-						
Product data: No data availab	le.						
Substance data:							
Name	Result						
Chlorine	May cause resp	piratory irritation.					
Specific target organ toxicity (r	repeated expos	sure)					
Assessment: Based on availab							
Product data: No data availab							
Substance data: No data avai	-						
Aspiration toxicity							

Aspiration toxicity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Chlorine Water

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available. Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Toxic to aquatic life

Product data: No data available.

Substance data:

Name	Result
Chlorine	LC50 - 96 H - 0.037 - 0.84 mg/l
	LC50 - 48 H - 0.00203 - 4.72 mg/l

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s., (Chlorine Water Solution).
UN transport hazard class(es)	8
Packing group	11
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Chlorine Water

UN1760		
UN proper shipping name	Corrosive liquids,n.o.s.,(Chlorine Water Solution).	
UN transport hazard class(es)	8	
Packing group		
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN1760	
UN proper shipping name	Corrosive liquids, n.o.s., (Chlorine Water Solution).	
UN transport hazard class(es)	8	>
Packing group	III	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

7782-50-5	Chlorine	Listed
7732-18-5	Deionized, Water	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances:

	7782-50-5	Chlorine	Listed
SAI	RA Section 313 tox	ic chemicals:	
	7782-50-5	Chlorine	Listed
	7732-18-5	Deionized, Water	Not Listed

CERCLA:

7782-50-5 Chlorine	Listed	10 lbs.
--------------------	--------	---------

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA):

	7782-50-5	Chlorine	Listed		
Ma	ssachusetts Right t	Right to Know:			
	7782-50-5	Chlorine	Listed		

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.28.2017

Page 9 of 9

7732-18-5	Deionized, Water	Not
		Listed
w Jersey Right	to Know:	
7782-50-5	Chlorine	Listed
7732-18-5	Deionized, Water	Not
		Listed
w York Right to	o Know:	
7782-50-5	Chlorine	Listed
7732-18-5	Deionized, Water	Not
		Listed
nsylvania Rig	ht to Know:	
7782-50-5	Chlorine	Listed
7732-18-5	Deionized, Water	Not
		Listed

SECTION 16: Other information

Abbreviations and Acronyms: None Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 11.28.2017

End of Safety Data Sheet