

Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

SECTION 1: Identification

1.1 Product identifier

SDS Identifier V2803SS

Catalog numbers K-2803, R-2810

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Components of water analysis test kits

1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover PA 17331 United States

Telephone: (717) 632-1291

e-mail: info@aquaphoenixsci.com

Website: https://www.aquaphoenixsci.com/

e-mail (competent person) scraig@aquaphoenixsci.com (Stephen Craig)

1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
acute toxicity (oral)	4	Acute Tox. 4	H302
acute toxicity (inhal.)	5	Acute Tox. 5	H333
skin corrosion/irritation	2	Skin Irrit. 2	H315
serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labeling

- Signal word warning

United States: en Page: 1 / 17



Safety Data Sheet

V2803SS

Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

- Pictograms

GHS07



- Hazard statements

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation. H333 May be harmful if inhaled.

- Precautionary statements

P264+P265 Wash hands thoroughly after handling. Do not touch eyes. P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves.

P301+P317 IF SWALLOWED: Get medical help. P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P317 IF INHALED: Get medical help.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P332+P317 If skin irritation occurs: Get medical help. P337+P317 If eye irritation persists: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling diethylene glycol

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not relevant (mixture)

3.2 **Mixtures**

United States: en Page: 2 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
deionized water	CAS No 7732-18-5	≥ 59		
diethylene glycol	CAS No 111-46-6	27	Acute Tox. 4 / H302 Acute Tox. 4 / H332	1
acetic acid	CAS No 64-19-7	10	Flam. Liq. 3 / H226 Skin Corr. 1A / H314 Eye Dam. 1 / H318	
acetone	CAS No 67-64-1	≤4	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	♦ (!)
1,5-diphenylcarbazide	CAS No 140-22-7	≤ 0.1	Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 STOT SE 3 / H335	<u>(1)</u>

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

United States: en Page: 3 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

United States: en Page: 4 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	acetic acid	64-19-7	PEL (CA)	10	25	15	37	40			Cal/ OSHA PEL
US	acetic acid	64-19-7	REL	10 (10 h)	25 (10 h)	15	37				NIOSH REL

United States: en Page: 5 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]	Source
US	acetic acid	64-19-7	TLV®	10		15				ACGIH® 2023
US	acetic acid	64-19-7	PEL	10	25					29 CFR 1910.100 0
US	acetone	67-64-1	PEL (CA)	500	1,200	750	1,780	3,000		Cal/ OSHA PEL
US	acetone	67-64-1	REL	250 (10 h)	590 (10 h)					NIOSH REL
US	acetone	67-64-1	TLV®	250		500				ACGIH® 2023
US	acetone	67-64-1	PEL	1,000	2,400					29 CFR 1910.100 0

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	acetone	acetone		BEI®	25 mg/l	ACGIH® 2023

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
diethylene glycol	111-46-6	DNEL	44 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
diethylene glycol	111-46-6	DNEL	60 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
diethylene glycol	111-46-6	DNEL	43 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic ef- fects
acetone	67-64-1	DNEL	1,210 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
acetone	67-64-1	DNEL	2,420 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

United States: en Page: 6 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Relevant DNELs of components Threshold level Protection goal, route of exposure Name of substance **CAS No Endpoint** Used in Exposure time chronic - systemic effects DNEL 186 mg/kg 67-64-1 human, dermal worker (industry) acetone bw/day

Relevant PNECs of components							
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
diethylene glycol	111-46-6	PNEC	10 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
diethylene glycol	111-46-6	PNEC	1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
diethylene glycol	111-46-6	PNEC	199.5 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
diethylene glycol	111-46-6	PNEC	20.9 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)	
diethylene glycol	111-46-6	PNEC	2.09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)	
diethylene glycol	111-46-6	PNEC	1.53 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)	
acetone	67-64-1	PNEC	10.6 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
acetone	67-64-1	PNEC	1.06 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)	
acetone	67-64-1	PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)	
acetone	67-64-1	PNEC	30.4 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
acetone	67-64-1	PNEC	3.04 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)	
acetone	67-64-1	PNEC	29.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

United States: en Page: 7 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Product description: Each CHEMet[™] or VACUette[™] ampoule is a 7 mm glass ampoule containing approximately 0.2 - 1.2 mL of liquid reagent sealed under vacuum. Each Vacu-vial[™] ampoule is a 13 mm glass ampoule containing approximately 0.8 - 4.5 mL of liquid reagent sealed under vacuum.

Physical state	liquid
Color	colorless to pale brown
Odor	slight
Melting point/freezing point	-5 °C
Boiling point or initial boiling point and boiling range	150 °C
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	4 vol% - 19.9 vol%
Flash point	>150 °C at 101.3 kPa

United States: en Page: 8 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Auto-ignition temperature	372 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	2.45 (acid)
Kinematic viscosity	not determined

Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
rartition coefficient n-octanon water (log value)	this information is not available

Vapor pressure	240 hPa at 20 °C

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available
Relative density	1.03 (water = 1)

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

United States: en Page: 9 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed. May be harmful if inhaled.

- Acute toxicity estimate (ATE)

Oral 1,852 $^{\rm mg}$ / $_{\rm kg}$ Inhalation: vapor 40.74 $^{\rm mg}$ / $_{\rm l}$ /4h

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
diethylene glycol	111-46-6	oral	500 ^{mg} / _{kg}
diethylene glycol	111-46-6	inhalation: vapor	11 ^{mg} / _l /4h
diethylene glycol	111-46-6	inhalation: dust/mist	>4.6 ^{mg} / _I /4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

United States: en Page: 10 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

United States: en Page: 11 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Other relevant information

Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United States: en Page: 12 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Remarks	Statutory code	Final RQ pounds (Kg)
acetic acid		1	5000 (2270)
acetone		4	5000 (2270)

Legend

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	Remarks	Classifications
acetic acid		CO F2
acetone		F3

Legend

CO Corrosive

F2 Flammable - Second Degree F3 Flammable - Third Degree

United States: en Page: 13 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

United States: en Page: 14 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
OSHA	Occupational Safety and Health Administration (United States)

United States: en Page: 15 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

United States: en Page: 16 / 17



Version number: 14.0 Revision: 2023-11-02 SDS Identifier: V2803SS

Code	Text
H333	May be harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17