Page: 1/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

1 Identification

· Product identifier

· Trade name: Chromate Indicator Reagent

· Product code: AR-1019-60 EW

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291 Toll-Free: (866)632-1291

info@aquaphoenixsci.com

· Distributor:

Aqua Analytics

39555 Orchard Hill Place Suite 600.

Novi, MI 48375 (888) 712-4000

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer. Route of exposure: Inhalation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





GHS07 GHS08

- · Signal word: Danger
- · Hazard statements:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer. Route of exposure: Inhalation.

· Precautionary statements:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 1) P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. Avoid breathing mist, vapors, or spray. P261 P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. P280 P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P330 Rinse mouth. P302+P352 If on skin: Wash with plenty of soap and water. P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
7732-18-5	Water	>90%
	Potassium chromate	<10%
	Acute Tox. 3, H301 Muta. 1B, H340; Carc. 1B, H350	
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

(Cont'd. on page 3)

Page: 3/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 2)

Gastric or intestinal disorders when ingested.

Allergic reactions

Nausea in case of ingestion.

Causes mild skin irritation.

Causes skin irritation.

· Danger:

Harmful if swallowed.

May cause genetic defects.

May cause cancer. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling
- · Precautions for safe handling:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 3)

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

- Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Due to photo-sensitivity, store product in brown-glass receptacles.

Store in a cool location.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7789-00-6 Potassium chromate				
PEL (USA)	Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026			
REL (USA)	Long-term value: 0.0002 mg/m³ as Cr; See Pocket Guide Apps. A and C			
TLV (USA)	Short-term value: 0.0005 mg/m³ Long-term value: 0.0002 mg/m³ as Cr; inhalable, Skin; BEI, DSEN, RSEN			
EL (Canada)	Long-term value: 0.025 mg/m³ Ceiling limit value: 0.1 mg/m³ as Cr; ACGIH A1, IARC 1			
LMPE (Mexico)	Long-term value: 0.05 mg/m³ A1, IBE; como Cr			

· Ingredients with biological limit values:

7789-00-6 Potassium chromate

BEI (USA) 25 µg/L

Medium: urine

Time: end of shift at end of workweek Parameter: Total chromium (fume)

10 μg/L Medium: urine

Time: increase during shift

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 4)

Parameter: Total chromium (fume)

- Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Latex, nitrile or neoprene gloves are recommended.

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

Natural rubber, NR

Sensibilization by the components in the glove materials is possible.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:

Form: Fluid
Color: Light yellow
Odor: Characteristic
Odor threshold: Not determined.

pH-value: Not determined.

(Cont'd. on page 6)

Page: 6/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

		(Cont'd. of page
· Melting point/Melting range: · Boiling point/Boiling range:	Not determined. 105-110 °C (221-166 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
Explosion limitsLower:Upper:Oxidizing properties:	Not determined. Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F): Relative density: Vapor density: Evaporation rate:	>1.17 g/cm³ (>9.76 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Soluble.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity Dynamic: Kinematic: · Other information	Not determined. Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids.

Conditions to avoid

Direct sunlight.

Excessive heat.

- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 6)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values that are relevant for classification:

7789-00-6 Potassium chromate

Oral LD50 180 mg/kg (mouse)

- · Primary irritant effect:
- · On the skin: May cause minor skin irritation, mainly with prolonged contact.
- On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Sensitization possible through skin contact.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

7789-00-6 Potassium chromate

|K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed.
- · Repeated dose toxicity:

Danger of very serious irreversible effects.

Repeated exposure may result in skin sensitivity.

- Germ cell mutagenicity: May cause genetic defects.
- · Carcinogenicity: May cause cancer. Route of exposure: Inhalation.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity Toxic for aquatic organisms
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Also poisonous for fish and plankton in water bodies.

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

Toxic for aquatic organisms

(Cont'd. of page 7)

Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN3082
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (potassium chromate), MARIN POLLUTANT
Transport hazard class(es)	
DOT, IMDG, IATA	
1 1 1 1 1 1 1 1 1 1	
Class	9
Label	9
ADR/RID/ADN	
Class	9 (M6)
Label	9
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Product contains environmentally hazardous substances: Potassium chromate
Marine pollutant:	Yes (DOT) Symbol (fish and tree)
	(Cont'd. on page

Page: 9/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 8)

Special precautions for user Warning: Miscellaneous dangerous substances and

articles

· Hazard identification number (Kemler code): 90

· EMS Number: F-A,S-F

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

7789-00-6 Potassium chromate

TSCA (Toxic Substances Control Act)

7789-00-6 Potassium chromate

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

7789-00-6 Potassium chromate

· Chemicals known to cause developmental toxicity for females:

7789-00-6 Potassium chromate

· Chemicals known to cause developmental toxicity for males:

7789-00-6 Potassium chromate

· Chemicals known to cause developmental toxicity:

7789-00-6 Potassium chromate

· EPA (Environmental Protection Agency):

7789-00-6 Potassium chromate

A(inh), D(oral), K/L(inh), CBD(oral)

· IARC (International Agency for Research on Cancer):

7789-00-6 Potassium chromate

1

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Chromate Indicator Reagent

(Cont'd. of page 9)

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

Muta. 1B: Germ cell mutagenicity - Category 1B

Carc. 1B: Carcinogenicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com