#### Page: 1/11

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

## 1 Identification

· Product identifier

· Trade name: Chromatography Solution

· Product code: CH1935SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific

860 Gitts Run Road,

Hanover, PA 17331

(717) 632-1291

## · Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

## 2 Hazard(s) identification

## · Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:







GHS02 GHS05 GHS07

· Signal word: Danger · Hazard statements:

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

(Cont'd. on page 2)

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

## **Trade name: Chromatography Solution**

		(Cont'd. of page 1)
Precautionary sta		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P233	Keep container tightly closed.	
P234	Keep only in original container.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection.	
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing.	Rinse skin with
	water/shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for brea	athing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove of	ontact lenses, if
	present and easy to do. Continue rinsing.	
P310	Immediately call a poison center/doctor.	
P363	Wash contaminated clothing before reuse.	
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.	
P390	Absorb spillage to prevent material damage.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant inner liner.	
P501	Dispose of contents/container in accordance with local/regional/nation regulations.	nal/international

Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Componer	· Components:	
	Acetone	70-90%
	<ul><li>♦ Flam. Liq. 2, H225</li><li>♦ Eye Irrit. 2A, H319; STOT SE 3, H336</li></ul>	
7647-01-0	Hydrochloric acid	10-25%
	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	
7732-18-5	Water	0-20%

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

- Description of first aid measures
- After inhalation:

(Cont'd. on page 3)

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

## **Trade name: Chromatography Solution**

(Cont'd. of page 2)

Seek medical treatment in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### · After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

#### · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

## · Most important symptoms and effects, both acute and delayed:

May cause drowsiness or dizziness.

Coughing

Strong caustic effect on skin and mucous membranes.

May cause respiratory irritation.

Gastric or intestinal disorders when ingested.

Nausea

Acidosis

Disorientation

#### · Danger:

Danger of gastric perforation.

Causes serious eye damage.

May cause drowsiness or dizziness.

## Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

If medical advice is needed, have product container or label at hand.

## 5 Fire-fighting measures

#### Extinguishing media

## Suitable extinguishing agents:

Alcohol resistant foam

Water fog / haze

Water spray

Gaseous extinguishing agents

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

During heating or in case of fire poisonous gases are produced.

#### Advice for firefighters

## · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## Additional information:

Eliminate all ignition sources if safe to do so.

(Cont'd. on page 4)

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

**Trade name: Chromatography Solution** 

(Cont'd. of page 3)

Cool endangered containers with water fog.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Protect from heat.

#### Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling

## · Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

#### Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

## · Conditions for safe storage, including any incompatibilities

#### · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

Store away from metals.

· Specific end use(s) No relevant information available.

Page: 5/11

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

**Trade name: Chromatography Solution** 

(Cont'd. of page 4)

## 8 Exposure controls/personal protection

## · Control parameters

· Components w	· Components with limit values that require monitoring at the workplace:	
67-64-1 Aceton	67-64-1 Acetone	
PEL (USA)	Long-term value: 2400 mg/m³, 1000 ppm	
REL (USA)	Long-term value: 590 mg/m³, 250 ppm	
TLV (USA)	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI	
EL (Canada)	Short-term value: 500 ppm Long-term value: 250 ppm	
EV (Canada)	Short-term value: 750 ppm Long-term value: 500 ppm	
LMPE (Mexico)	Short-term value: 750 ppm Long-term value: 500 ppm A4, IBE	
7647-01-0 Hydr	7647-01-0 Hydrochloric acid	
PEL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm	
REL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV (USA)	Ceiling limit value: 2.98 mg/m³, 2 ppm	
EL (Canada)	Ceiling limit value: 2 ppm	
EV (Canada)	Ceiling limit value: 2 ppm	
LMPE (Mexico)	Ceiling limit value: 2 ppm A4	

## Ingredients with biological limit values:

## 67-64-1 Acetone

BEI (USA) 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

## Exposure controls

## General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:

(Cont'd. on page 6)

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

## **Trade name: Chromatography Solution**

(Cont'd. of page 5)



## Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Butyl rubber, BR

Neoprene gloves

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection:

Solvent resistant protective clothing

Acid resistant protective clothing.

· Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

## 9 Physical and chemical properties

Information on basic physical and chemical properties	
· Appearance:	and onomical proportios
Form:	Liquid
Color:	Colorless
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	<2
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	>35 °C (>95 °F)
· Flash point:	<23 °C (<73.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties:	Not determined.
· Vapor pressure:	Not determined.
· Density:	

(Cont'd. on page 7)

Page: 7/11

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

**Trade name: Chromatography Solution** 

(Cont'd. of page 6)

Relative density: 0.8-0.9
Vapor density: Not determined.
Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not determined. **Kinematic:** Not determined.

• Other information No relevant information available.

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Highly flammable liquid and vapor.

Reacts violently with oxidizing agents.

Reacts with alkali (lyes).

Reacts with amines.

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals.

Reacts with metals forming hydrogen.

Reacts with light alloys to form hydrogen.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

- · Conditions to avoid Excessive heat.
- Incompatible materials

Alkalis.

Oxidizers

Metals.

· Hazardous decomposition products

Chlorine compounds Hydrogen chloride (HCI)

Carbon monoxide

Carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

67-64-1 Acetone

(Cont'd. on page 8)

Page: 8/11

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

## **Trade name: Chromatography Solution**

(Cont'd. of page 7)

Oral LD50 5800 mg/kg (rat)
Dermal LD50 20000 mg/kg (rabbit)

- Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.

## · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

#### NTP (National Toxicology Program):

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### · Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure:

May cause respiratory irritation.

May cause drowsiness or dizziness.

- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

· Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

(Cont'd. on page 9)

Page: 9/11

# **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

## **Trade name: Chromatography Solution**

(Cont'd. of page 8)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN2924
UN proper shipping name DOT	Flammable liquids, corrosive, n.o.s. (Acetor Hydrochloric acid)
ADR/RID/ADN, IMDG	FLAMMABLE LIQUID, CORROSIVE, N.O. (ACETONE, HYDROCHLORIC ACID)
IATA	Flammable liquid, corrosive, n.o.s. (Acetor Hydrochloric acid)
Transport hazard class(es)	
DOT	
CONTROL CONTRO	
Class	3
Label	3, 8
ADR/RID/ADN	
Class	3 (FC)
Label	3+8
IMDG	
Class	3
Label	3/8
IATA	
Class	3

Page: 10/11

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

**Trade name: Chromatography Solution** 

		(Cont'd. of page 9
· Label	3 (8)	
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II	
· Environmental hazards · Marine pollutant:	No	
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Flammable liquids 338 F-E,S-C Acids	
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	<b>f</b> Not applicable.	

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

7647-01-0 Hydrochloric acid

· TSCA (Toxic Substances Control Act)

67-64-1 Acetone

7647-01-0 Hydrochloric acid

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

67-64-1 Acetone

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 11)

Page: 11/11

## Safety Data Sheet

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

**Trade name: Chromatography Solution** 

(Contid. of page 10)	

l		(Cont'd. of page 10)
	Canadian	Domestic Substances List (DSL):
	67-64-1	Acetone
	7647-01-0	Hydrochloric acid
	7732-18-5	Water
L	•	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids - Category 2

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com