## Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Conductivity Neutralizing Solution</u></li> <li>Product code: MTCN9960-B</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647</li> </ul>
<ul> <li>Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)</li> </ul>
2 Hazard(s) identification
<ul> <li>Classification of the substance or mixture</li> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>Repr. 2 H361 Suspected of damaging fertility or the unborn child.</li> </ul>
<ul> <li>Classification of the substance or mixture</li> <li>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> </ul>

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

#### Trade name: Conductivity Neutralizing Solution

P201Obtain special instructions before use.P202Do not handle until all safety precautions have been read and understood.P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
P210Keep away from heat/sparks/open flames/hot surfaces No smoking.P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P233Keep container tightly closed.P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P240Ground/bond container and receiving equipment.P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P241Use explosion-proof electrical/ventilating/lighting/equipment.P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P242Use only non-sparking tools.P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P243Take precautionary measures against static discharge.P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P261Avoid breathing mist, vapors, or spray.P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P264Wash thoroughly after handling.P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P271Use only outdoors or in a well-ventilated area.P280Wear protective gloves/protective clothing/eye protection.
P280 Wear protective gloves/protective clothing/eye protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P312 Call a poison center/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
• <b>Other hazards</b> There are no other hazards not otherwise classified that have been identified.

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

7732-18-5	Water	40-60%
	Propan-2-ol	40-60%
	<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2A, H319; STOT SE 3, H336</li> </ul>	
77-92-9	Citric acid	<10%
	♦ Eye Irrit. 2A, H319; STOT SE 3, H335	
77-09-8		≥0.1-<1%
	🚸 Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361	
· Additiona	information:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### **4 First-aid measures**

#### <sup>•</sup> Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

#### Trade name: Conductivity Neutralizing Solution

(Cont'd. of page 2)

• After skin contact: Immediately remove any clothing soiled by the product. Wash with soap and water.

If skin irritation continues, consult a doctor.

#### • After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

#### Most important symptoms and effects, both acute and delayed:

Dizziness

Coughing

Causes eye irritation.

· Danger: Suspected of damaging fertility or the unborn child.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

If medical advice is needed, have product container or label at hand.

#### **5** Fire-fighting measures

#### <sup>·</sup> Extinguishing media

#### Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

#### Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Can form explosive gas-air mixtures.

#### Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### • Additional information:

Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray.

#### 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Use respiratory protective device against the effects of fumes/dust/aerosol. Protect from heat. Environmental precautions Avoid release to the environment.

<sup>•</sup> Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)

(Cont'd. of page 3)

## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

#### Trade name: Conductivity Neutralizing Solution

#### <sup>•</sup> Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

#### <sup>·</sup> Handling

#### Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas. Open and handle receptacle with care.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

#### <sup>•</sup> Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

• Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### Control parameters


#### · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

67-63-0 Propan	i-2-ol
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE
<u> </u>	(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

ide name: Conductivity Neutralizir	ng Solution
	(Cont'd. of page
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
Vapor pressure:	Not determined.
Density:	
Relative density:	<1
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Soluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

#### **10 Stability and reactivity**

• Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

#### · Thermal decomposition / conditions to be avoided:

Avoid open flame, ignition sources, contact with incompatible substances.

No decomposition if used and stored according to specifications.

#### <sup>•</sup> Possibility of hazardous reactions

Flammable liquid and vapor.

Reacts with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

#### · Conditions to avoid Excessive heat.

· Incompatible materials Oxidizers

· Hazardous decomposition products Carbon monoxide and carbon dioxide

#### **11 Toxicological information**

#### <sup>·</sup> Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

Trade name: Conductivity Neutralizing Solution
(Cont'd. of page 6
· LD/LC50 values that are relevant for classification: None.
Primary irritant effect:
• On the skin: Based on available data, the classification criteria are not met.
<ul> <li>On the eye: Irritating effect.</li> <li>Sensitization: Based on available data, the classification criteria are not met.</li> </ul>
·
· IARC (International Agency for Research on Cancer):
77-09-8   phenolphthalein   2B
NTP (National Toxicology Program):
77-09-8 phenolphthalein R
· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.
Probable route(s) of exposure:
Ingestion.
Inhalation.
Eye contact.
Skin contact. • Germ cell mutagenicity: Based on available data, the classification criteria are not met.
· Carcinogenicity:
Based on available data, the classification criteria are not met.
Suspected of causing cancer.
· <b>Reproductive toxicity:</b> Suspected of damaging fertility or the unborn child.
• STOT-single exposure: May cause drowsiness or dizziness.
<ul> <li>STOT-repeated exposure: Based on available data, the classification criteria are not met.</li> </ul>
• Aspiration hazard: Based on available data, the classification criteria are not met.
12 Ecological information
· Toxicity
· Aquatic toxicity No relevant information available.
· Persistence and degradability No relevant information available.
· Bioaccumulative potential: No relevant information available.
• Mobility in soil: No relevant information available.
Additional ecological information
· General notes:
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
• Other adverse effects No relevant information available.
12 Dianocal considerations
13 Disposal considerations
· Waste treatment methods
· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

Trade name: Conductivity Neutralizing Solution	(Cont'd. of page 7)
<ul> <li>Uncleaned packagings</li> <li>Recommendation: Disposal must be made according</li> </ul>	
14 Transport information	
<sup>·</sup> UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1219
<ul> <li><sup>•</sup> UN proper shipping name</li> <li><sup>•</sup> DOT, IATA</li> <li><sup>•</sup> ADR/RID/ADN, IMDG</li> </ul>	Isopropanol solution (Isopropyl alcohol solution) ISOPROPANOL SOLUTION (ISOPROPYL ALCOHOL SOLUTION)
· Transport hazard class(es)	
· DOT	
· Class · Label	3 3
· ADR/RID/ADN	
· Class · Label	3 (F1) 3
· Class · Label	3 3
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	II
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids 33 F-E,S-D
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	<b>f</b> Not applicable.

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

Trade name: Conductivity Neutralizing Solution

(Cont'd. of page 8)

Regulatory information	
Safety, health and environmental regulations/legislation specific for the	e substance
mixture · United States (USA)	
· SARA	
· Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
67-63-0 Propan-2-ol	
· TSCA (Toxic Substances Control Act)	
67-63-0 Propan-2-ol	
77-92-9 Citric acid	
77-09-8 phenolphthalein	
7732-18-5 Water	
· Proposition 65 (California)	
Chemicals known to cause cancer:	
77-09-8 phenolphthalein	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
77-09-8 phenolphthalein	2
· Canadian Domestic Substances List (DSL):	

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- OSHA: Occupational Safety & Health Administration

(Cont'd. on page 10)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 25, 2019

#### Trade name: Conductivity Neutralizing Solution

(Cont'd. of page 9)

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com