

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

## 1 Identification

- **Product identifier**
- **Trade name:** Conductivity Standard Solution, 200mS/cm
- **Product code:** CS9200SS
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover, PA 17331 USA  
Tel +1 (717)632-1291  
Toll-Free: (866)632-1291  
info@aquaphoenixsci.com
- **Distributor:**  
AquaPhoenix Scientific  
860 Gitts Run Road,  
Hanover, PA 17331  
(717) 632-1291
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Eye Irrit. 2B H320 Causes eye irritation.
- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:** None.
- **Signal word:** Warning
- **Hazard statements:**  
H320 Causes eye irritation.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Components:**

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 1)

7447-40-7	Potassium chloride	Eye Irrit. 2B, H320	14.21%
71-23-8	propan-1-ol	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336	0.41%
7732-18-5	Water		85.38%

· **Additional information:** For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Rinse with warm water.  
If skin irritation is experienced, consult a doctor.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**  
Gastric or intestinal disorders when ingested.
- **Danger:** Causes eye irritation.
- **Indication of any immediate medical attention and special treatment needed:**  
No relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No relevant information available.
- **Special hazards arising from the substance or mixture** No relevant information available.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation.
- **Environmental precautions**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 2)

Wipe up small spills with paper towel and discard.  
For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.  
Dispose of the collected material according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

· **Handling**

- **Precautions for safe handling:** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** No relevant information available.
- **Further information about storage conditions:**  
Keep containers tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

**71-23-8 propan-1-ol**

PEL (USA)	Long-term value: 500 mg/m <sup>3</sup> , 200 ppm
REL (USA)	Short-term value: 625 mg/m <sup>3</sup> , 250 ppm Long-term value: 500 mg/m <sup>3</sup> , 200 ppm Skin
TLV (USA)	Long-term value: 246 mg/m <sup>3</sup> , 100 ppm
EL (Canada)	Long-term value: 100 ppm
EV (Canada)	Long-term value: 100 ppm
LMPE (Mexico)	Long-term value: 100 ppm A4

· **Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.

- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:** Not required under normal conditions of use.
- **Protection of hands:**

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 3)



Protective gloves

· **Material of gloves**

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· **Body protection:** Protective work clothing

· **Limitation and supervision of exposure into the environment** No special requirements.

· **Risk management measures** No special requirements.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **Appearance:**

· **Form:** Liquid

· **Color:** Clear, colorless

· **Odor:** Not determined.

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Melting point/Melting range:** 0 °C (32 °F)

· **Boiling point/Boiling range:** 102-106 °C (215.6-158.8 °F)

· **Flash point:** The product is not flammable.

· **Flammability (solid, gaseous):** Not applicable.

· **Auto-ignition temperature:** Not determined.

· **Decomposition temperature:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits**

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Oxidizing properties:** Not determined.

· **Vapor pressure:** Not determined.

· **Density at 20 °C (68 °F):** 1.14 g/cm<sup>3</sup> (9.51 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

(Cont'd. on page 5)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 4)

- |   |                                    |
|---|------------------------------------|
| · <b>Evaporation rate:</b>                        | Not determined.                    |
| · <b>Solubility in / Miscibility with Water:</b>  | Fully miscible.                    |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                    |
| · <b>Viscosity</b>                                |                                    |
| <b>Dynamic:</b>                                   | Not determined.                    |
| <b>Kinematic:</b>                                 | Not determined.                    |
| · <b>Other information</b>                        | No relevant information available. |

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Reacts with certain metals.
- **Conditions to avoid** Light, excess heat, dust generation, incompatible materials.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**  
Under fire conditions only:  
Chlorine compounds

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Irritating effect.
- **Sensitization:** Based on available data, the classification criteria are not met.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):** Causes eye irritation.

(Cont'd. on page 6)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 5)

- **Repeated dose toxicity:** No relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |                                     |                |
|-------------------------------------|----------------|
| · <b>UN-Number</b>                  |                |
| · DOT, ADR/RID/ADN, IMDG, IATA      | Not regulated. |
| · <b>UN proper shipping name</b>    |                |
| · DOT, ADR/RID/ADN, IMDG, IATA      | Not regulated. |
| · <b>Transport hazard class(es)</b> |                |
| · DOT, ADR/RID/ADN, IMDG, IATA      |                |
| · <b>Class</b>                      | Not regulated. |
| · <b>Packing group</b>              |                |
| · DOT, ADR/RID/ADN, IMDG, IATA      | Not regulated. |

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 6)

- |  |                 |
|--|-----------------|
| · <b>Environmental hazards</b>   | Not applicable. |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

71-23-8	propan-1-ol
7447-40-7	Potassium chloride
7732-18-5	Water

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL):**

None of the ingredients are listed.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 05, 2021

**Trade name: Conductivity Standard Solution, 200mS/cm**

(Cont'd. of page 7)

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers