

	n number: 12.0 lentifier: V3503SS	Revision: 2023-11-08			
SEC	TION 1: Identification				
1.1	Product identifier				
	SDS Identifier	V3503SS			
	Catalog numbers	K-3503, R-3510			
1.2	Relevant identified uses of the substance or mi	ixture and uses advised against			
	Relevant identified uses	Components of water analysis test kits			
1.3	Details of the supplier of the safety data sheet				
	AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover PA 17331 United States				
	Telephone: (717) 632-1291 e-mail: info@aquaphoenixsci.com Website: https://www.aquaphoenixsci.com/				
	e-mail (competent person)	scraig@aquaphoenixsci.com (Stephen Craig)			
1.4	Emergency telephone number				
	Emergency information service	ChemTel Inc.: 1-800-255-3924, +01-813-248-0585			
SEC	TION 2: Hazard(s) identification				
2.1	Classification of the substance or mixture				
	Classification acc. to GHS				
	This mixture does not meet the criteria for classification.				
2.2	Label elements				
	Labeling not required				
2.3	Other hazards				
	Results of PBT and vPvB assessment Does not contain a PBT-/vPvB-substance in a concentration of $\geq$ 0.1%.				
	Endocrine disrupting properties				

Does not contain an endocrine disruptor (ED) in a concentration of  $\ge 0.1\%$ .



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
deionized water	CAS No 7732-18-5	≥73		
ammonium acetate	CAS No 631-61-8	23		
diammonium oxalate	CAS No 1113-38-8	1	Acute Tox. 4 / H302 Aquatic Acute 3 / H402 Aquatic Chronic 3 / H412	()
acetone	CAS No 67-64-1	≤1	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	
sodium bisulfite	CAS No 7631-90-5	≤1	Acute Tox. 4 / H302 Acute Tox. 5 / H313 Acute Tox. 5 / H333 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 3 / H402	()
bathocuproine, sulfonated, sodium salt	CAS No 52698-84-7	0.1		

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

## 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight



Version number: 12.0 SDS Identifier: V3503SS

## **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

				-						 
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]	Source
US	acetone	67-64-1	PEL (CA)	500	1,200	750	1,780	3,000		Cal/ OSHA PEL
US	acetone	67-64-1	REL	250 (10 h)	590 (10 h)					NIOSH REL
US	acetone	67-64-1	TLV®	250		500				ACGIH® 2023
US	acetone	67-64-1	PEL	1,000	2,400					29 CFR 1910.100 0
US	sodium bisulfite	7631-90-5	PEL (CA)		5					Cal/ OSHA PEL
US	sodium bisulfite	7631-90-5	REL		5 (10 h)					NIOSH REL
US	sodium bisulfite	7631-90-5	TLV®		5					ACGIH® 2023

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified

Biological limit values							
Country	Name of agent	Parameter	Notation	Identifier	Value	Source	
US	acetone	acetone		BEI®	25 mg/l	ACGIH® 2023	

Relevant DNELs of components							
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
ammonium acetate	631-61-8	DNEL	911.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
ammonium acetate	631-61-8	DNEL	5,469 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects	



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

Relevant DNELs of components							
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
ammonium acetate	631-61-8	DNEL	10.34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects	
ammonium acetate	631-61-8	DNEL	62.04 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects	
sodium bisulfite	7631-90-5	DNEL	246 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
acetone	67-64-1	DNEL	1,210 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
acetone	67-64-1	DNEL	2,420 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects	
acetone	67-64-1	DNEL	186 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects	

Relevant PNECs of components							
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
ammonium acetate	631-61-8	PNEC	3.08 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)	
ammonium acetate	631-61-8	PNEC	0.308 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)	
ammonium acetate	631-61-8	PNEC	677 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)	
ammonium acetate	631-61-8	PNEC	2.51 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)	
ammonium acetate	631-61-8	PNEC	0.251 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)	
ammonium acetate	631-61-8	PNEC	0.72 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)	
sodium bisulfite	7631-90-5	PNEC	1.09 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)	
sodium bisulfite	7631-90-5	PNEC	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)	
sodium bisulfite	7631-90-5	PNEC	10.71 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)	
acetone	67-64-1	PNEC	10.6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)	
acetone	67-64-1	PNEC	1.06 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)	



Revision: 2023-11-08

Relevant PNECs of components							
Name of substance CAS No		Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
acetone	67-64-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)	
acetone	67-64-1	PNEC	30.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)	
acetone	67-64-1	PNEC	3.04 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)	
acetone	67-64-1	PNEC	29.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)	

## 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Wash hands thoroughly after handling.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Version number: 12.0 SDS Identifier: V3503SS

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**Product description:** Each CHEMet<sup>™</sup> or VACUette<sup>™</sup> ampoule is a 7 mm glass ampoule containing approximately 0.2 - 1.2 mL of liquid reagent sealed under vacuum. Each Vacu-vial<sup>™</sup> ampoule is a 13 mm glass ampoule containing approximately 0.8 - 4.5 mL of liquid reagent sealed under vacuum.

Physical state	liquid			
Color	Colorless to pale brown, crystals possible			
Odor	sharp			
Melting point/freezing point	-4 °C			
Boiling point or initial boiling point and boiling range	106 °C			
Evaporation rate	not determined			
Flammability	this material is combustible, but will not ignite readily			
Lower and upper explosion limit	not determined			
Flash point	not determined			
Auto-ignition temperature	not determined			
Decomposition temperature	not relevant			
pH (value)	7			
Kinematic viscosity	not determined			
Solubility(ies)				

Water solubility	miscible in any proportion
------------------	----------------------------

## Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available	

Vapor pressure	23.7 mmHg at 25 °C
----------------	--------------------

Revision: 2023-11-08



Revision: 2023-11-08

### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available
Relative density	0.98 (water = 1)

	Particle characteristics
--	--------------------------

not relevant (liquid)

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

Oxidizers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.



Revision: 2023-11-08

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components			
Name of substance	CAS No	Exposure route	ATE
diammonium oxalate	1113-38-8	oral	375 <sup>mg</sup> / <sub>kg</sub>
sodium bisulfite	7631-90-5	oral	500 <sup>mg</sup> / <sub>kg</sub>
sodium bisulfite	7631-90-5	dermal	>2,000 <sup>mg</sup> / <sub>kg</sub>
sodium bisulfite	7631-90-5	inhalation: vapor	25 <sup>mg</sup> / <sub>l</sub> /4h
sodium bisulfite	7631-90-5	inhalation: dust/mist	>5.5 <sup>mg</sup> / <sub>l</sub> /4h

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans			
Name of substance CAS No Classification Number			
sodium bisulfite 3			

Legend 3

Not classifiable as to carcinogenicity in humans

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\ge 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\ge 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

SECTIC	SECTION 14: Transport information		
14.1 L	UN number	not subject to transport regulations	
14.2 L	UN proper shipping name	not relevant	
14.3 T	Transport hazard class(es)	none	
14.4 F	Packing group	not assigned	
14.5 E	Environmental hazards	non-environmentally hazardous acc. to the danger- ous goods regulations	

### 14.6 Other relevant information

Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

#### SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations specific for the product in question

**National regulations (United States)** 

Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

#### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed



Revision: 2023-11-08

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

## Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Remarks	Statutory code	Final RQ pounds (Kg)
ammonium acetate		1	5000 (2270)
acetone		4	5000 (2270)
sodium bisulfite		1	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

## **Clean Air Act**

none of the ingredients are listed

## **Right to Know Hazardous Substance List**

#### - Hazardous Substance List (NJ-RTK)

Name of substance	Remarks	Classifications
ammonium acetate		
acetone		F3
diammonium oxalate		
sodium bisulfite		СО

Legend

CO Corrosive

F3 Flammable - Third Degree

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

#### **National inventories**



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

# SECTION 16: Other information, including date of preparation or last revision

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presenta-tions/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

Abbr.	Descriptions of used abbreviations
OSHA	Occupational Safety and Health Administration (United States)
РВТ	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H333	May be harmful if inhaled.
H336	May cause drowsiness or dizziness.



Version number: 12.0 SDS Identifier: V3503SS Revision: 2023-11-08

Code	Text
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.