Page: 1/10

## **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

#### 1 Identification

· Product identifier

Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

· Product code: CU7975SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AguaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331 USA

Tel +1 (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

AquaPhoenix Scientific

860 Gitts Run Road,

Hanover, PA 17331

(717) 632-1291

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

- · Signal word: Danger
- Hazard statements:

H318 Causes serious eye damage.

· Precautionary statements:

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

Other hazards There are no other hazards not otherwise classified that have been identified.

Page: 2/10

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 1)

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
64-19-7	Acetic acid	2.57%
	Flam. Liq. 3, H226 Met. Corr.1, H290; Skin Corr. 1A, H314	
	copper sulphate pentahydrate  Eye Dam. 1, H318  Acute Tox. 4, H302	5.0%
5329-14-6	sulphamidic acid Skin Irrit. 2, H315; Eye Irrit. 2A, H319	3.2%
7732-18-5	Water	89.23%

#### 4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Rinse with warm water.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

May cause gastro-intestinal irritation if ingested.

Nausea in case of ingestion.

Strong irritant with the danger of severe eye injury.

Danger:

Causes serious eye damage.

Causes mild skin irritation.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

#### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

(Cont'd. on page 3)

Page: 3/10

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

#### Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 2)

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid splashes or spray in enclosed areas.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- Components with limit values that require monitoring at the workplace:

(Cont'd. on page 4)

Page: 4/10

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

#### Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 3)

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

64-19-7 Acetic acid		
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm	
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm	
EV (Canada)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
LMPE (Mexico)	Short-term value: 15 ppm Long-term value: 10 ppm	

#### • Exposure controls

- · Engineering measures Provide adequate ventilation.
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

#### · Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Natural rubber, NR

Neoprene gloves

Nitrile rubber, NBR

Sensibilization by the components in the glove materials is possible.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

Page: 5/10

## **Safety Data Sheet**

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 4)

9 Physical and chemical proper	9 Physical and chemical properties			
Information on basic physical and chemical properties				
· Appearance: Form: Color: · Odor: · Odor threshold:	Liquid According to product specification Odorless Not determined.			
· pH-value: · Melting point/Melting range: · Boiling point/Boiling range:	Not applicable. Not determined. 100-103 °C (212-153.4 °F)			
· Flash point:	The product is not flammable.			
· Flammability (solid, gaseous):	Product is not flammable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits Lower: Upper: · Oxidizing properties:	Not determined. Not determined. Non-oxidizing.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	1.17 g/cm³ (9.76 lbs/gal) Not determined. Not applicable. Not applicable.			
· Solubility in / Miscibility with Water:	Soluble.			
· Partition coefficient (n-octanol/water	r): Not determined.			
· Viscosity Dynamic: Kinematic: · Other information	Not determined. Not determined. No relevant information available.			

## 10 Stability and reactivity

- · **Reactivity:** No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point. Reacts with alkali (lyes).

(Cont'd. on page 6)

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

#### Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 5)

Reacts with oxidizing agents.

Reacts with certain metals.

- · Conditions to avoid No relevant information available.
- Incompatible materials

Alkalis

Metals.

Oxidizing agents.

· Hazardous decomposition products

Under fire conditions only:

Toxic metal oxide smoke

Sulfur oxides (SOx)

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

#### **ATE (Acute Toxicity Estimate)**

Oral LD50 6998-9606 mg/kg (rat)

#### 7758-99-8 copper sulphate pentahydrate

Oral LD50 400-580 mg/kg (rat)

#### 5329-14-6 sulphamidic acid

Oral LD50 3160 mg/kg (rat)

- · Primary irritant effect:
- · On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

· On the eye:

Causes serious eye damage.

Strong irritant with the danger of severe eye injury.

· Sensitization: Based on available data, the classification criteria are not met.

#### IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

## · NTP (National Toxicology Program):

None of the ingredients are listed.

## · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

#### Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

#### · Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye damage.

Causes mild skin irritation.

(Cont'd. on page 7)

Page: 7/10

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

#### Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 6)

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity

Harmful to aquatic life.

## 5329-14-6 sulphamidic acid

LC50	70.3 mg/l	(pimephales	promelas)

EC50 71.6 mg/l (daphnia)

ErC50 48 mg/l (Desmodesmus subspicatus)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

· Other adverse effects No relevant information available.

#### 13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information

(Cont'd. on page 8)

Page: 8/10

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

## Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

	(Cont'd. of page
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3082
· UN proper shipping name · DOT	Environmentally hazardous substance, liquid, n.o.s (contains copper sulfate)
· ADR/RID/ADN, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (CONTAINS COPPER SULPHATE)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCI LIQUID, N.O.S. (CONTAINS COPPER SULPHATE MARINE POLLUTANT
Transport hazard class(es)	
· DOT	
<b>***</b>	
Bulk Only	
· Class · Label	9
· ADR/RID/ADN	
<b>★</b>	
Class	9 (M6)
· Label	9
· IMDG, IATA	
· Class	9
· Label	9
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Product contains environmentally hazardou substances: copper sulphate pentahydrate
· Marine pollutant:	Yes (DOT) Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances ar articles
· Hazard identification number (Kemler code): · EMS Number:	90 F-A,S-F
	(Cont'd. on page

Page: 9/10

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

	(Cont'd. of page 8
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197
·DOT	Labeling as a Marine Pollutant is only required for bulk single package shipments. Bulk packaging consists of a maximum capacity of greater than 450 L (119 gallons) for a liquid and a maximum net mass greater than 400 kg (882 pounds) for a solid. (See 171.4(c))

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

Page: 10/10

## **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: December 11, 2020

Trade name: Copper Sulfate-Sulfamic Acid Inhibitor

(Cont'd. of page 9)

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 3: Flammable liquids – Category 3

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers