

Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

# **SECTION 1: Identification**

### 1.1 Product identifier

SDS Identifier V3903SS

Catalog numbers K-3903, R-1805, R-1805E, R-3902

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Components of water analysis test kits

# 1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover PA 17331 United States

Telephone: (717) 632-1291

e-mail: info@aquaphoenixsci.com

Website: https://www.aquaphoenixsci.com/

e-mail (competent person) scraig@aquaphoenixsci.com (Stephen Craig)

# 1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

# **SECTION 2: Hazard(s) identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
skin corrosion/irritation	2	Skin Irrit. 2	H315
serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labeling

- Signal word warning

United States: en Page: 1 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

#### - Pictograms

GHS07



#### - Hazard statements

H315 Causes skin irritation.H319 Causes serious eye irritation.

### - Precautionary statements

P264+P265 Wash hands thoroughly after handling. Do not touch eyes.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).
P332+P317 If skin irritation occurs: Get medical help.
P337+P317 If eye irritation persists: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
deionized water	CAS No 7732-18-5	≥83		
acetic acid	CAS No 64-19-7	11	Flam. Liq. 3 / H226 Skin Corr. 1A / H314 Eye Dam. 1 / H318	
ammonium acetate	CAS No 631-61-8	5		

United States: en Page: 2 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
ethanol	CAS No 64-17-5	0.4	Flam. Liq. 2 / H225 Carc. 1A / H350	<b>(3)</b>
3-(2-Pyridyl)-5,6-diphenyl- 1,2,4-triazine	CAS No 1046-56-6	≤ 0.1		
chloroform	CAS No 67-66-3	0.1	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d STOT RE 1 / H372 Aquatic Acute 3 / H402	
ferrozine	CAS No 69898-45-9	≤ 0.1		

For full text of abbreviations: see SECTION 16.

### **SECTION 4: First-aid measures**

#### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

### Following skin contact

Wash with plenty of soap and water.

# Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United States: en Page: 4 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

# Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Source
US	ethanol	64-17-5	TLV®			1,000				ACGIH® 2023
US	ethyl alcohol	64-17-5	REL	1,000 (10 h)	1,900 (10 h)					NIOSH REL
US	ethyl alcohol (eth- anol)	64-17-5	PEL (CA)	1,000	1,900					Cal/ OSHA PEL

United States: en Page: 5 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

# Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	ethyl alcohol (eth- anol)	64-17-5	PEL	1,000	1,900						29 CFR 1910.100 0
US	acetic acid	64-19-7	PEL (CA)	10	25	15	37	40			Cal/ OSHA PEL
US	acetic acid	64-19-7	REL	10 (10 h)	25 (10 h)	15	37				NIOSH REL
US	acetic acid	64-19-7	TLV®	10		15					ACGIH® 2023
US	acetic acid	64-19-7	PEL	10	25						29 CFR 1910.100 0
US	chloroform	67-66-3	TLV®	10							ACGIH® 2023
US	chloroform	67-66-3	REL			2 (60 min)	9.78 (60 min)			аррх-А	NIOSH REL
US	chloroform (tri- chloromethane)	67-66-3	PEL (CA)	2	9.78						Cal/ OSHA PEL
US	trichloromethane (chloroform)	67-66-3	PEL					50	240		29 CFR 1910.100 0

Notation

appx-A NIOSH Potential Occupational Carcinogen (Appendix A)

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

# Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ammonium acetate	631-61-8	DNEL	911.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
ammonium acetate	631-61-8	DNEL	5,469 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic ef- fects
ammonium acetate	631-61-8	DNEL	10.34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United States: en Page: 6 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

# Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ammonium acetate	631-61-8	DNEL	62.04 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
chloroform	67-66-3	DNEL	2.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
chloroform	67-66-3	DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
chloroform	67-66-3	DNEL	2.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
chloroform	67-66-3	DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - local effects
chloroform	67-66-3	DNEL	2.86 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects

# Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
ammonium acetate	631-61-8	PNEC	3.08 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
ammonium acetate	631-61-8	PNEC	0.308 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
ammonium acetate	631-61-8	PNEC	677 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ammonium acetate	631-61-8	PNEC	2.51 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
ammonium acetate	631-61-8	PNEC	0.251 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
ammonium acetate	631-61-8	PNEC	0.72 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
chloroform	67-66-3	PNEC	0.146 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.015 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.048 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
chloroform	67-66-3	PNEC	0.45 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.09 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)

United States: en Page: 7 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Relevant PNECs of	component	S				
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
chloroform	67-66-3	PNFC	0.56 <sup>mg</sup> / <sub>1/4</sub>	terrestrial organ-	soil	short-term (single in-

isms

stance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**Product description:** Each CHEMet™ or VACUette™ ampoule is a 7 mm glass ampoule containing approximately 0.2 - 1.2 mL of liquid reagent sealed under vacuum. Each Vacu-vial™ ampoule is a 13 mm glass ampoule containing approximately 0.8 - 4.5 mL of liquid reagent sealed under vacuum.

Physical state	liquid
Color	colorless to pale pink
Odor	slight - characteristic

United States: en Page: 8 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Iden

number: 12.0 entifier: V3903SS	Revision: 2023-11-08
Melting point/freezing point	2 ℃
Boiling point or initial boiling point and boiling range	102 °C at 101.3 kPa
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	4 vol% - 19.9 vol%
Flash point	>102 °C at 101.3 kPa
Auto-ignition temperature	463 °C
Decomposition temperature	not relevant
pH (value)	4.2
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

	22.7
Vapor pressure	23.7 mmHg at 25 °C

# Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available
Relative density	1 (water = 1)

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

United States: en Page: 9 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

### Acute toxicity

Shall not be classified as acutely toxic.

### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
chloroform	67-66-3	oral	908 <sup>mg</sup> / <sub>kg</sub>
chloroform	67-66-3	inhalation: vapor	3 <sup>mg</sup> / <sub>I</sub> /4h

#### Skin corrosion/irritation

Causes skin irritation.

United States: en Page: 10 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
ethanol	64-17-5	1	
chloroform	67-66-3	2B	

### Legend

Carcinogenic to humansPossibly carcinogenic to humans

# National Toxicology Program (United States): Report on Carcinogens

Name of substance	CAS No	Classification	Number
chloroform	67-66-3	Reasonably anticipated to be a human carcino- gen	

# Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### 11.2 Information on other hazards

There is no additional information.

United States: en Page: 11 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

### 14.1 UN number

DOT UN 2790 IMDG-Code UN 2790 ICAO-TI UN 2790

# 14.2 UN proper shipping name

DOT Acetic acid solutions

IMDG-Code ACETIC ACID SOLUTION

ICAO-TI Acetic acid solution

United States: en Page: 12 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

SDS Id	entifier: V3903SS	
14.3	Transport hazard class(es)	
	DOT	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	DOT	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Other relevant information

Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# Information for each of the UN Model Regulations

# Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration UN2790, Acetic acid solutions, 8, III

Reportable quantity (RQ) 10,000 lbs (4,540 kg) (chloroform) (acetic acid)

Danger label(s) 8



Special provisions (SP) 148, IB3, T4, TP1

ERG No 153

United States: en Page: 13 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

# International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

Segregation group 1 - Acids

# International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 1 L

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

**National regulations (United States)** 

**Toxic Substance Control Act (TSCA)** all ingredients are listed (ACTIVE) or exempt from

listing

# Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

### The List of Extremely Hazardous Substances and Their Threshold Planning Quantities

Name of substance	Notes	Reportable quantity (pounds)	Threshold planning quantity (pounds)
chloroform	f	10	10000

Legend

f Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and

United States: en Page: 14 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

### Legend

known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance Remarks Effective date

chloroform 1986-12-31

# Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Remarks	Statutory code	Final RQ pounds (Kg)
acetic acid		1	5000 (2270)
ammonium acetate		1	5000 (2270)
chloroform		1 2 3 4	10 (4,54)

### Legend

- "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
- 2 "2" indicates that the source is section 307(a) of the Clean Water Act
- 3 "3" indicates that the source is section 112 of the Clean Air Act
- 4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

## **Clean Air Act**

Name of substance	Type of registration	Basis for listing	Threshold quantity (lbs)
chloroform	Toxic substance	b	20000

#### Legend

b On EHS list, vapor pressure 10 mmHg or greater.

### **Right to Know Hazardous Substance List**

- Hazardous Substance List (NJ-RTK)

United States: en Page: 15 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Name of substance	Remarks	Classifications
acetic acid		CO F2
ethanol		CA MU TE F3
ammonium acetate		
chloroform		CA

Legend

CA Carcinogenic

CO Corrosive

F2 Flammable - Second Degree F3 Flammable - Third Degree

MU Mutagenic TE Teratogenic

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

Name acc. to inventory
Remarks
Type of the toxicity
ethanol (ethyl alcohol)
in alcoholic beverages
developmental
chloroform
chloroform
developmental

### **National inventories**

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed

United States: en Page: 16 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Country	Inventory	Status
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
VN	NCI	not all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information, including date of preparation or last revision

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate

United States: en Page: 17 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Abbr.	Descriptions of used abbreviations
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million

United States: en Page: 18 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Abbr.	Descriptions of used abbreviations
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

# Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H350	May cause cancer.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.

United States: en Page: 19 / 20



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V3903SS

Code	Text
H372	Causes damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life.

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 20 / 20