

Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### **SECTION 1: Identification**

#### 1.1 Product identifier

SDS Identifier V2513SS

Catalog numbers R-1605, R-2500, R-2500R, R-2504, R-2509, R-2513, R-2705, R-5502, R-5808, R-7404, R-7904, R-7904A, R-7904

7904B, R-7904C, R-7904D, K-2513, K-2513T, K-2523, K-2703, K-7423, K-7423T, K-7913, AC4070, AC4048

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Components of water analysis test kits

1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover PA 17331 United States

Telephone: (717) 632-1291

e-mail: info@aquaphoenixsci.com

Website: https://www.aquaphoenixsci.com/

e-mail (competent person) scraig@aquaphoenixsci.com (Stephen Craig)

1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

## **SECTION 2: Hazard(s) identification**

## 2.1 Classification of the substance or mixture

Classification acc. to GHS

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
flammable liquid	4	Flam. Liq. 4	H227

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

United States: en Page: 1 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### Labeling

- Signal word warning

- Pictograms not required

- Hazard statements

H227 Combustible liquid.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403 Store in a well-ventilated place.

P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling n,n-diethyl-p-phenylenediamine oxalic acid salt (DPD)

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

**Endocrine disrupting properties** 

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
deionized water	CAS No 7732-18-5	≥ 94		
acetone	CAS No 67-64-1	≤4	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	<b>(1)</b>
potassium phosphate mono- basic	CAS No 7778-77-0	1	Acute Tox. 5 / H313 Acute Tox. 3 / H331	

United States: en Page: 2 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
CDTA	CAS No 125572-95-4 13291-61-7	0.4	Acute Tox. 4 / H332 Eye Irrit. 2 / H319 Aquatic Acute 2 / H401	<u>(1)</u>
n,n-diethyl-p-phenylene- diamine oxalic acid salt (DPD)	CAS No 62637-92-7	0.1	Skin Sens. 1 / H317 Muta. 2 / H341 Aquatic Acute 2 / H401 Aquatic Chronic 2 / H411	<b>(1) (♣) (1)</b>
sodium hydroxide	CAS No 1310-73-2	0.08	Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Aquatic Acute 3 / H402	

For full text of abbreviations: see SECTION 16.

## **SECTION 4: First-aid measures**

## 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United States: en Page: 3 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

## **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

## 5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Nitrogen oxides (NOx)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

United States: en Page: 4 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

#### Control of the effects

#### Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

United States: en Page: 5 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]	Nota- tion	Source
US	sodium hydroxide	1310-73-2	REL						2		NIOSH REL
US	sodium hydroxide	1310-73-2	TLV®						2		ACGIH® 2023
US	sodium hydroxide	1310-73-2	PEL		2						29 CFR 1910.100 0
US	sodium hydroxide (caustic soda)	1310-73-2	PEL (CA)						2		Cal/ OSHA PEL
US	acetone	67-64-1	PEL (CA)	500	1,200	750	1,780	3,000			Cal/ OSHA PEL
US	acetone	67-64-1	REL	250 (10 h)	590 (10 h)						NIOSH REL
US	acetone	67-64-1	TLV®	250		500					ACGIH® 2023
US	acetone	67-64-1	PEL	1,000	2,400						29 CFR 1910.100 0

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
US	acetone	acetone		BEI®	25 mg/l	ACGIH® 2023

United States: en Page: 6 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

# Relevant DNELs of components

Name of substance	CAS No	Endpoint		Protection goal, route of exposure	Used in	Exposure time
acetone	67-64-1	DNEL	1,210 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic ef- fects
acetone	67-64-1	DNEL	2,420 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
acetone	67-64-1	DNEL	186 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects
potassium phosphate monobasic	7778-77-0	DNEL	14.82 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium hydroxide	1310-73-2	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects

# Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
acetone	67-64-1	PNEC	10.6 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
acetone	67-64-1	PNEC	1.06 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
acetone	67-64-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
acetone	67-64-1	PNEC	30.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single in- stance)
acetone	67-64-1	PNEC	3.04 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
acetone	67-64-1	PNEC	29.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single in- stance)
CDTA	125572-95-4 13291-61-7	PNEC	2.77 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single in- stance)
CDTA	125572-95-4 13291-61-7	PNEC	0.277 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)
CDTA	125572-95-4 13291-61-7	PNEC	19 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
CDTA	125572-95-4 13291-61-7	PNEC	2.17 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
CDTA	125572-95-4 13291-61-7	PNEC	0.217 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single in- stance)
CDTA	125572-95-4 13291-61-7	PNEC	0.327 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

United States: en Page: 7 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Product description:** Each CHEMet<sup>™</sup> or VACUette<sup>™</sup> ampoule is a 7 mm glass ampoule containing approximately 0.2 - 1.2 mL of liquid reagent sealed under vacuum. Each Vacu-vial<sup>™</sup> ampoule is a 13 mm glass ampoule containing approximately 0.8 - 4.5 mL of liquid reagent sealed under vacuum.

Physical state	liquid
Color	colorless to pale pink
Odor	odorless
Melting point/freezing point	-7 °C
Boiling point or initial boiling point and boiling range	94 °C
Evaporation rate	not determined
Flammability	flammable liquid in accordance with GHS criteria

United States: en Page: 8 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

Lower and upper explosion limit	not determined
Flash point	>75 °C
Auto-ignition temperature	465 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	6.3
Kinematic viscosity	not determined

## Solubility(ies)

Water solubility miscible in any proportion
---

## Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

Vapor pressure	240 hPa at 20 °C
----------------	------------------

## Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available
Relative density	1 (water = 1)

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

## If heated:

Risk of ignition

United States: en Page: 9 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

## Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
potassium phosphate monobasic	7778-77-0	dermal	>2,000 <sup>mg</sup> / <sub>kg</sub>
potassium phosphate monobasic	7778-77-0	inhalation: dust/mist	>0.83 <sup>mg</sup> / <sub>l</sub> /4h
CDTA	125572-95-4 13291-61-7	inhalation: dust/mist	1.5 <sup>mg</sup> / <sub>l</sub> /4h
sodium hydroxide	1310-73-2	oral	325 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

United States: en Page: 10 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

## 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq$  0.1%.

United States: en Page: 11 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number	not subject to transport regulations

**14.2 UN proper shipping name** not relevant

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

#### 14.6 Other relevant information

Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## **Information for each of the UN Model Regulations**

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United States: en Page: 12 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the product in question

**National regulations (United States)** 

**Toxic Substance Control Act (TSCA)** 

all ingredients are listed (ACTIVE) or exempt from listing

## Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313) none of the ingredients are listed

## Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Remarks	Statutory code	Final RQ pounds (Kg)
sodium hydroxide		1	1000 (454)
acetone		4	5000 (2270)

#### Legend

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

#### **Clean Air Act**

none of the ingredients are listed

## **Right to Know Hazardous Substance List**

- Hazardous Substance List (NJ-RTK)

Name of substance	Remarks	Classifications
sodium hydroxide		CO R1
acetone		F3

#### Legend

CO Corrosive

F3 Flammable - Third Degree R1 Reactive - First Degree

United States: en Page: 13 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

#### **National inventories**

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
VN	NCI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

United States: en Page: 14 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
Muta.	Germ cell mutagenicity

United States: en Page: 15 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

Abbr.	Descriptions of used abbreviations
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H227	Combustible liquid.
H302	Harmful if swallowed.
H313	May be harmful in contact with skin.

United States: en Page: 16 / 17



Version number: 12.0 Revision: 2023-11-08 SDS Identifier: V2513SS

Code	Text
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17