

	n number: 12.0 entifier: V9402SS	Revision: 2023-11-08
SECT	ION 1: Identification	
1.1	Product identifier	
	SDS Identifier	V9402SS
	Catalog numbers	R-9400, R-9423
1.2	Relevant identified uses of the substance or mixte	ure and uses advised against
	Relevant identified uses	Components of water analysis test kits
1.3	Details of the supplier of the safety data sheet	
	AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover PA 17331 United States	
	Telephone: (717) 632-1291 e-mail: info@aquaphoenixsci.com Website: https://www.aquaphoenixsci.com/	
	e-mail (competent person)	scraig@aquaphoenixsci.com (Stephen Craig)
1.4	Emergency telephone number	
	Emergency information service	ChemTel Inc.: 1-800-255-3924, +01-813-248-0585
SECT	ION 2: Hazard(s) identification	
2.1	Classification of the substance or mixture	
	Classification acc. to GHS	

Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
acute toxicity (oral)	4	Acute Tox. 4	H302
acute toxicity (inhal.)	3	Acute Tox. 3	H331
skin corrosion/irritation	1	Skin Corr. 1	H314
serious eye damage/eye irritation	1	Eye Dam. 1	H318
carcinogenicity	2	Carc. 2	H351
reproductive toxicity	2	Repr. 2	H361d
specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
hazardous to the aquatic environment - acute hazard	3	Aquatic Acute 3	H402



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labeling

- Signal word danger
- Pictograms

GHS05, GHS06, GHS08



H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure
H402	Harmful to aquatic life.

- Precautionary statements

r recaderonary statem	
P203	Obtain, read and follow all safety instructions before use.
P260	Do not breathe dusts or mists.
P264+P265	Wash hands thoroughly after handling. Do not touch eyes.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.
P301+P317	IF SWALLOWED: Get medical help.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P361+P354	IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P316	Get emergency medical help immediately.
P318	IF exposed or concerned, get medical advice.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.



chloroform, sulfuric acid

Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Precautionary statements							
P403+P233	Store in a well-ventilated place. Keep container tightly closed.						
P405	Store locked up.						
P501	Dispose of contents/container to industrial combustion plant.						

- Hazardous ingredients for labelling

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
chloroform	CAS No 67-66-3	71	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d STOT RE 1 / H372 Aquatic Acute 3 / H402	
deionized water	CAS No 7732-18-5	26		
sodium phosphate, mono- basic, dihydrate	CAS No 13472-35-0	2		
sulfuric acid	CAS No 7664-93-9	1	Acute Tox. 5 / H303 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Carc. 1A / H350 Aquatic Acute 3 / H402 Aquatic Chronic 2 / H411	
ceric sulfate	CAS No 17106-39-7	≤0.1		



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Name of substance	me of substance Identifier		Classification acc. to GHS	Pictograms
methylene blue	CAS No 61-73-4 12069-69-1	≤0.1	Acute Tox. 4 / H302 Acute Tox. 5 / H313 Acute Tox. 4 / H332 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Version number: 12.0 SDS Identifier: V9402SS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures
- Keep away from
- Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Coun- try	Name of agent	CAS No	Identi- fier		TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]		Ceiling-C [mg/m³]		Source
US	chloroform	67-66-3	TLV®	10							ACGIH® 2023
US	chloroform	67-66-3	REL			2 (60 min)	9.78 (60 min)			аррх-А	NIOSH REL



Revision: 2023-11-08

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
US	chloroform (tri- chloromethane)	67-66-3	PEL (CA)	2	9.78						Cal/ OSHA PEL
US	trichloromethane (chloroform)	67-66-3	PEL					50	240		29 CFR 1910.100 0
US	sulfuric acid	7664-93-9	PEL (CA)		0.1		3				Cal/ OSHA PEL
US	sulfuric acid	7664-93-9	REL		1 (10 h)						NIOSH REL
US	sulfuric acid	7664-93-9	PEL		1						29 CFR 1910.100 0
US	sulfuric acid	7664-93-9	TLV®		0.2					t	ACGIH® 2023

Notation

appx-A NIOSH Potential Occupational Carcinogen (Appendix A)

Ceiling-C ceiling value is a limit value above which exposure should not occur

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

t thoracic fraction

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified

Relevant DNELs of components										
Name of substance			Threshold level	Protection goal, route of exposure	Used in	Exposure time				
chloroform	67-66-3	DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects				
chloroform	67-66-3	DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects				
chloroform	67-66-3	DNEL	2.5 mg/m³	human, inhalatory	worker (industry)	chronic - local effects				
chloroform	67-66-3	DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - local effects				
chloroform	67-66-3	DNEL	2.86 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects				
sulfuric acid	7664-93-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects				
sulfuric acid	7664-93-9	DNEL	0.1 mg/m³	human, inhalatory	worker (industry)	acute - local effects				



Г

Revision: 2023-11-08

٦

Relevant DNELs of components										
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
methylene blue	61-73-4 12069-69-1	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects				
methylene blue	61-73-4 12069-69-1	DNEL	1 mg/m³	human, inhalatory	worker (industry)	chronic - local effects				
methylene blue	61-73-4 12069-69-1	DNEL	137 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects				

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
chloroform	67-66-3	PNEC	0.146 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.015 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.048 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.45 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)
sulfuric acid	7664-93-9	PNEC	0.003 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
sulfuric acid	7664-93-9	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
sulfuric acid	7664-93-9	PNEC	8.8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
sulfuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
sulfuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
methylene blue	61-73-4 12069-69-1	PNEC	7.8 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
methylene blue	61-73-4 12069-69-1	PNEC	5.2 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)



Revision: 2023-11-08

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
methylene blue	61-73-4 12069-69-1	PNEC	230 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
methylene blue	61-73-4 12069-69-1	PNEC	87 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
methylene blue	61-73-4 12069-69-1	PNEC	676 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
methylene blue	61-73-4 12069-69-1	PNEC	65 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Version number: 12.0 SDS Identifier: V9402SS

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Product description: Each double-tipped ampoule is a sealed glass ampoule containing approximately 4 mL of liquid reagent.

Physical state	liquid
Color	Two phase - Blue / Colorless
Odor	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	1.35 (aqueous layer) (acid)
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapor pressure	23.7 mmHg at 25 °C



Revision: 2023-11-08

Density and/or relative density

Density	not determined
Relative density / Relative vapour density	1.49 (water = 1) / (chloroform layer)

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

- Acute toxicity estimate (ATE)

Oral 1,271 ^{mg}/_{kg} 4.167 ^{mg}/_l/4h

Inhalation: vapor

Acute toxicity estimate (ATE) of components

, , , , , , , , , , , , , , , , , , ,			
Name of substance	CAS No	Exposure route	ATE
chloroform	67-66-3	oral	908 ^{mg} / _{kg}
chloroform	67-66-3	inhalation: vapor	3 ^{mg} / _l /4h
sulfuric acid	7664-93-9	oral	2,140 ^{mg} / _{kg}
sulfuric acid	7664-93-9	inhalation: vapor	3 ^{mg} /ı/4h
sulfuric acid	7664-93-9	inhalation: dust/mist	0.85 ^{mg} / _l /4h
methylene blue	61-73-4 12069-69-1	oral	1,434 ^{mg} / _{kg}
methylene blue	61-73-4 12069-69-1	dermal	>2,000 ^{mg} / _{kg}
methylene blue	61-73-4 12069-69-1	inhalation: dust/mist	1.5 ^{mg} / _l /4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.



Revision: 2023-11-08

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans				
Name of substance	CAS No Classification Number			
sulfuric acid	7664-93-9	1		
chloroform	67-66-3	2B		

L<u>eg</u>end

1

Carcinogenic to humans

2B Possibly carcinogenic to humans

National Toxicology Program (United States): Report on Carcinogens				
Name of substance	CAS No	Classification	Number	
sulfuric acid	7664-93-9	Known to be a human carcinogen	9th Report on Carcinogens	
chloroform	67-66-3	Reasonably anticipated to be a human carcino- gen	2nd Report on Carcinogens	

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.



Revision: 2023-11-08

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
chloroform	67-66-3	EC50	152.5 ^{mg} / _l	aquatic invertebrates	48 h
chloroform	67-66-3	ErC50	13.3 ^{mg} / _l	algae	72 h
sulfuric acid	7664-93-9	LC50	<28 ^{mg} / _l	fish	96 h
sulfuric acid	7664-93-9	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
sulfuric acid	7664-93-9	ErC50	>100 ^{mg} / _l	algae	72 h
methylene blue	61-73-4 12069-69-1	LC50	193 ^{µg} / _l	fish	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of \geq 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Please consider the relevant national or regional provisions.



Version number: 12.0 SDS Identifier: V9402SS

SECTION 14: Transport information

14.1	UN number	
	DOT	UN 2810
	IMDG-Code	UN 2810
	ICAO-TI	UN 2810
14.2	UN proper shipping name	
	DOT	Toxic liquid, organic, n.o.s.
	IMDG-Code	TOXIC LIQUID, ORGANIC, N.O.S.
	ICAO-TI	Toxic liquid, organic, n.o.s.
	Technical name (hazardous ingredients)	chloroform, sulfuric acid
14.3	Transport hazard class(es)	
	DOT	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	DOT	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the danger- ous goods regulations

14.6 Other relevant information

Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



Revision: 2023-11-08

Information for each of the UN Model Regulations Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information Particulars in the shipper's declaration UN2810, Toxic liquid, organic, n.o.s., (contains: chloroform, sulfuric acid), 6.1, III Reportable quantity (RQ) 14.08 lbs (6.394 kg) (chloroform) (sulfuric acid) Danger label(s) 6.1 Special provisions (SP) IB3, T7, TP1, TP28 ERG No 153 International Maritime Dangerous Goods Code (IMDG) - Additional information Marine pollutant Danger label(s) 6.1 223, 274 Special provisions (SP) E1 Excepted quantities (EQ) Limited quantities (LQ) 5 L EmS F-A, S-A Stowage category А International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Danger label(s) 6.1 Special provisions (SP) A3, A4, A137 E1 Excepted quantities (EQ)

2 L

Limited quantities (LQ)



Version number: 12.0 SDS Identifier: V9402SS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) not all ingredients are listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities			
Name of substanceNotesReportable quantity (pounds)Threshold planning quantity (pounds)			
sulfuric acid		1,000	1000
chloroform	f	10	10000

Legend

Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings		
Name of substance	Remarks	Effective date
sulfuric acid	acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size	1986-12-31
chloroform		1986-12-31

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Remarks	Statutory code	Final RQ pounds (Kg)
sulfuric acid		1	1000 (454)
chloroform		1 2 3 4	10 (4,54)

Legend

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

"2" indicates that the source is section 307(a) of the Clean Water Act

1 2



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Legend

3 "3" indicates that the source is section 112 of the Clean Air Act

4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

Name of substance	Type of registration	Basis for listing	Threshold quantity (lbs)
chloroform	Toxic substance	b	20000

Legend

b On EHS list, vapor pressure 10 mmHg or greater.

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	Remarks	Classifications
sulfuric acid		CA CO R2
chloroform		CA

Legend

CA Carcinogenic

CO Corrosive

R2 Reactive - Second Degree

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals		
Name acc. to inventory	Remarks	Type of the toxicity
chloroform		cancer
chloroform		developmental

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
VN	NCI	not all ingredients are listed
US	TSCA	not all ingredients are listed

ı.	۵n	۵	n	d
	ey	e	11	U

Legend	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation



Version number: 12.0 SDS Identifier: V9402SS

Abbr.	Descriptions of used abbreviations
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presenta-tions/tlv-bei-position-statement
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Abbr.	Descriptions of used abbreviations
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)



Version number: 12.0 SDS Identifier: V9402SS Revision: 2023-11-08

Code	Text
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H350	May cause cancer.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.