Γ

Revision: February 14, 2020

1 Identification		
· Product identifier		
 Trade name: <u>Dillie Kanger</u> Product code: DK573 		
 Recommended use a Recommended use: Restrictions on use: 		
 Manufacturer/Suppli AquaPhoenix Scientifi 860 Gitts Run Road Hanover, PA 17331 U Tel +1 (717)632-1291 Toll-Free: (866)632-12 info@aquaphoenixsci. Distributor: AquaPhoenix Scientifi 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291 Emergency telephon ChemTel Inc. 	c, Inc. SA 291 .com c e number:	
(800)255-3924 (North +1 (813)248-0585 (Int		
2 Hazard(s) identifi	cation	
Classification of th	ne substance or mixture	
Classification of th Flam. Liq. 2 H225 H	ne substance or mixture lighly flammable liquid and vapor.	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T	ne substance or mixture lighly flammable liquid and vapor. oxic if swallowed.	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H311 T	The substance or mixture lighly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin.	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H331 T	The substance or mixture lighly flammable liquid and vapor. oxic if swallowed. foxic in contact with skin. oxic if inhaled.	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H331 T Eye Irrit. 2A H319 C	The substance or mixture lighly flammable liquid and vapor. oxic if swallowed. oxic in contact with skin. oxic if inhaled. causes serious eye irritation.	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H331 T Eye Irrit. 2A H319 C STOT SE 1 H370 C	The substance or mixture lighly flammable liquid and vapor. oxic if swallowed. foxic in contact with skin. oxic if inhaled.	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H311 T Eye Irrit. 2A H319 C STOT SE 1 H370 C Label elements GHS label elements	The substance or mixture lighly flammable liquid and vapor. oxic if swallowed. oxic in contact with skin. oxic if inhaled. causes serious eye irritation.	
Classification of the Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H301 T Acute Tox. 3 H311 T Eye Irrit. 2A H319 C STOT SE 1 H370 C Label elements The product is classifie Hazard pictograms:	The substance or mixture lighly flammable liquid and vapor. oxic if swallowed. oxic in contact with skin. oxic if inhaled. causes serious eye irritation. causes damage to the central nervous system and optic nerve. ed and labeled according to the Globally Harmonized System (GHS)	
Classification of th Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H311 T Eye Irrit. 2A H319 C STOT SE 1 H370 C Label elements GHS label elements The product is classifie	The substance or mixture lighly flammable liquid and vapor. oxic if swallowed. oxic in contact with skin. oxic if inhaled. causes serious eye irritation. causes damage to the central nervous system and optic nerve. ed and labeled according to the Globally Harmonized System (GHS)	
Classification of the Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H311 T Eye Irrit. 2A H319 C STOT SE 1 H370 C Label elements GHS label elements The product is classifie Hazard pictograms: GHS02 GHS06 GHS0 Signal word: Danger Hazard statements: H225 Hig H301+H311+H331 To	he substance or mixture lighly flammable liquid and vapor. oxic if swallowed. oxic in contact with skin. oxic if inhaled. causes serious eye irritation. causes damage to the central nervous system and optic nerve. ed and labeled according to the Globally Harmonized System (GHS) v v v GHS08 ghly flammable liquid and vapor. xic if swallowed, in contact with skin or if inhaled.	
Classification of the Flam. Liq. 2 H225 H Acute Tox. 3 H301 T Acute Tox. 3 H301 T Acute Tox. 3 H311 T Acute Tox. 3 H311 T Eye Irrit. 2A H319 C STOT SE 1 H370 C Label elements GHS label elements The product is classifie Hazard pictograms: GHS02 GHS06 GHS0 Signal word: Danger Hazard statements: H225 Hig H301+H311+H331 To	he substance or mixture lighly flammable liquid and vapor. oxic if swallowed. oxic in contact with skin. oxic if inhaled. causes serious eye irritation. causes damage to the central nervous system and optic nerve. ed and labeled according to the Globally Harmonized System (GHS) over the optimized System (GHS) over the optimized System (GHS) over the optimized System (GHS)	(Cont'd. on page 2)

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

		(Cont'd. of page 1)
H370		Causes damage to the central nervous system and optic nerve.
· Prec	autionary sta	
P210		Keep away from heat/sparks/open flames/hot surfaces No smoking.
P233		Keep container tightly closed.
P240)	Ground/bond container and receiving equipment.
P241		Use explosion-proof electrical/ventilating/lighting/equipment.
P242		Use only non-sparking tools.
P243		Take precautionary measures against static discharge.
P260		Do not breathe mist/vapors/spray.
P264		Wash thoroughly after handling.
P270	-	Do not eat, drink or smoke when using this product.
P271		Use only outdoors or in a well-ventilated area.
P280		Wear protective gloves/protective clothing/eye protection/face protection.
	I+P310	If swallowed: Immediately call a poison center/doctor.
P330		Rinse mouth.
P303	3+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
		water/shower.
	1+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305	5+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	7+P311	IF exposed: Call a POISON CENTER or doctor/physician.
	2+P313	If skin irritation occurs: Get medical advice/attention.
	7+P313	If eye irritation persists: Get medical advice/attention.
	I+P364	Take off immediately all contaminated clothing and wash it before reuse.
)+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
	3+P235	Store in a well-ventilated place. Keep cool.
P405		Store locked up.
P501	l	Dispose of contents/container in accordance with local/regional/national/international
		regulations.
·Oth	er hazards 1	There are no other hazards not otherwise classified that have been identified

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	ents:	
67-56-1 r		95-96%
	 Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 Eye Irrit. 2B, H320 	
	2-aminopropane	4-5%
< < <	 Flam. Liq. 1, H224 Acute Tox. 3, H311 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 	
For the lis	al information: sted ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade s ording of the listed Hazard Statements, refer to section 16.	secret.

(Cont'd. on page 3)

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

Г

(Cont'd. of page 2)

Descripti	on of first aid measures	
After inha		
Supply fres	n air.	
Seek imme	diate medical advice.	
Provide ox	gen treatment if affected person has difficulty breathing.	
In case of i	regular breathing or respiratory arrest provide artificial respiration.	
If experien	ing respiratory symptoms: Call a poison center/doctor.	
After skin	contact:	
Immediate	<i>y</i> remove any clothing soiled by the product.	
	rinse with water.	
If skin irrita	ion continues, consult a doctor.	
After eye o		
	ntact lenses if worn.	
	ed eye for several minutes under running water. Then consult a doctor.	
After swal		
	nouth and then drink plenty of water.	
	ce vomiting; immediately call for medical help.	
	rtant symptoms and effects, both acute and delayed:	
Breathing	ifficulty	
Dizziness		
Coughing		
	n and eye irritation.	
	ntestinal disorders when ingested.	
Nausea		
Acidosis		
Blindness		
Disorientat		
Unconscio	sness	
Danger:		
	npaired breathing.	
	illowed, in contact with skin or if inhaled.	
	nage to the central nervous system and optic nerve.	
	of any immediate medical attention and special treatment needed:	
Contains n Modical cu	ethanol. Consult literature for specific antidotes.	
	pervision for at least 48 hours.	
	y oxygen respiration treatment. dvice is needed, have product container or label at hand.	

5 Fire-fighting measures

[•] Extinguishing media

• Suitable extinguishing agents:

Alcohol resistant foam Gaseous extinguishing agents Carbon dioxide Water fog / haze Water spray

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

(Cont'd. of page 3)

Fire-extinguishing powder • For safety reasons unsuitable extinguishing agents: No relevant information available.

· Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water in flooding quantities.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Isolate area and prevent access.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

(Cont'd. on page 5)

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

(Cont'd. of page 4)

Store away from foodstuffs. Store away from oxidizing agents. Do not store together with acids.

• Further information about storage conditions:

Keep containers tightly sealed.

Protect from humidity and water.

This product is hygroscopic.

Specific end use(s) No relevant information available.

8 Exposure co	ontrols/personal protection	
· Control paran	neters	
=	ith limit values that require monitoring at the workplace:	
67-56-1 methar	nol	
PEL (USA)	Long-term value: 260 mg/m³, 200 ppm	
REL (USA)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV (USA)	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI	
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin	
EV (Canada)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
LMPE (Mexico)	Short-term value: 250 ppm Long-term value: 200 ppm PIEL, IBE	
-	h biological limit values:	
67-56-1 methar		
BEI (USA) 15 m	ng/L ium: urine	
	e: end of shift	
Para	ameter: Methanol (background, nonspecific)	
The usual preca Keep away from Immediately ren Wash hands be Do not inhale ga Avoid contact w	tive and hygienic measures: nutionary measures for handling chemicals should be followed. nove all soiled and contaminated clothing. fore breaks and at the end of work. ases / fumes / aerosols. ith the eyes and skin. ontrols: Provide adequate ventilation.	
		(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

(Cont'd. of page 5) Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

· Protection of hands:



Protective gloves

Material of gloves

Nitrile rubber, NBR
Neoprene gloves
Butyl rubber, BR
Laminated film gloves.

Not suitable are gloves made of the following materials:

PVA gloves
Natural rubber, NR
Eye protection:

Sa

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Solvent resistant protective clothing

• Limitation and supervision of exposure into the environment No relevant information available.

• Risk management measures No relevant information available.

Information on basic physical	and chemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Like alcohol
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	Not determined.
Flash point:	<12 °C (<53.6 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	>260 °C (>500 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits	
Lower:	6 Vol %

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

ade name: Dillie Koppanyi B		
		(Cont'd. of pag
Upper:	31 Vol %	
· Oxidizing properties:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density at 20 °C (68 °F):	0.77-0.79	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
·Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Highly flammable liquid and vapor.

Reacts with acids.

Reacts violently with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Incompatible materials

Oxidizers

Acids.

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

11 Toxicological information

[·] Information on toxicological effects

· Acute toxicity: Toxic if swallowed, in contact with skin or if inhaled.

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

(Cont'd. on page 8)

Revision: February 14, 2020

Oral	LD50	104 mg/kg	(Cont'd. of p
Dermal	LD50	303 mg/kg	
		3.14 mg/l	
75-31-0 2 Oral	LD50	820 mg/kg (rat)	
Dermal	LD50	380 mg/kg (rabbit)	
Primary i			
		t to skin and mucous membranes.	
On the ey			
		ed on available data, the classification criteria ar	re not met.
•		Agency for Research on Cancer):	
	-	ents are listed.	
•		icology Program):	
None of the	ne ingredie	ents are listed.	
OSHA-Ca	(Occupa	tional Safety & Health Administration):	
None of the	ne ingredie	ents are listed.	
Toxic if sw Causes d Irritating to Repeated Germ cel Carcinog Reproduc STOT-sir STOT-rep	act. ects (acu vallowed, amage to o eyes and l dose too l mutage enicity: E ctive toxic igle expo- beated ex	te toxicity, irritation and corrosivity): n contact with skin or if inhaled. the central nervous system and optic nerve. I skin. ticity: No relevant information available. nicity: Based on available data, the classification ased on available data, the classification criteria tity: Based on available data, the classification former: Causes damage to the central nervous sy posure: Based on available data, the classification criteria Based on available data, the classification criteria	a are not met. criteria are not met. stem and optic nerve. ion criteria are not met.
Ecologi	cal info	mation	
Persiste Bioaccur	nce and nulative p	o relevant information available. degradability No relevant information availab otential: No relevant information available. relevant information available.	le.

Do not allow product to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

(Cont'd. of page 8)

· Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[•] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
[·] UN-Number [·] DOT, ADR/RID/ADN, IMDG, IATA	UN1230	
[·] UN proper shipping name		
DOT	Methanol	
· ADR/RID/ADN, IMDG, IATA	METHANOL	
[•] Transport hazard class(es)		
· DOT		
RANNIE COL		
· Class	3	
· Label	3	
· ADR/RID/ADN		
· Class	3 (FT1)	
· Label	3+6.1	
·IMDG		
· Class	3	
· Label	3/6.1	
		(Cont'd. on page

Revision: February 14, 2020

ide name: Dillie Koppanyi B	
	(Cont'd. of page
ΙΑΤΑ	
· Class · Label	3 3 (6.1)
[·] Packing group · DOT, ADR/RID/ADN, IMDG, IATA	II
· Environmental hazards · Marine pollutant:	No
 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Flammable liquids 336 F-E,S-D
 Transport in bulk according to Annex II or MARPOL73/78 and the IBC Code 	f Not applicable.
mixture United States (USA)	ations/legislation specific for the substance
 Safety, health and environmental regula mixture United States (USA) SARA 	
 Safety, health and environmental regula mixture United States (USA) 	
 Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances) 	3):
 Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. 	3):
 Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. 	3):
 Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) 	s):
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. 	s): Release Prevention (40 CFR 68.130):
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 	s): Release Prevention (40 CFR 68.130):
 Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane 	s): Release Prevention (40 CFR 68.130):
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane Proposition 65 (California) 	s): Release Prevention (40 CFR 68.130):
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. 	s): Release Prevention (40 CFR 68.130): 100
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. 	s): Release Prevention (40 CFR 68.130): 100
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental tox None of the ingredients are listed. 	s): Release Prevention (40 CFR 68.130): 100
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental tox None of the ingredients are listed. 	s): Release Prevention (40 CFR 68.130): 100
 Safety, health and environmental regulation mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): All ingredients are listed. TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Clean Air Act (CAA) Section 112(r) Accidental 75-31-0 2-aminopropane Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental tox None of the ingredients are listed. 	Release Prevention (40 CFR 68.130): 100 kicity for females: kicity for males:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: February 14, 2020

Trade name: Dillie Koppanyi B

(Cont'd. of page 10)

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 1: Flammable liquids - Category 1 Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com