

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

SECTION 1: Identification

1.1 Product identifier

SDS Identifier **V7540SS**
Catalog numbers R-7540, R-7540V

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Components of water analysis test kits

1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover PA 17331
United States

Telephone: (717) 632-1291
e-mail: info@aquaphoenixsci.com
Website: <https://www.aquaphoenixsci.com/>

e-mail (competent person) scraig@aquaphoenixsci.com (Stephen Craig)

1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Hazard class | Category | Hazard class and category | Hazard statement |
|--|----------|---------------------------|------------------|
| acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| acute toxicity (inhal.) | 5 | Acute Tox. 5 | H333 |
| skin corrosion/irritation | 1 | Skin Corr. 1 | H314 |
| serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| specific target organ toxicity - single exposure | 2 | STOT SE 2 | H371 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Immediate effects can be expected after short-term exposure.

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

2.2 Label elements

Labeling

- Signal word danger

- Pictograms

GHS05, GHS07, GHS08



- Hazard statements

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H333 May be harmful if inhaled.
- H371 May cause damage to organs.

- Precautionary statements

- P260 Do not breathe dusts or mists.
- P264+P265 Wash hands thoroughly after handling. Do not touch eyes.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear eye protection/face protection.
- P301+P317 IF SWALLOWED: Get medical help.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P302+P361+P354 IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
- P304+P317 IF INHALED: Get medical help.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
- P316 Get emergency medical help immediately.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling diethylene glycol, methanol

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13





SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-------------------------|----------------------|-------------|---|---|
| deionized water | CAS No 7732-18-5 | ≥ 67 | | |
| diethylene glycol | CAS No 111-46-6 | 27 – 31 | Acute Tox. 4 / H302 Acute Tox. 4 / H332 |  |
| methanol | CAS No 67-56-1 | 3 – 4 | Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 |  |
| THAM | CAS No 77-86-1 | 0.25 | | |
| potassium hydroxide | CAS No 1310-58-3 | 0.09 | Acute Tox. 4 / H302 Skin Corr. 1A / H314 Eye Dam. 1 / H318 |  |
| sodium tetrahydroborate | CAS No 16940-66-2 | 0.01 – 0.02 | Water-react. 1 / H260 Acute Tox. 3 / H301 Acute Tox. 5 / H313 Acute Tox. 4 / H332 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360F Aquatic Acute 3 / H402 Aquatic Chronic 3 / H412 |  |

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|--------------------------------------|-----------|------------|------------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| US | potassium hydroxide | 1310-58-3 | REL | | | | | | 2 | | NIOSH REL |
| US | potassium hydroxide | 1310-58-3 | TLV® | | | | | | 2 | | ACGIH® 2023 |
| US | potassium hydroxide (caustic potash) | 1310-58-3 | PEL (CA) | | | | | | 2 | | Cal/ OSHA PEL |
| US | methanol | 67-56-1 | TLV® | 200 | | 250 | | | | H | ACGIH® 2023 |
| US | methyl alcohol | 67-56-1 | REL | 200 (10 h) | 260 (10 h) | 250 | 325 | | | | NIOSH REL |
| US | methyl alcohol | 67-56-1 | PEL | 200 | 260 | | | | | | 29 CFR 1910.1000 |
| US | methyl alcohol (methanol) | 67-56-1 | PEL (CA) | 200 | 260 | 250 | 325 | 1,000 | | | Cal/ OSHA PEL |

Notation

Ceiling-C

H

STEL

TWA

ceiling value is a limit value above which exposure should not occur

absorbed through the skin

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

| Biological limit values | | | | | | |
|-------------------------|---------------|-----------|----------|------------|---------|-------------|
| Country | Name of agent | Parameter | Notation | Identifier | Value | Source |
| US | methanol | methanol | | BEI® | 15 mg/l | ACGIH® 2023 |

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Relevant DNELs of components

| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|---------------------|-----------|----------|-------------------------|------------------------------------|-------------------|----------------------------|
| diethylene glycol | 111-46-6 | DNEL | 44 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| diethylene glycol | 111-46-6 | DNEL | 60 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| diethylene glycol | 111-46-6 | DNEL | 43 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |
| THAM | 77-86-1 | DNEL | 117.5 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| THAM | 77-86-1 | DNEL | 166.7 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| potassium hydroxide | 1310-58-3 | DNEL | 1 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |

Relevant PNECs of components

| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| diethylene glycol | 111-46-6 | PNEC | 10 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| diethylene glycol | 111-46-6 | PNEC | 1 mg/l | aquatic organisms | marine water | short-term (single instance) |
| diethylene glycol | 111-46-6 | PNEC | 199.5 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| diethylene glycol | 111-46-6 | PNEC | 20.9 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| diethylene glycol | 111-46-6 | PNEC | 2.09 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| diethylene glycol | 111-46-6 | PNEC | 1.53 mg/kg | terrestrial organisms | soil | short-term (single instance) |

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

| Relevant PNECs of components | | | | | | |
|------------------------------|------------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
| methanol | 67-56-1 | PNEC | 20.8 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 2.08 mg/l | aquatic organisms | marine water | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 77 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 7.7 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| methanol | 67-56-1 | PNEC | 100 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| THAM | 77-86-1 | PNEC | 300 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| sodium tetrahydroborate | 16940-66-2 | PNEC | 1.75 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| sodium tetrahydroborate | 16940-66-2 | PNEC | 1.75 mg/l | aquatic organisms | marine water | short-term (single instance) |
| sodium tetrahydroborate | 16940-66-2 | PNEC | 54.77 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| sodium tetrahydroborate | 16940-66-2 | PNEC | 2.55 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| sodium tetrahydroborate | 16940-66-2 | PNEC | 0.255 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| sodium tetrahydroborate | 16940-66-2 | PNEC | 4.8 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Product description: Each CHEMet™ or VACUette™ ampoule is a 7 mm glass ampoule containing approximately 0.2 - 1.2 mL of liquid reagent sealed under vacuum.

| | |
|--|---|
| Physical state | liquid |
| Color | Colorless to greenish yellow |
| Odor | odorless |
| Melting point/freezing point | -5 °C |
| Boiling point or initial boiling point and boiling range | 150 °C at 1,013 hPa |
| Evaporation rate | not determined |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | 372 °C (auto-ignition temperature (liquids and gases)) |
| Decomposition temperature | not relevant |

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

| | |
|---------------------|----------------|
| pH (value) | 11.5 (base) |
| Kinematic viscosity | not determined |

Solubility(ies)

| | |
|------------------|----------------------------|
| Water solubility | miscible in any proportion |
|------------------|----------------------------|

Partition coefficient

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

| | |
|----------------|--------------------|
| Vapor pressure | 169.3 hPa at 25 °C |
|----------------|--------------------|

Density and/or relative density

| | |
|-------------------------|---|
| Density | not determined |
| Relative vapour density | information on this property is not available |
| Relative density | 1.03 (water = 1) |

| | |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Harmful if swallowed. May be harmful if inhaled.

- Acute toxicity estimate (ATE)

Oral 1,087 mg/kg
Inhalation: vapor 26.19 mg/l/4h

| Acute toxicity estimate (ATE) of components | | | |
|---|------------|-----------------------|----------------|
| Name of substance | CAS No | Exposure route | ATE |
| diethylene glycol | 111-46-6 | oral | 500 mg/kg |
| diethylene glycol | 111-46-6 | inhalation: vapor | 11 mg/l/4h |
| diethylene glycol | 111-46-6 | inhalation: dust/mist | >4.6 mg/l/4h |
| methanol | 67-56-1 | oral | 100 mg/kg |
| methanol | 67-56-1 | dermal | 300 mg/kg |
| methanol | 67-56-1 | inhalation: vapor | 3 mg/l/4h |
| potassium hydroxide | 1310-58-3 | oral | 333 mg/kg |
| sodium tetrahydroborate | 16940-66-2 | oral | 56.57 mg/kg |
| sodium tetrahydroborate | 16940-66-2 | dermal | ≥4,000 mg/kg |
| sodium tetrahydroborate | 16940-66-2 | inhalation: dust/mist | >1.295 mg/l/4h |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause damage to organs.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

- | | |
|---|---|
| 14.1 UN number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Other relevant information | Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations. |
| 14.7 Maritime transport in bulk according to IMO instruments | The cargo is not intended to be carried in bulk. |

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) not all ingredients are listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings | | |
|--|---------|----------------|
| Name of substance | Remarks | Effective date |
| methanol | | 1986-12-31 |

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | Remarks | Statutory code | Final RQ pounds (Kg) |
|---------------------|---------|----------------|----------------------|
| potassium hydroxide | | 1 | 1000 (454) |
| methanol | | 3 4 | 5000 (2270) |

Legend

- 1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act
- 3 "3" indicates that the source is section 112 of the Clean Air Act
- 4 "4" indicates that the source is section 3001 of the Resource Conservation and Recovery Act (RCRA)

Clean Air Act

none of the ingredients are listed

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

| Name of substance | Remarks | Classifications |
|---------------------|---------|-----------------|
| potassium hydroxide | | CO R1 |
| methanol | | TE F3 |

Legend

| | |
|----|--------------------------|
| CO | Corrosive |
| F3 | Flammable - Third Degree |
| R1 | Reactive - First Degree |
| TE | Teratogenic |

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

| Name acc. to inventory | Remarks | Type of the toxicity |
|------------------------|---------|----------------------|
| methanol | | developmental |

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| US | TSCA | not all ingredients are listed |
| AU | AIIC | not all ingredients are listed |
| CA | DSL | not all ingredients are listed |
| CN | IECSC | not all ingredients are listed |
| EU | ECSI | not all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | not all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | not all ingredients are listed |
| PH | PICCS | not all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | not all ingredients are listed |
| VN | NCI | not all ingredients are listed |

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® 2023 | From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

| Abbr. | Descriptions of used abbreviations |
|--------------|---|
| ELINCS | European List of Notified Chemical Substances |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH); Recommended Exposure Limits (RELs) |
| NLP | No-Longer Polymer |
| OSHA | Occupational Safety and Health Administration (United States) |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| Repr. | Reproductive toxicity |
| RTECS | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| STOT SE | Specific target organ toxicity - single exposure |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |
| Water-react. | Material which, in contact with water, emits flammable gases |

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Safety Data Sheet

V7540SS

Version number: 14.0
SDS Identifier: V7540SS

Revision: 2024-02-13

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|-------|--|
| H225 | Highly flammable liquid and vapour. |
| H260 | In contact with water releases flammable gases which may ignite spontaneously. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H313 | May be harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H333 | May be harmful if inhaled. |
| H360F | May damage fertility. |
| H370 | Causes damage to organs. |
| H371 | May cause damage to organs. |
| H402 | Harmful to aquatic life. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.