Revision: March 24, 2021

(Cont'd. on page 2)

1 Identification			
· Product identifier			
· Trade name: <u>EDTA Titrant, 1M</u> · Product code: ED2200SS			
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 			
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291 			
 Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 			
2 Hazard(s) identification			
· Classification of the substance or mixture			
Met. Corr.1 H290 May be corrosive to metals.			
Acute Tox. 4 H332 Harmful if inhaled.			
Skin Corr. 1A H314 Causes severe skin burns and eye damage.			
Eye Dam. 1 H318 Causes serious eye damage.			
STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.			
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 GHS08 Signal word: Danger Hazard statements: H290 May be corrosive to metals. H332 Harmful if inhaled. 			

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

	(Cont'd. of page 1) e damage to the respiratory tract through prolonged or repeated exposure. Route of	
exposure: Inhalation.		
• Precautionary s	statements:	
P234	Keep only in original container.	
P260	Do not breathe dusts or mists.	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P330+P33	31 If swallowed: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P35	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a poison center/doctor.	
P321	Specific treatment (see on this label).	
P314	Get medical advice/attention if you feel unwell.	
P363	Wash contaminated clothing before reuse.	
P390	Absorb spillage to prevent material damage.	
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant inner liner.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
• Other hazards	There are no other bazards not otherwise classified that have been identified	

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7732-18-5	Water	57.1%	
	Disodium dihydrogen ethylenediaminetetraacetate	37.4%	
	 STOT RE 2, H373 Acute Tox. 4, H332 		
	Sodium hydroxide	5.5%	
	Wet. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318		
Additional information:			
For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.			

For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

(Cont'd. of page 2)

After eye contact:
 Protect unharmed eye.
 Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Danger:

Danger of gastric perforation.

Causes serious eye damage.

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

[·] Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

· Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

(Cont'd. of page 3)

7 Handling and storage

[·] Handling

- · Precautions for safe handling:
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.
- Avoid contact with the eyes and skin.
- · Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.
- Unsuitable material for receptacle: steel.
- Unsuitable material for receptacle: aluminium.
- Unsuitable material for receptacle: glass or ceramic.
- Information about storage in one common storage facility:
- Store away from foodstuffs.
- Do not store together with acids.
- Further information about storage conditions:
- Keep containers tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

1310-73-2 Sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m³ Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m³
EV (Canada)	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m³

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

(Cont'd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • **Material of gloves**

Neoprene gloves

Nitrile rubber, NBR

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. **Body protection:** Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical and chemical properties		
· Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	>12	
Melting point/Melting range:	<0 °C (<32 °F)	
Boiling point/Boiling range:	105-110 °C (221-166 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.94 g/cm³ (7.84 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

		(Cont'd. of p	
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octane	ol/water): Not determined.		
Viscosity			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Other information	No relevant information available.		
Stability and reactivity			
Reactivity: No relevant inform			
	er normal temperatures and pressures.		
Thermal decomposition / con			
	stored according to specifications.		
Possibility of hazardous reactions			
Strong exothermic reaction with acids.			
Corrosive action on metals.	acids.		
Corrosive action on metals. Attacks materials containing gla	acids. ass and silicate.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag	n acids. ass and silicate. ents.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if	n acids. ass and silicate. ents. [;] heated above the decomposition point.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess	n acids. ass and silicate. ents. [;] heated above the decomposition point.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials	n acids. ass and silicate. ents. [;] heated above the decomposition point.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals.	n acids. ass and silicate. ents. [;] heated above the decomposition point.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids	n acids. ass and silicate. ents. [;] heated above the decomposition point.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents.	n acids. ass and silicate. ents. ⁱ heated above the decomposition point. ive heat.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition	n acids. ass and silicate. ents. ⁱ heated above the decomposition point. ive heat.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition Under fire conditions only:	n acids. ass and silicate. ents. ⁱ heated above the decomposition point. ive heat.		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition Under fire conditions only: Nitrogen oxides (NOx)	n acids. ass and silicate. ents. i heated above the decomposition point. ive heat. products		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition Under fire conditions only:	n acids. ass and silicate. ents. i heated above the decomposition point. ive heat. products		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition Under fire conditions only: Nitrogen oxides (NOx) Carbon monoxide and carbon o	acids. ass and silicate. ents. ⁱ heated above the decomposition point. ive heat. products		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition Under fire conditions only: Nitrogen oxides (NOx) Carbon monoxide and carbon of Toxicological information	n acids. ass and silicate. ents. ⁱ heated above the decomposition point. ive heat. products lioxide		
Corrosive action on metals. Attacks materials containing gla Reacts with strong oxidizing ag Toxic fumes may be released if Conditions to avoid Excess Incompatible materials Metals. Strong acids Oxidizing agents. Hazardous decomposition Under fire conditions only: Nitrogen oxides (NOx) Carbon monoxide and carbon of Toxicological information	n acids. ass and silicate. ents. ⁱ heated above the decomposition point. ive heat. products lioxide		

60-00-4 edetic acid

Oral LD50 2800 mg/kg (rat)

Primary irritant effect:

• On the skin: Strong caustic effect on skin and mucous membranes.

• On the eye: Strong caustic effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

(Cont'd. of page 6) · NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Indestion. Inhalation. Eve contact. Skin contact. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. • **STOT-single exposure:** Based on available data, the classification criteria are not met. · STOT-repeated exposure: May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

[·] UN-Number

DOT, ADR/RID/ADN, IMDG, IATA

UN1824

(Cont'd. on page 8)

Revision: March 24, 2021

	(Cont'd. of pag
UN proper shipping name DOT	Sodium hydroxide solution mixture
ADR/RID/ADN, IMDG, IATA	SODIUM HYDROXIDE SOLUTION mixture
Transport hazard class(es)	
DOT	
ALL STATES	
Class	8
Label	8
ADR/RID/ADN	
Class	8 (C5)
· Label	8
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Alkalis
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA)

· SARA

• Section 302 (extremely hazardous substances):

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

	(Cont'd. of page 8)	
None of the ingredients are listed.		
· Section 313 (Specific toxic chemical listings):		
None of the ingredients are listed.		
· TSCA (Toxic Substances Control Act)		
60-00-4 edetic acid		
1310-73-2 Sodium hydroxide		
7732-18-5 Water		
Proposition 65 (California)		
Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity for females:		
None of the ingredients are listed.		
Chemicals known to cause developmental toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
· IARC (International Agency for Research on Cancer):		
None of the ingredients are listed.		
· Canadian Domestic Substances List (DSL):		
None of the ingredients are listed.		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 10)

Revision: March 24, 2021

Trade name: EDTA Titrant, 1M

(Cont'd. of page 9)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers