# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

1 Identification		
· Product identifier		
<ul> <li>Trade name: <u>Electrony</u></li> <li>Product code: AS-4</li> </ul>		
Recommended use	e and restriction on use : Laboratory chemicals : No relevant information available.	
Manufacturer/Supp AquaPhoenix Scienti 860 Gitts Run Road Hanover, PA 17331 U Tel +1 (717)632-129 Toll-Free: (866)632-7 info@aquaphoenixsc Distributor: Aqua Analytics 245 Matheson Blvd Mississauga, ON L (888) 712-4000	ific, Inc. USA 1 1291 ci.com East Units 1 & 2, 4Z 3C9	
<ul> <li>Emergency telepho</li> <li>ChemTel Inc.</li> <li>(800)255-3924 (Northernal (1996))</li> <li>+1 (813)248-0585 (I</li> </ul>	th America)	
2 Hazard(s) identi	fication	
Classification of t Met. Corr.1 H290 M Skin Irrit. 2 H315 C	<b>the substance or mixture</b> May be corrosive to metals. Causes skin irritation.	
Classification of t Met. Corr.1 H290 M Skin Irrit. 2 H315 C Eye Dam. 1 H318 C Label elements GHS label elements	the substance or mixture May be corrosive to metals. Causes skin irritation. Causes serious eye damage.	(GHS).
Classification of t Met. Corr.1 H290 M Skin Irrit. 2 H315 C Eye Dam. 1 H318 C Label elements GHS label elements The product is classi	the substance or mixture May be corrosive to metals. Causes skin irritation. Causes serious eye damage.	(GHS).
<ul> <li>Classification of t Met. Corr.1 H290 M Skin Irrit. 2 H315 C Eye Dam. 1 H318 C</li> <li>Label elements</li> <li>GHS label elements The product is classi</li> <li>Hazard pictograms:</li> <li>GHS05</li> <li>Signal word: Dange</li> <li>Hazard statements: H290 May be corrosi H315 Causes skin irr H318 Causes serious</li> <li>Precautionary state</li> </ul>	the substance or mixture May be corrosive to metals. Causes skin irritation. Causes serious eye damage. S ified and labeled according to the Globally Harmonized System : ive to metals. ritation. s eye damage.	(GHS).

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

ade name: Electrode Cleaner	
	(Cont'd. of page
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.

## 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Components:	
7700 40 E	\A/atan

7732-18-5 Water	>97%
7647-01-0 Hydrochloric acid	<2%
Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	
9002-93-1 Poly(oxy-1,2-ethanediyl), α-[4-(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy-	<0.5%

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### **4 First-aid measures**

<ul> <li>Description of first aid measures</li> <li>General information: Immediately remove any clothing soiled by the product.</li> <li>After inhalation: Supply fresh air; consult doctor in case of complaints.</li> <li>After skin contact: Immediately rinse with water.</li> </ul>	
If skin irritation is experienced, consult a doctor.	
After eye contact:	
Protect unharmed eye.	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. Then consult a doctor.	
· After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
Most important symptoms and effects, both acute and delayed:	
Eye damage.	
Coughing	
Breathing difficulty	
Gastric or intestinal disorders when ingested.	
Nausea in case of ingestion.	
	Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

Trade name: Electrode Cleaner

(Cont'd. of page 2)

Irritating to eyes.

Slight irritant effect on skin and mucous membranes.

• **Danger:** Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

#### **5** Fire-fighting measures

#### <sup>·</sup> Extinguishing media

#### · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

#### <sup>•</sup> Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

#### • Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

#### **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### <sup>·</sup> Handling

#### Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

Open and handle receptacle with care.

· Information about protection against explosions and fires: No special measures required.

<sup>•</sup> Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

#### Trade name: Electrode Cleaner

(Cont'd. of page 3)

• **Requirements to be met by storerooms and receptacles:** Store in cool, dry conditions in well sealed receptacles. Use only receptacles specifically permitted for this substance/product. Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

• **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### Control parameters

#### Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

#### 7647-01-0 Hydrochloric acid

PEL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m³, 5 ppm
TLV (USA)	Ceiling limit value: 2.98 mg/m³, 2 ppm
EL (Canada)	Ceiling limit value: 2 ppm
EV (Canada)	Ceiling limit value: 2 ppm
LMPE (Mexico)	Ceiling limit value: 2 ppm
	A4

#### Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves** Neoprene gloves Nitrile rubber, NBR Fluorocarbon rubber (Viton) Laminated film gloves. Natural rubber, NR

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

#### Trade name: Electrode Cleaner

(Cont'd. of page 4)

#### • Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

# 9 Physical and chemical properties

<sup>·</sup> Information on basic physical a	and chemical properties	
<ul> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> <li>Odor threshold:</li> </ul>	Liquid Clear, colorless Odorless Not determined.	
<ul> <li>pH-value:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Acidic Not determined. 105-110 °C (221-166 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> <li>Oxidizing properties:</li> </ul>	Not determined. Not determined. Not determined.	
· Vapor pressure:	Not determined.	
<ul> <li>Density:</li> <li>Relative density:</li> <li>Vapor density:</li> <li>Evaporation rate:</li> </ul>	Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Fully miscible.	
$\cdot$ Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity Dynamic: Kinematic:	Not determined. Not determined.	
	(	Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

Trade name: Electrode Cleaner

(Cont'd. of page 5)

Other information

No relevant information available.

#### **10 Stability and reactivity**

· Reactivity: No relevant information available.

- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- <sup>•</sup> Possibility of hazardous reactions
- Toxic fumes may be released if heated above the decomposition point.

Reacts with certain metals.

Reacts with alkali (lyes).

• Conditions to avoid Excessive heat.

Incompatible materials Alkalis

• Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

#### 11 Toxicological information

Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

Trade name: Electrode Cleaner

(Cont'd. of page 6)

#### **12 Ecological information**

#### <sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

• Persistence and degradability No relevant information available.

· **Bioaccumulative potential:** No relevant information available.

• Mobility in soil: No relevant information available.

<sup>•</sup> Additional ecological information

#### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

#### 13 Disposal considerations

#### <sup>•</sup> Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1789
<ul> <li><sup>.</sup> UN proper shipping name</li> <li><sup>.</sup> DOT, IATA</li> <li><sup>.</sup> ADR/RID/ADN, IMDG</li> </ul>	Hydrochloric acid HYDROCHLORIC ACID
<sup>·</sup> Transport hazard class(es)	
· DOT	
CORRESPONDENCE	
· Class	8
·Label	8
· ADR/RID/ADN	
· Class	8 (C1)
L	(Cont'd. on page 8

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

	(Cont'd. of pa
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	See 173.154(d) for corrosive exceptions.

## **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA • Section 302 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): 7647-01-0 Hydrochloric acid · TSCA (Toxic Substances Control Act) 7647-01-0 Hydrochloric acid 9002-93-1 Poly(oxy-1,2-ethanediyl), α-[4-(1,1,3,3-tetramethylbutyl)phenyl]-ω-hydroxy-7732-18-5 Water · Proposition 65 (California) · Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental toxicity for females: None of the ingredients are listed. (Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

Trade name: Electrode Cleaner

(Cont'd. of page 8)

• Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com