Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

1 Identification		
· Product identif	fier	
· Trade name: <u>Eri</u> · Product code: D	ochrome Black T Indicator UMTK-636-16	
Recommended u	use and restriction on use use: Laboratory chemicals use: No relevant information available.	
 Details of the s Manufacturer/Su AquaPhoenix Scie 860 Gitts Run Ro Hanover, PA 1733 Tel +1 (717)632-1 Toll-Free: (866)63 info@aquaphoeni Distributor: Dubois Chemicals 3630 East Kemp Cincinnati, OH 4 (800) 438-2647 	entific, Inc. ad 31 USA 1291 32-1291 ixsci.com s Inc. er Rd,	
 Emergency telep ChemTel Inc. (800)255-3924 (I +1 (813)248-058 	North America)	
•		
2 Hazard(s) ide	ntification	
Classification	ntification of the substance or mixture 5 Highly flammable liquid and vapor.	
Classification of Flam. Liq. 2 H22 Label elements GHS label element	of the substance or mixture 5 Highly flammable liquid and vapor. 5 ents assified and labeled according to the Globally Harmonized System (GHS).	
 Classification of Flam. Liq. 2 H22 Label elements GHS label elements The product is classification 	of the substance or mixture 5 Highly flammable liquid and vapor. 5 ents assified and labeled according to the Globally Harmonized System (GHS).	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Eriochrome Black T Indicator

(Cont'd. of page 1)

P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
102-71-6 Triethanolamine		84.79%
64-17-5 Ethanol Flam. Liq. 2, H225 Eye Irrit. 2A, H319		15.17%
1787-61-7 sodium 3-hydroxy-4-[(1-	hydroxy-2-naphthyl)azo]-7-nitronaphthalene-1-sulphonate	0.04%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

• After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Breathing difficulty

Coughing

Disorientation

Danger: No relevant information available.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Eriochrome Black T Indicator

(Cont'd. of page 2)

5 Fire-fighting measures

• Extinguishing media

Suitable extinguishing agents: Water fog / haze CO2, sand, extinguishing powder. Do not use water. Gaseous extinguishing agents Fire-extinguishing powder
For safety reasons unsuitable extinguishing agents: Water stream.
Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Highly flammable liquid and vapor.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information:

Eliminate all ignition sources if safe to do so. Use large quantities of foam as it is partially destroyed by the product. Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Eriochrome Black T Indicator

(Cont'd. of page 3)

Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Flammable gas-air mixtures may be formed in empty containers/receptacles.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- Further information about storage conditions:
- Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

102-71-6 Triethanolamine

102-/1-6 Theth	lanoiannne
TLV (USA)	Long-term value: 5 mg/m ³
EL (Canada)	Long-term value: 5 mg/m ³
EV (Canada)	Long-term value: 3.1 mg/m³, 0.5 ppm
LMPE (Mexico)	Long-term value: 5 mg/m ³
64-17-5 Ethano	ji
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm A3
The usual preca Keep away from Immediately ren Wash hands be Avoid breathing Engineering co Breathing equi	tive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. fore breaks and at the end of work. mist, vapors, or spray. Controls: Provide adequate ventilation. Ipment: Not required under normal conditions of use.
• Protection of h	ands:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Eriochrome Black T Indicator

(Cont'd. of page 4)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves**

Laminated film gloves. Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

• Not suitable are gloves made of the following materials:

PVA gloves

PVC gloves

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical a	and chemical properties
Appearance:	
Form:	Liquid
Color:	Dark blue
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	286 °C (546.8 °F)
Flash point:	10 °C (50 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	305 °C (581 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Not determined.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

		(Cont'd. of pag
Vapor pressure at 20 °C (68 °F):	0 hPa	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Partly soluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	
) Stability and reactivity		

- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Highly flammable liquid and vapor.

Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

· Incompatible materials No relevant information available.

[•] Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides

Carbon monoxide and carbon dioxide

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.

 \cdot Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

	(Cont'd	I. of pag
102-71-6	riethanolamine	
64-17-5	thanol	
NTP (Nati	nal Toxicology Program):	
None of th	e ingredients are listed.	
OSHA-Ca	Occupational Safety & Health Administration):	
None of th	e ingredients are listed.	
Ingestion. Inhalation. Eye conta Skin conta Acute effo Repeated Germ cell Carcinog Reproduc STOT-sin STOT-rep		

[·] Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· **Bioaccumulative potential:** No relevant information available.

• **Mobility in soil:** No relevant information available.

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Eriochrome Black T Indicator

(Cont'd. of page 7)

1 Transport information	
[·] UN-Number [·] DOT, ADR/RID/ADN, IMDG, IATA	UN1170
 [•] UN proper shipping name [•] DOT [•] ADR/RID/ADN, IMDG [•] IATA 	Ethanol solutions ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION) ETHANOL SOLUTION
[·] Transport hazard class(es)	
· DOT	
Class	3
· Label	3
· ADR/RID/ADN	
· Class · Label	3 (F1) 3
· Class · Label	3 3
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	II
· Environmental hazards	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Flammable liquids 33 F-E,S-D
 Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code 	f Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

United SARA	States (USA) (Cont'd. of pa
· Sectio	n 302 (extremely hazardous substances):
None of	of the ingredients are listed.
· Sectio	n 313 (Specific toxic chemical listings):
None of	of the ingredients are listed.
· TSCA	(Toxic Substances Control Act)
	1-6 Triethanolamine
-	7-5 Ethanol
1787-6	1-7 sodium 3-hydroxy-4-[(1-hydroxy-2-naphthyl)azo]-7-nitronaphthalene-1-sulphonate
-	5 Ethanol cals known to cause developmental toxicity for females:
None of	of the ingredients are listed.
	· ·
· Chem	of the ingredients are listed.
· Chemi None d	of the ingredients are listed. cals known to cause developmental toxicity for males:
• Chemi None c • Chemi Ethanc	of the ingredients are listed. cals known to cause developmental toxicity for males: of the ingredients are listed. cals known to cause developmental toxicity:
• Chemi None c • Chemi Ethanc 64-17-	of the ingredients are listed. cals known to cause developmental toxicity for males: of the ingredients are listed. cals known to cause developmental toxicity: of - listing refers specifically to alcoholic beverage consumption and is not applicable for product.
• Chemi None c • Chemi Ethanc 64-17-	of the ingredients are listed. cals known to cause developmental toxicity for males: of the ingredients are listed. cals known to cause developmental toxicity: of - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 5 Ethanol
• Chemi None o • Chemi Ethano 64-17- • EPA (E None o	of the ingredients are listed. cals known to cause developmental toxicity for males: of the ingredients are listed. cals known to cause developmental toxicity: of - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 5 Ethanol Environmental Protection Agency):
• Chemi None of • Chemi Ethano 64-17- • EPA (E None of • IARC (102-71	of the ingredients are listed. cals known to cause developmental toxicity for males: of the ingredients are listed. cals known to cause developmental toxicity: of - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 5 Ethanol Environmental Protection Agency): of the ingredients are listed. International Agency for Research on Cancer): -6 Triethanolamine
• Chemi None of • Chemi Ethano 64-17- • EPA (E None of • IARC (102-71	of the ingredients are listed. cals known to cause developmental toxicity for males: of the ingredients are listed. cals known to cause developmental toxicity: of - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 5 Ethanol Environmental Protection Agency): of the ingredients are listed. International Agency for Research on Cancer):

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 OSHA: Occupational Safety & Health Administration
 Flam. Liq. 2: Flammable liquids – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

Trade name: Eriochrome Black T Indicator

(Cont'd. of page 9)

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers
SDS Prepared by:
ChemTel
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtel.com