Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

1 Identification
· Product identifier
 Trade name: Gardotest Solution 83 SS Product code: ED2430SS
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
2 Hazard(s) identification • Classification of the substance or mixture
Classification of the substance or mixture
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals.
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H332 Harmful if inhaled.
Classification of the substance or mixtureMet. Corr.1H290 May be corrosive to metals.Acute Tox. 4H332 Harmful if inhaled.Skin Corr. 1AH314 Causes severe skin burns and eye damage.
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H332 Harmful if inhaled. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure.
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H332 Harmful if inhaled. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H332 Harmful if inhaled. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 GHS08 Signal word: Danger Hazard statements: H290 May be corrosive to metals.
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Acute Tox. 4 H332 Harmful if inhaled. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: Image: GHS05 GHS07 GHS08 Signal word: Danger Hazard statements:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

	(Cont'd. of pag
H373 May ca	use damage to the respiratory tract through prolonged or repeated exposure. Route
	e: Inhalation.
Precautionar	
P234	Keep only in original container.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection.
	2331 If swallowed: Rinse mouth. Do NOT induce vomiting.
	2353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+F	2338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P314	Get medical advice/attention if you feel unwell.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/internatio
	regulations.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Com	ponents
-------	---------

Г

components.	
6381-92-6 Disodium dihydrogen ethylenediaminetetraacetate	9.0%
STOT RE 2, H373 Acute Tox. 4, H332	
1310-73-2 Sodium hydroxide	10%
🐼 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
102-71-6 Triethanolamine	0.45%
7732-18-5 Water	80.55%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

• Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

• After eye contact:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Gardotest Solution 83 SS

(Cont'd. of page 2)

Protect unharmed eye. Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

No relevant information available.

5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Gardotest Solution 83 SS

(Cont'd. of page 3)

7 Handling and storage

[·] Handling

- · Precautions for safe handling:
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.
- Avoid contact with the eyes and skin.
- · Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.
- Unsuitable material for receptacle: steel.
- Unsuitable material for receptacle: aluminium.
- Unsuitable material for receptacle: glass or ceramic.
- Information about storage in one common storage facility:
- Store away from foodstuffs.
- Do not store together with acids.
- Further information about storage conditions:
- Keep containers tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

1310-73-2 Sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m³ Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m³
EV (Canada)	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m³

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Gardotest Solution 83 SS

(Cont'd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves**

Neoprene gloves

Nitrile rubber, NBR

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. **Body protection:** Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical a	and chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	>12	
Melting point/Melting range:	<0 °C (<32 °F)	
Boiling point/Boiling range:	105-110 °C (221-166 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

		(Cont'd. of p
Solubility in / Miscibility with		(
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity		
	Not determined.	
Dynamic:	Not determined.	
Dynamic: Kinematic:	Not determined.	
Kinematic: Other information		
Kinematic:	Not determined.	
Kinematic: Other information Stability and reactivity	Not determined. No relevant information available.	
Kinematic: Other information Stability and reactivity Reactivity: No relevant inform	Not determined. No relevant information available.	
Kinematic: Other information Stability and reactivity Reactivity: No relevant inform	Not determined. No relevant information available. nation available. der normal temperatures and pressures.	
Kinematic: Other information Stability and reactivity Reactivity: No relevant inforr Chemical stability: Stable und Thermal decomposition / con	Not determined. No relevant information available. nation available. der normal temperatures and pressures.	
Kinematic: Other information Stability and reactivity Reactivity: No relevant inforr Chemical stability: Stable und Thermal decomposition / con	Not determined. No relevant information available. nation available. der normal temperatures and pressures. nditions to be avoided: stored according to specifications.	
Kinematic: Other information Stability and reactivity Reactivity: No relevant inforr Chemical stability: Stable und Thermal decomposition / con No decomposition if used and	Not determined. No relevant information available. nation available. der normal temperatures and pressures. nditions to be avoided: stored according to specifications. eactions	

 Conditions to avoid Excessive heat.
 Incompatible materials Metals.
 Strong acids Oxidizing agents.
 Hazardous decomposition products Under fire conditions only: Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

 11 Toxicological information

 Information on toxicological effects

 Acute toxicity: Based on available data, the classification criteria are not met.

 LD/LC50 values that are relevant for classification:

 60-00-4 edetic acid

 Oral LD50 2800 mg/kg (rat)

 Primary irritant effect:

 On the skin: Strong caustic effect on skin and mucous membranes.

 On the eye: Strong caustic effect.

 Sensitization: Based on available data, the classification criteria are not met.

 IARC (International Agency for Research on Cancer):

 None of the ingredients are listed.

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Gardotest Solution 83 SS
(Cont'd. of page 6)
· NTP (National Toxicology Program):
None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):
(Cont'd. of page 6) (National Toxicology Program): of the ingredients are listed. A-Ca (Occupational Safety & Health Administration): of the ingredients are listed. able route(s) of exposure: tion. ation. ontact. contact. ated dose toxicity: printation and corrosivity): Causes severe skin burns and eye damage. ated dose toxicity: Dossible risk of irreversible effects. o effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage. ated dose toxicity: Based on available data, the classification criteria are not met. inogenicity: Based on available data, the classification criteria are not met. Inogenicity: Based on available data, the classification criteria are not met. I-single exposure: Based on available data, the classification criteria are not met. I-single exposure: Based on available data, the classification criteria are not met. I-single exposure: ause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: ause damage to available data, the classification criteria are not met. I-repeated exposure: ause damage to available data, the classification criteria are not met. I-repeated exposure: ause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: ation. ration hazard: Based on available data, the classification criteria are not met. Istence and degradability No relevant information available. Istence and degradability No relevant information available. tional ecological information ral notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized. or adverse effects No relevant information available. Istence with all relevant bodies of water or drainage ditch undiluted or unneutralized. or adverse effects No relevant information available. Istence with all relevant bodies of water or drainage ditch undiluted or unneutralized. or adverse effects No relevant information available. Istence with all relevant bodies of water or drainage ditch undi
(Cont'd. of page 6) (Cont'd. of page 6) None of the ingredients are listed. (OsHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. (Probable crute(s) of exposure: Ingestion. Inhalation. Eye contact. Skin contact. Skin contact. (Gerr cell mutagenicity: Based on available fact, the classification criteria are not met. (Cont'd. of page 6) (Cont'd. of page 7) (Cont'd. of page 7) (Cont'd. of page 7) (Cont'
 Aquatic toxicity No relevant information available. Persistence and degradability No relevant information available.
13 Disposal considerations
· Waste treatment methods
· Recommendation:
disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
[·] Uncleaned packagings
· Recommendation: Disposal must be made according to official regulations.
14 Transport information
•
14 Transport information · UN-Number (Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

1824 lium hydroxide solution mixture DIUM HYDROXIDE SOLUTION mixture
DIUM HYDROXIDE SOLUTION mixture
DIUM HYDROXIDE SOLUTION mixture
25)
25)
25)
25)
25)
25)
25)
25)
25)
25)
applicable.
rning: Corrosive substances
C D
"S-B alis
a A

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

• Section 302 (extremely hazardous substances):

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

	(Cont'd. of pa
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
60-00-4 edetic acid	
1310-73-2 Sodium hydroxide	
7732-18-5 Water	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	
None of the ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Gardotest Solution 83 SS

(Cont'd. of page 9)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com