according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 27, 2020

#### **1** Identification

#### · Product identifier

- · Trade name: Hand Sanitizer
- · Product code: BAC706

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet
 Manufacturer/Supplier:
 AquaPhoenix Scientific, Inc.
 860 Gitts Run Road
 Hanover, PA 17331
 Phone: (717)632-1291
 Toll-Free: (866)632-1291
 info@aquaphoenixsci.com

#### **Emergency telephone number:** ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

### 2 Hazard(s) identification

#### <sup>•</sup> Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor. Eye Irrit. 2A H319 Causes serious eye irritation.

#### <sup>·</sup> Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



· Signal word: Warning · Hazard statements: H226 Flammable liquid and vapor. H319 Causes serious eye irritation. · Precautionary statements: P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. P337+P313 In case of fire: Use for extinction: Alcohol resistant foam or water spray. P370+P378 P403+P235 Store in a well-ventilated place. Keep cool.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 27, 2020

#### Trade name: Hand Sanitizer

(Cont'd. of page 1) P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

#### · Components:

64-17-5		<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2A, H319</li> </ul>	60-70%
56-81-5	Glycerol		3-7%

• Additional information: For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

#### • Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Product is manufactured for topical use. If irritation occurs, discontinue use and rinse affected area with water.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed: Causes serious eye irritation.

Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

### **5** Fire-fighting measures

#### <sup>·</sup> Extinguishing media

- · Suitable extinguishing agents:
- Alcohol resistant foam
- Water fog / haze
- Carbon dioxide

Gaseous extinguishing agents

Fire-extinguishing powder

• For safety reasons unsuitable extinguishing agents: No relevant information available.

• Special hazards arising from the substance or mixture Flammable liquid and vapor.

#### <sup>•</sup> Advice for firefighters

#### Protective equipment:

Wear self-contained respiratory protective device.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 27, 2020

(Cont'd. of page 2)

### Trade name: Hand Sanitizer

Wear fully protective suit.

• Additional information: Use large quantities of foam as it is partially destroyed by the product.

#### 6 Accidental release measures

#### <sup>•</sup> Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Remove ignition sources.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

#### **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### <sup>·</sup> Handling

#### · Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

### <sup>•</sup> Conditions for safe storage, including any incompatibilities

#### • Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from oxidizers, strong acids, strong bases.

Store away from foodstuffs.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### <sup>·</sup> Control parameters

· Components with limit values that require monitoring at the workplace:

#### 64-17-5 Ethanol

(Cont'd. on page 4)

Revision: March 27, 2020

(Cont'd. on page 5)

PEL (USA)       Long-term value: 1900 mg/m³, 1000 ppm         REL (USA)       Long-term value: 1900 mg/m³, 1000 ppm         TLV (USA)       Short-term value: 1880 mg/m³, 1000 ppm         EL (Canada)       Long-term value: 1900 mg/m³, 1000 ppm         EV (Canada)       Long-term value: 1900 mg/m³, 1,000 ppm         LMPE (Mexico)       Long-term value: 1000 ppm         A3       56-81-5 Glycerol         PEL (USA)       Long-term value: 15° 5** mg/m³         mist: "total dust "respirable fraction       TLV (ViSA)         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10 mg/m³         Mist: "total dust "respirable fraction       "mist. total; "mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         Mist, total; "mist, respirable       EV (Canada)         Long-term value: 10 mg/m³       "mist, total; "mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         Mark total; "motion and solutifs, beverages and feed.       Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.       <	Trade name: Han	Trade name: Hand Sanitizer					
PEL (USA)       Long-term value: 1900 mg/m³, 1000 ppm         REL (USA)       Long-term value: 1880 mg/m³, 1000 ppm         TLV (USA)       Short-term value: 1800 mg/m³, 1000 ppm         EL (Canada)       Long-term value: 1900 mg/m³, 1,000 ppm         LMPE (Mexico)       Long-term value: 1900 ppm         MPE (Mexico)       Long-term value: 15* 5** mg/m³         mist, "total dust "respirable fraction         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10* 3** mg/m³         mist, "total dust "respirable fraction         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10 mg/m³         L (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         MMPE (Mexico)       Long-term value: 10 mg/m³         MPE (Mexico)       Long-term value: 10 mg/m³         MPE (Mexico)       Long-term value: 10 mg/m³         MMPE (Mexico)       Long-term value: 10 mg/m³         MMPE (Mexico)       Long-term value: 10 mg/m³         MMPE (Mexico)       Long-term value: 10 mg/m³         Mappionerize controls       Secons and feed.         Immediately re			(Cont'd, of page 3)				
TLV (USA)       Short-term value: 1880 mg/m³, 1000 ppm         EL (Canada)       Long-term value: 1,900 mg/m³, 1,000 ppm         LMPE (Mexico)       Long-term value: 1000 ppm         A3       56-81-5 Glycerol         PEL (USA)       Long-term value: 15* 5** mg/m³         mist; 'total dust **respirable fraction       TLV (USA)         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10* 3** mg/m³         mist; 'total dust **respirable       EV (Canada)         LOng-term value: 10 mg/m³       Mist, total; **mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         MPE (Mexico)       Long-term value: 10 mg/m³         Mexico and potentive and the end of work.       Engineering controls:         Breathing equipment: For large spills, respiratory protection may be advi	PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm					
EL (Canada)       Short-term value: 1,900 mg/m³, 1,000 ppm         EV (Canada)       Long-term value: 1,900 mg/m³, 1,000 ppm         LMPE (Mexico)       Long-term value: 1000 ppm         A3       56-81-5 Glycerol         PEL (USA)       Long-term value: 15° 5°* mg/m³         mist; *total dust **respirable fraction       TLV (USA)         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10° 3°* mg/m³         *mist, total; **mist, respirable       LV (Canada)         Long-term value: 10 mg/m³       LMPE (Mexico)         Long-term value: 10 mg/m³       LMPE (Mexico)         Long-term value: 10 mg/m³       Maint total; **mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         Mast nands before breaks and at the end of work.       Engineering controls:         General protective and hygienic measures:       The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.       Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.       Engineering controls:         Erotorion of hands: Gloves are advised for repeated or prolo	REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm					
EV (Canada)       Long-term value: 1,900 mg/m³, 1,000 ppm         LMPE (Mexico)       Long-term value: 1000 ppm         A3       56-31-5 Glycerol         PEL (USA)       Long-term value: 15* 5** mg/m³         mist; "total dust **respirable fraction       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10* 3** mg/m³         *mist, total; **mist, respirable       EV (Canada)         LOng-term value: 10 mg/m³       LMPE (Mexico)         Long-term value: 10 mg/m³       LMPE (Mexico)         Long-term value: 10 mg/m³       Exposure controls         General protective and hygienic measures:       The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.       Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.       Engineering controls: Provide adequate ventilation.         Breathing equipment: For large spills, respiratory protection may be advisable.       Protection:         Protection:       Safety glasses         Follow relevant national guidelines concerning the use of protective eyewear.         Body protection: Protective work clothing         'Limitation and supervision of exposure into the environment No relevant information available.         Physical and chemical properties <t< th=""><th>TLV (USA)</th><th>Short-term value: 1880 mg/m³, 1000 ppm</th><th></th></t<>	TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm					
LMPE (Mexico)       Long-term value: 1000 ppm         A3         56-81-5 Glycerol         PEL (USA)       Long-term value: 15* 5** mg/m³         mist, *total dust **respirable fraction         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10 ** mg/m³         *mist, total; **mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         *Exposure controls       General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.         Immediately remove all solie and contaminated clothing.         Wash hands before breaks and at the end of work.         Engineering controls: Provide adequate ventilation.         Breathing equipment: For large spills, respiratory protection may be advisable.         Protection of hands: Gloves are advised for repeated or prolonged contact.         Eye protection:         Sody protection: Protective work clothing         Limitation and supervision of exposure into the environment         No relevant national guidelines concerning the use of protective eyewear.         Body protection: Protective work clothing         Limitation and supervision of exposure into t	EL (Canada)						
A3         56-81-5 Glycerol         PEL (USA)       Long-term value: 15* 5** mg/m³ mist, "total dust **respirable fraction         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10* 3** mg/m³ *mist, total; **mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         MPE (Mexico)       Long-term value: 10 mg/m³         *       Exposure controls         General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.         Engineering controls: Provide adequate ventilation.         Breathing equipment: For large spills, respiratory protection may be advisable.         Protection of hands: Gloves are advised for repeated or prolonged contact.         Eye protection:         Imitation and supervision of exposure into the environment         No relevant national guidelines concerning the use of protective eyewear.         Body protection: Protective work clothing         Limitation and supervision of exposure into the environment         No relevant information available.         Risk management measures No relevant information available.	EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm					
PEL (USA)       Long-term value: 15* 5** mg/m³ mist; *total dust *trespirable fraction         TLV (USA)       TLV withdrawn-insufficient data human occup. exp.         EL (Canada)       Long-term value: 10* 3** mg/m³ *mist, total; **mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         IMPE (Mexico)       Long-term value: 10 mg/m³         • General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.         Engineering controls: Provide adequate ventilation.         Breathing equipment: For large spills, respiratory protection may be advisable.         • Protection of hands: Gloves are advised for repeated or prolonged contact.         Eye protection:         Imitation and supervision of exposure into the environment         No relevant information available.         • Risk management measures No relevant information available. <b>9</b> Physical and chemical properties         • Appearance:	LMPE (Mexico)						
mist, *total dust **respirable fraction         TLV (USA)         EL (Canada)         Long-term value: 10* 3** mg/m³         *mist, total; **mist, respirable         Long-term value: 10 mg/m³         *MPE (Mexico)         Long-term value: 10 mg/m³         *Exposure controls         *General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing.         Wash hands before breaks and at the end of work.         *Engineering controls:         Protection of hands: Gloves are advised for repeated or prolonged contact.         *Eye protection:         Work         Eldow relevant national guidelines concerning the use of protective eyewear.         Body protection: Protective work clothing         Limitation and supervision of exposure into the environment No relevant information available.         *Risk management measures No relevant information available.         9 Physical and chemical properties         *Appearance:	56-81-5 Glycer						
EL (Canada)       Long-term value: 10* 3** mg/m³ *mist, total; **mist, respirable         EV (Canada)       Long-term value: 10 mg/m³         LMPE (Mexico)       Long-term value: 10 mg/m³         * Exposure controls       General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.         Engineering controls:       Protection of hands: Gloves are advised for repeated or prolonged contact.         Py protection:       Safety glasses         Follow relevant national guidelines concerning the use of protective eyewear.         Body protection: Protective work clothing         Limitation and supervision of exposure into the environment No relevant information available.         Physical and chemical properties         Information on basic physical and chemical properties Appearance:	PEL (USA)						
*mist, total; **mist, respirable         EV (Canada)         LMPE (Mexico)         Cong-term value: 10 mg/m³         • Exposure controls         • General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.         Keep away from foodstuffs, beverages and feed.         Immediately remove all solied and contaminated clothing.         Wash hands before breaks and at the end of work.         Engineering controls: Provide adequate ventilation.         • Breathing equipment: For large spills, respiratory protection may be advisable.         • Protection of hands: Gloves are advised for repeated or prolonged contact.         • Eye protection:         • Safety glasses         Follow relevant national guidelines concerning the use of protective eyewear.         • Body protection: Protective work clothing         • Limitation and supervision of exposure into the environment         No relevant information available.         • Risk management measures No relevant information available.         • Physical and chemical properties         • Appearance:	TLV (USA)						
EV (Canada) LMPE (Mexico)       Long-term value: 10 mg/m³         • Exposure controls       • General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work.         • Engineering controls: Provide adequate ventilation.         • Breathing equipment: For large spills, respiratory protection may be advisable.         • Protection of hands: Gloves are advised for repeated or prolonged contact.         • Eye protection:         • Safety glasses         Follow relevant national guidelines concerning the use of protective eyewear.         • Body protection: Protective work clothing         • Limitation and supervision of exposure into the environment No relevant information available.         • Risk management measures No relevant information available.         • Physical and chemical properties         • Appearance:	EL (Canada)						
LMPE (Mexico)       Long-term value: 10 mg/m³         Exposure controls       General protective and hygienic measures:         The usual precautionary measures for handling chemicals should be followed.       Keep away from foodstuffs, beverages and feed.         Immediately remove all soiled and contaminated clothing.       Wash hands before breaks and at the end of work.         Engineering controls: Provide adequate ventilation.       Breathing equipment: For large spills, respiratory protection may be advisable.         Protection of hands: Gloves are advised for repeated or prolonged contact.       Eye protection:         Every Safety glasses       Safety glasses         Follow relevant national guidelines concerning the use of protective eyewear.         Body protection: Protective work clothing         Limitation and supervision of exposure into the environment No relevant information available.         Risk management measures No relevant information available.         9 Physical and chemical properties         Appearance:							
<ul> <li>Exposure controls</li> <li>General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.</li> <li>Engineering controls: Provide adequate ventilation.</li> <li>Breathing equipment: For large spills, respiratory protection may be advisable.</li> <li>Protection of hands: Gloves are advised for repeated or prolonged contact.</li> <li>Eye protection: Safety glasses</li> <li>Follow relevant national guidelines concerning the use of protective eyewear.</li> <li>Body protection: Protective work clothing</li> <li>Limitation and supervision of exposure into the environment No relevant information available.</li> <li>Risk management measures No relevant information available.</li> <li>9 Physical and chemical properties</li> <li>Appearance:</li> </ul>							
<ul> <li>General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.</li> <li>Engineering controls: Provide adequate ventilation.</li> <li>Breathing equipment: For large spills, respiratory protection may be advisable.</li> <li>Protection of hands: Gloves are advised for repeated or prolonged contact.</li> <li>Eye protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear.</li> <li>Body protection: Protective work clothing</li> <li>Limitation and supervision of exposure into the environment No relevant information available.</li> <li>Risk management measures No relevant information available.</li> <li>9 Physical and chemical properties Appearance:</li> </ul>							
9 Physical and chemical properties         • Information on basic physical and chemical properties         • Appearance:	<ul> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Engineering controls: Provide adequate ventilation.</li> <li>Breathing equipment: For large spills, respiratory protection may be advisable.</li> <li>Protection of hands: Gloves are advised for repeated or prolonged contact.</li> <li>Eye protection:</li> <li>Safety glasses</li> <li>Follow relevant national guidelines concerning the use of protective eyewear.</li> <li>Body protection: Protective work clothing</li> <li>Limitation and supervision of exposure into the environment No relevant information available.</li> </ul>						
<ul> <li>Information on basic physical and chemical properties</li> <li>Appearance:</li> </ul>							
Appearance:	9 Physical and chemical properties						
Liquid		Appearance:					

Clear Alcohol-like

7-8

Not determined.

Color:

· pH-value:

· Odor threshold:

· Odor:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 27, 2020

ade name: Hand Sanitizer		
	(Cont'd. of page	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	82.2 °C (180 °F)	
· Flash point:	23 °C (73.4 °F)	
· Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:	0.89 g/cm³ (7.43 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

### 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

#### <sup>•</sup> Possibility of hazardous reactions

Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air.

- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers, strong bases, strong acids

#### <sup>•</sup> Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

# **11 Toxicological information**

(Cont'd. on page 6)

Revision: March 27, 2020

(Cont'd. on page 7)

	(Cont'd. of pag		
·Inform	ation on toxicological effects		
	<b>Exicity:</b> Based on available data, the classification criteria are not met.		
	0 values that are relevant for classification:		
64-17-5	Ethanol		
Oral	LD50 7060 mg/kg (rat)		
Inhalativ	e LC50/4h 20000 mg/l (rat)		
	irritant effect:		
· On the	skin: Based on available data, the classification criteria are not met.		
	eye: Causes serious eye irritation.		
	ation: Based on available data, the classification criteria are not met.		
•	nternational Agency for Research on Cancer):		
	Ethanol		
•	ational Toxicology Program):		
None of	the ingredients are listed.		
· OSHA-C	Ca (Occupational Safety & Health Administration):		
None of	the ingredients are listed.		
· Probab	e route(s) of exposure:		
Ingestio			
Inhalatio	n.		
Eye contact.			
Skin cor			
	ffects (acute toxicity, irritation and corrosivity): Causes serious eye irritation.		
	ell mutagenicity: Based on available data, the classification criteria are not met.		
	genicity: Based on available data, the classification criteria are not met.		
	uctive toxicity: Based on available data, the classification criteria are not met.		
· STOT-single exposure: Based on available data, the classification criteria are not met.			
• STOT-repeated exposure: Based on available data, the classification criteria are not met.			
· Aspirati	on hazard: Based on available data, the classification criteria are not met.		
2 Ecolo	gical information		
<sup>.</sup> Toxicit	V		
	toxicity No relevant information available.		
	ence and degradability No relevant information available.		
	imulative potential: No relevant information available.		
	v in soil: No relevant information available.		
	nal ecological information		
· General			
	allow undiluted product or large quantities of it to reach ground water, water course or sewa		
system.	adverse effects No relevant information available.		

Revision: March 27, 2020

Trade name: Hand Sanitizer

(Cont'd. of page 6)

#### · Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>•</sup> Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

UN1170	
Ethanol solutions	
ETHANOL SOLUTION (ETHYL AL	СОН
ETHANOL SOLUTION	
2	
3	
3 (F1)	
3	
3	
3	
III	
Not applicable.	
Warning: Flammable liquids	
	Ethanol solutions ETHANOL SOLUTION (ETHYL AL SOLUTION) ETHANOL SOLUTION 3 3 (F1) 3 3 1

Revision: March 27, 2020

Trade name: Hand Sanitizer	rade name: Hand Sanitizer			
	(Cont'd. of page 7)			
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	30 F-E,S-D			
<ul> <li>Transport in bulk according to Annex II or MARPOL73/78 and the IBC Code</li> </ul>	f Not applicable.			
15 Regulatory information				
mixture United States (USA) SARA	ations/legislation specific for the substance or			
Section 302 (extremely hazardous substances	s):			
None of the ingredients are listed.				
• Section 313 (Specific toxic chemical listings):				
None of the ingredients are listed.	None of the ingredients are listed.			
<ul> <li>TSCA (Toxic Substances Control Act)</li> </ul>	TSCA (Toxic Substances Control Act)			
All ingredients are listed or exempt.	All ingredients are listed or exempt.			
<ul> <li>Proposition 65 (California)</li> <li>Chemicals known to cause cancer: Ethanol - listing refers specifically to alcoholic bevenue</li> <li>64-17-5 Ethanol</li> </ul>	verage consumption and is not applicable for product.			
Chemicals known to cause developmental tox	· Chemicals known to cause developmental toxicity for females:			
None of the ingredients are listed.				
· Chemicals known to cause developmental tox	ticity for males:			
None of the ingredients are listed.				
• Chemicals known to cause developmental toxicity: Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.				
64-17-5 Ethanol				
	· EPA (Environmental Protection Agency):			
None of the ingredients are listed.				
IARC (International Agency for Research on C				
64-17-5 Ethanol	1			
· Canadian Domestic Substances List (DSL):				
All ingredients listed on DSL or NDSL.				

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

(Cont'd. on page 9)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 27, 2020

#### Trade name: Hand Sanitizer

(Cont'd. of page 8) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com