according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

1 Identification Product identifier · Trade name: Hardness Buffer · Product code: AR-1001-60 EW Recommended use and restriction on use · Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com **Distributor:** Aqua Analytics 39555 Orchard Hill Place Suite 600, Novi, MI 48375 (888) 712-4000 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07

· Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. · Precautionary statements: P234 Keep only in original container.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer (Cont'd. of page 1) Do not breathe mist/vapors/spray. P260 P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. P403+P233 P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
1336-21-6	Ammonia, aqueous solution	
	Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335	
12125-02-9	ammonium chloride	
	♦ Acute Tox. 4, H302; Eye Irrit. 2A, H319	
12135-76-1	ammonium sulphide	
	Skin Corr. 1B, H314; Eye Dam. 1, H318	
7732-18-5	Water	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· After inhalation:

Supply fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

If experiencing respiratory symptoms: Call a doctor.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

(Cont'd. on page 3)

50.710%

6.73%

0.096%

42.460%

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer

(Cont'd. of page 2)

Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting: immediately call for medical help. Most important symptoms and effects, both acute and delayed: Coughing Strong caustic effect on skin and mucous membranes. Danger of severe eye injury. May cause respiratory irritation. Danger: Danger of gastric perforation. Danger of impaired breathing. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[•] Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Isolate area and prevent access.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

[•] Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard. Send for recovery or disposal in suitable receptacles.

(Cont'd. on page 4)

(Cont'd. of page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer

[•] Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from metals.

Do not store together with acids.

- Store away from oxidizing agents.
- Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

12125-02-9 ami	12125-02-9 ammonium chloride	
REL (USA)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
TLV (USA)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
EL (Canada)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume	
EV (Canada)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume	
LMPE (Mexico)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
	(Cont'd. on page 5)	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer

(Cont'd. of page 4)

• Exposure controls · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Engineering controls: Provide adequate ventilation. • Breathing equipment: Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Protective gloves · Material of gloves Laminated film gloves. • Eye protection: Contact lenses should not be worn. Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment

No relevant information available.

Information on basic physical a	and chemical properties	
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	>9	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

ade name: Hardness Buffer		
		(Cont'd. of page
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.01 g/cm³ (8.43 lbs/gal)	
Relative density:	Not determined.	
· Vapor density:	Not determined.	
· Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/w	vater): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
[·] Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals.

· Conditions to avoid No relevant information available.

- [·] Incompatible materials
- Metals.

Acids.

Oxidizing agents.

Hazardous decomposition products

Under fire conditions only: Nitrogen oxides Chlorine compounds Sulfur oxides (SOx)

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

12125-02-9 ammonium chloride

Oral LD50 1650 mg/kg (rat)

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020 Trade name: Hardness Buffer (Cont'd. of page 6) · Primary irritant effect: · On the skin: Strong caustic effect on skin and mucous membranes. · On the eve: Strong caustic effect. · Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage. Irritating to respiratory system. · Repeated dose toxicity: No relevant information available. • Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. · STOT-single exposure: May cause respiratory irritation. • STOT-repeated exposure: Based on available data, the classification criteria are not met. · Aspiration hazard: Based on available data, the classification criteria are not met. **12 Ecological information** · Toxicitv · Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer

(Cont'd. of page 7)

[.] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN2672
UN proper shipping name DOT ADR/RID/ADN, IMDG, IATA	Ammonia solution AMMONIA SOLUTION
Transport hazard class(es)	
DOT	
CHARMAN A	
Class Label	8 8
ADR/RID/ADN	
Class Label	8 (C5) 8
IMDG, IATA	0
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Alkalis
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer

(Cont'd. of page 8)

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA · Section 302 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): 1336-21-6 Ammonia, aqueous solution TSCA (Toxic Substances Control Act) 1336-21-6 Ammonia, aqueous solution 12125-02-9 ammonium chloride 12135-76-1 ammonium sulphide 7732-18-5 Water · Proposition 65 (California) · Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental toxicity for females: None of the ingredients are listed. · Chemicals known to cause developmental toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. • EPA (Environmental Protection Agency): None of the ingredients are listed. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. Canadian Domestic Substances List (DSL): None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- OSHA: Occupational Safety & Health Administration

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 03, 2020

Trade name: Hardness Buffer

Met. Corr.1: Corrosive to metals - Category 1

(Cont'd. of page 9)

Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com