Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

1 Identification	
Product identifier	
 Trade name: <u>Hardness Buffer</u> Product code: DU409723 	
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647 	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
Classification of the substance or mixtureMet. Corr.1H290May be corrosive to metals.Skin Corr. 1CH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.	r dizziness
Classification of the substance or mixtureMet. Corr.1H290May be corrosive to metals.Skin Corr. 1CH314Causes severe skin burns and eye damage.	
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness o Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (* Hazard pictograms: GHS05 GHS07 Signal word: Danger Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Precautionary statements:	
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness o Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (* Hazard pictograms: GHS05 GHS07 Signal word: Danger Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H314 Causes severe skin burns and eye damage. H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. 	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer (Cont'd. of page 1) P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P363 Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. P390 P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. Store in corrosive resistant container with a resistant inner liner. P406 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Componen	ts:	
7732-18-5	Water	>80%
1336-21-6	ammonia Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 STOT SE 3, H335	5-10%
12125-02-9	ammonium chloride 〈〉Acute Tox. 4, H302; Eye Irrit. 2A, H319	1-5%
14402-88-1	Disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] magnesate(2-) Skin Irrit. 2, H315 Eye Irrit. 2B, H320	<1%
12135-76-1	ammonium sulphide ♦ Skin Corr. 1B, H314; Eye Dam. 1, H318	<1%
· Additional	nformation:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

• Description of first aid measures

· After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing. Seek medical help for symptoms or if unconscious.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer

(Cont'd. of page 2) · After skin contact: Immediately remove any clothing soiled by the product. Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eve. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Dizziness Coughing Strong irritant with the danger of severe eye injury. Caustic effect on skin and mucous membranes. May cause respiratory irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Breathing difficulty Danger: Danger of impaired breathing. Danger of gastric perforation. May cause drowsiness or dizziness. Indication of any immediate medical attention and special treatment needed: Later observation for pneumonia and pulmonary edema. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- [•] Extinguishing media
- Suitable extinguishing agents:
- The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- [•] Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer

(Cont'd. of page 3)

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

• Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Do not store together with acids.

Store away from oxidizing agents.

Store away from metals.

• Further information about storage conditions: Keep containers tightly sealed.

• **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

12125-02-9 an	nmonium chloride	
REL (USA)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
TLV (USA)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
EL (Canada)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
		(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer

	(Cont'd. of page
	fume
	Short-term value: 20 mg/m³
	Long-term value: 10 mg/m³ fume
	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³
The usual precau Keep away from Immediately reme Wash hands befo Do not inhale gas Avoid contact wit Engineering cor Breathing equip Protection of ha	ive and hygienic measures: utionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. ove all soiled and contaminated clothing. ore breaks and at the end of work. ses / fumes / aerosols. h the eyes and skin. htrols: Provide adequate ventilation. oment: Use suitable respiratory protective device when high concentrations are present. ands: //e gloves al has to be impermeable and resistant to the product/ the substance/ the preparation. es BR
Eye protection:	lasses
Follow relevant n	ational guidelines concerning the use of protective eyewear.
	ational guidelines concerning the use of protective eyewear. •: Protective work clothing
 Body protection Limitation and 	a: Protective work clothing
 Body protection Limitation and No relevant inform 	n: Protective work clothing I supervision of exposure into the environment mation available.
 Body protection Limitation and No relevant inform 	a: Protective work clothing
 Body protection Limitation and No relevant inform 	n: Protective work clothing I supervision of exposure into the environment mation available.
 Body protection Limitation and No relevant inform Risk managem 	n: Protective work clothing I supervision of exposure into the environment mation available.
 Body protection Limitation and No relevant inforr Risk managem 9 Physical and 	a: Protective work clothing a supervision of exposure into the environment mation available. nent measures No relevant information available. chemical properties
 Body protection Limitation and No relevant inforr Risk managem 9 Physical and Information or 	a: Protective work clothing I supervision of exposure into the environment mation available. Thent measures No relevant information available.
 Body protection Limitation and No relevant inform Risk managem 9 Physical and 	Protective work clothing Supervision of exposure into the environment mation available. nent measures No relevant information available. Chemical properties basic physical and chemical properties
 Body protection Limitation and No relevant inforr Risk manager 9 Physical and Information or Appearance: 	a: Protective work clothing a supervision of exposure into the environment mation available. nent measures No relevant information available. chemical properties
 Body protection Limitation and No relevant inforr Risk manager 9 Physical and Information on Appearance: Form: 	Protective work clothing Supervision of exposure into the environment mation available. nent measures No relevant information available. chemical properties basic physical and chemical properties Liquid
 Body protection Limitation and No relevant inforr Risk managem 9 Physical and Information on Appearance: Form: Color: 	Protective work clothing Supervision of exposure into the environment mation available. nent measures No relevant information available. Chemical properties Liquid Colorless Ammonia-like
 Body protection Limitation and No relevant inforr Risk manager 9 Physical and 9 Physical and Information or Appearance: Form: Color: Odor: Odor threshold: 	Protective work clothing Supervision of exposure into the environment mation available. nent measures No relevant information available. chemical properties basic physical and chemical properties Liquid Colorless Ammonia-like Not determined.
 Body protection Limitation and No relevant inforr Risk managem 9 Physical and Information on Appearance: Form: Color: Odor: 	Protective work clothing Supervision of exposure into the environment mation available. nent measures No relevant information available. chemical properties basic physical and chemical properties Liquid Colorless Ammonia-like Not determined. Alkaline

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

ade name: Hardness Buffer		
		(Cont'd. of page
· Boiling point/Boiling range:	>100 °C (>212 °F)	
· Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
[·] Density: Relative density: Vapor density: Evaporation rate:	Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with Water: 	Easily soluble.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity Dynamic: Kinematic: • Other information	Not determined. Not determined.	
• Other information	No relevant information available.	

10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Corrodes aluminium.

Strong exothermic reaction with acids.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid No relevant information available.

· Incompatible materials No relevant information available.

[•] Hazardous decomposition products

Under fire conditions only:

Chlorine compounds

Nitrogen oxides (NOx)

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer

(Cont'd. of page 6)

11 Toxicological information Information on toxicological effects · Acute toxicity: Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: 12125-02-9 ammonium chloride Oral LD50 1650 mg/kg (rat) · Primary irritant effect: · On the skin: Caustic effect on skin and mucous membranes. • On the eye: Strong irritant with the danger of severe eye injury. · Sensitization: Based on available data, the classification criteria are not met. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. • Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. • Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • **Reproductive toxicity:** Based on available data, the classification criteria are not met. · STOT-single exposure: May cause respiratory irritation. May cause drowsiness or dizziness. • STOT-repeated exposure: Based on available data, the classification criteria are not met. • Aspiration hazard: Based on available data, the classification criteria are not met. 12 Ecological information · Toxicity · Aquatic toxicity No relevant information available. · Persistence and degradability No relevant information available. · Bioaccumulative potential: No relevant information available. · Mobility in soil: No relevant information available.

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer

(Cont'd. of page 7)

· Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number	UN2672
DOT, ADR/RID/ADN, IMDG, IATA	0112072
UN proper shipping name DOT, IATA	Ammonia solution
ADR/RID/ADN, IMDG	AMMONIA SOLUTION
Transport hazard class(es)	
DOT	
SCHEROSTE	
Class	8
Label	8
ADR/RID/ADN	
Class	8 (C5)
Label	8
IMDG, IATA	
Class	8
Label	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

Trade name: Hardness Buffer

	(Cont'd. of pag
[·] Environmental hazards [·] Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler co EMS Number: Segregation groups	Warning: Corrosive substances ode): 80 F-A,S-B Alkalis
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.
Regulatory information	
mixture	egulations/legislation specific for the substance
SARA	ances):
SARA	ances):
• SARA • Section 302 (extremely hazardous substance) None of the ingredients are listed.	-
• SARA • Section 302 (extremely hazardous substance) None of the ingredients are listed.	-
• SARA • Section 302 (extremely hazardous substance) None of the ingredients are listed. • Section 313 (Specific toxic chemical listing) 1336-21-6 ammonia	-
• SARA • Section 302 (extremely hazardous substance) None of the ingredients are listed. • Section 313 (Specific toxic chemical listing) 1336-21-6 ammonia	-
SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing 1336-21-6 ammonia TSCA (Toxic Substances Control Act) All ingredients are listed or exempt.	-
 SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing 1336-21-6) ammonia TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) 	-
SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing) 1336-21-6 ammonia TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California)	-
 SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing) Section 313 (Specific toxic chemical listing) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. 	ings):
 SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing) Section 313 (Specific toxic chemical listing) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. 	ings):
 SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing 1336-21-6 ammonia) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause development None of the ingredients are listed. 	ings): tal toxicity for females:
 SARA Section 302 (extremely hazardous substance) None of the ingredients are listed. Section 313 (Specific toxic chemical listing 1336-21-6 ammonia) TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause development None of the ingredients are listed. 	ings): tal toxicity for females:
Section 313 (Specific toxic chemical listi 1336-21-6 ammonia TSCA (Toxic Substances Control Act) All ingredients are listed or exempt. Proposition 65 (California) Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause development None of the ingredients are listed. Chemicals known to cause development	ings): tal toxicity for females: tal toxicity for males:

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any (Cont'd. on page 10)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 27, 2021

	(Cont'd. of page
sp	pecific product features and shall not establish a legally valid contractual relationship.
· A	bbreviations and acronyms:
	DR: European Agreement concerning the International Carriage of Dangerous Goods by Road
	IDG: International Maritime Code for Dangerous Goods
	OT: US Department of Transportation TA: International Air Transport Association
	AS: Chemical Abstracts Service (division of the American Chemical Society)
	250: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent
	SHA: Occupational Safety & Health Administration
	et. Corr.1: Corrosive to metals – Category 1
	cute Tox. 4: Acute toxicity – Category 4
	kin Corr. 1B: Skin corrosion/irritation – Category 1B kin Corr. 1C: Skin corrosion/irritation – Category 1C
	xin Irrit. 2: Skin corrosion/irritation – Category 2
	e Dam. 1: Serious eye damage/eye irritation – Category 1
	/e Irrit. 2A: Serious eye damage/eye irritation – Category 2A
	/e Irrit. 2B: Serious eye damage/eye irritation – Category 2B
	FOT SE 3: Specific target organ toxicity (single exposure) – Category 3
-	ources
	/ebsite, European Chemicals Agency (echa.europa.eu)
	/ebsite, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/hon
0١	verview/home.do)
W	/ebsite, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
	atty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
С	asarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISE 78-0-07-176923-5
• •	afety Data Sheets, Individual Manufacturers