Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Hardness Buffer Solution</u></li> <li>Product code: DUMTK-724-32</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647</li> </ul>
<ul> <li>Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)</li> </ul>
2 Hazard(s) identification
2 Hazard(s) identification Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.
• Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.
<ul> <li>Classification of the substance or mixture</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>
<ul> <li>Classification of the substance or mixture</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

#### Trade name: Hardness Buffer Solution

	(Cont'd. of page 1)
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment - See Section 4 of this Safety Data Sheet.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Other hazards	There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Components:			
141-43-5	2-aminoethanol	20.58%	
	<ul> <li>Skin Corr. 1B, H314; Eye Dam. 1, H318</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335</li> <li>Flam. Liq. 4, H227</li> </ul>		
1313-82-2	disodium sulphide	0.5%	
	Acute Tox. 3, H311 Skin Corr. 1B, H314 Acute Tox. 4, H302		
14402-88-1	Disodium [[N,N'-ethylenebis[N-(carboxymethyl)glycinato]](4-)-N,N',O,O',ON,ON'] magnesate(2-)	0.5%	
	Skin Irrit. 2, H315 Eye Irrit. 2B, H320		
7732-18-5	Water	76.02%	
7647-01-0	Hydrochloric acid	2.4%	
	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335		
· Additional i	information:	<u> </u>	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

#### <sup>•</sup> Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

#### Trade name: Hardness Buffer Solution

(Cont'd. of page 2)

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Most important symptoms and effects, both acute and delayed:
- Coughing

Gastric or intestinal disorders when ingested.

Irritating to eyes, respiratory system and skin.

Danger: No relevant information available.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

#### 5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

• Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

<sup>•</sup> Advice for firefighters

#### Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

<sup>•</sup> Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

### Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### Methods and material for containment and cleaning up

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

	(Cont'd. of pa			
Handling	<b>4</b> · · · · · · ·			
Precautions for Prevent formation				
	or spray in enclosed areas.			
	ventilated areas.			
	out protection against explosions and fires: No special measures required.			
· Conditions fo	r safe storage, including any incompatibilities			
	to be met by storerooms and receptacles:			
Suitable materia	I for receptacles and pipes: glass.			
	erial for receptacle: aluminium.			
	rial for receptacle: steel. out storage in one common storage facility:			
Store away from				
	ether with alkalis (caustic solutions).			
Store away from	oxidizing agents.			
Store away from				
	Further information about storage conditions:			
· Further information				
• Further informative Keep containers	s tightly sealed.			
• Further informative Keep containers Store in cool, dr	s tightly sealed. y conditions in well sealed receptacles.			
• Further informative Keep containers Store in cool, dr	s tightly sealed.			
Further informa Keep containers Store in cool, dr Specific end u	s tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available.			
Further informa Keep containers Store in cool, dr Specific end u	s tightly sealed. y conditions in well sealed receptacles.			
Further informative for the set of the set o	stightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection			
Further informative Keep containers Store in cool, dr Specific end u B Exposure co Control paran Components w	e tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection meters rith limit values that require monitoring at the workplace:			
Further informative for the set of the set o	stightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of			
Further informative for the set of the set o	<pre>stightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit.</pre>			
Further informative for the set of the set o	a tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid			
Further informative for the set of the set o	a tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm			
Further informative for the set of the set o	stightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm			
Further informative for the set of the set o	stightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m <sup>3</sup> , 10 ppm Short-term value: 37 mg/m <sup>3</sup> , 15 ppm Long-term value: 25 mg/m <sup>3</sup> , 10 ppm			
Further informative for the set of the set o	a tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. Introls/personal protection Inters Inth limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Short-term value: 37 mg/m³, 15 ppm Short-term value: 37 mg/m³, 15 ppm			
Further informative for the set of the set o	a tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. Introls/personal protection Introls/personal protection Introls/personal protection Inters Inth limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 37 mg/m³, 15 ppm Long-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			
Further informative for the set of the set o	stightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. ontrols/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 37 mg/m³, 15 ppm Short-term value: 37 mg/m³, 15 ppm Short-term value: 37 mg/m³, 10 ppm Short-term value: 37 mg/m³, 10 ppm Short-term value: 15 ppm			
Further informative formative format	a tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. Introls/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 15 ppm Long-term value: 10 ppm			
Further informative for the set of the set o	e tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. meters meters with limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 25 mg/m³, 15 ppm Long-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 37 mg/m³, 15 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 37 mg/m³, 15 ppm			
Further informative formative format	a tightly sealed. y conditions in well sealed receptacles. use(s) No relevant information available. Introls/personal protection neters rith limit values that require monitoring at the workplace: constituent is the only constituent of the product which has a PEL, TLV or of exposure limit. acid Long-term value: 25 mg/m³, 10 ppm Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm Short-term value: 15 ppm Long-term value: 10 ppm			

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.


Avoid contact with the eyes and skin.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

(Cont'd. on page 6)



Not determined.

Not applicable.

Not determined.

Not determined.

Not determined.

>100 °C (>212 °F) >100 °C (>212 °F)

The product is not flammable.

Product does not present an explosion hazard.

• Melting point/Melting range:

· Boiling point/Boiling range:

· Flammability (solid, gaseous):

• Auto-ignition temperature:

· Danger of explosion:

 Explosion limits Lower:

· Decomposition temperature:

· Flash point:

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

		(Cont'd. of pa
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octano	l/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

### 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

#### <sup>•</sup> Possibility of hazardous reactions

Corrosive action on metals.

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Reacts with strong oxidizing agents.

- Conditions to avoid No relevant information available.
- <sup>·</sup> Incompatible materials
- Alkalis

Metals.

Oxidizing agents.

#### Hazardous decomposition products

Carbon monoxide and carbon dioxide Nitrogen oxides Chlorine compounds

### 11 Toxicological information

#### <sup>·</sup> Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

#### 124-68-5 2-amino-2-methylpropanol

Oral LD50 2700-3100 mg/kg (rat)

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

	de name: Hardness Buffer Solution
	Cont'd. of page
	Primary irritant effect: On the skin: Irritant to skin and mucous membranes.
	On the eye: Causes serious eye irritation.
	Sensitization: Based on available data, the classification criteria are not met.
	IARC (International Agency for Research on Cancer):
	7647-01-0 Hydrochloric acid
• NTP (National Toxicology Program):	
1	None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):	
1	None of the ingredients are listed.
	Probable route(s) of exposure:
	Ingestion.
	Inhalation.
	Eye contact.
	Skin contact.
	Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes, respiratory system and skin
	Repeated dose toxicity: No relevant information available. Germ cell mutagenicity: Based on available data, the classification criteria are not met.
	Carcinogenicity: Based on available data, the classification criteria are not met.
	<b>Reproductive toxicity:</b> Based on available data, the classification criteria are not met.
	STOT-single exposure: May cause respiratory irritation.
	STOT-repeated exposure: Based on available data, the classification criteria are not met.
	Aspiration hazard: Based on available data, the classification criteria are not met.

# **12 Ecological information**

### · Toxicity

· Aquatic toxicity No relevant information available.

- \* Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

#### Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage svstem.

Rinse off of bigger amounts into drains or the aguatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

#### 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and (Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

#### Trade name: Hardness Buffer Solution

(Cont'd. of page 7) disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations. • **Recommended cleansing agent:** Water, if necessary with cleansing agents.

Transport information		
<sup>·</sup> UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
<sup>·</sup> UN proper shipping name <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
<sup>·</sup> Transport hazard class(es)		
<sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA <sup>·</sup> Class	Not regulated.	
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne MARPOL73/78 and the IBC Code	<b>x II of</b> Not applicable.	

### 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

7647-01-0 Hydrochloric acid

• TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 23, 2020

Trade name: Ha	ardness Buffer	Solution
----------------	----------------	----------

(Cont'd. of page 8)

3

• Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

7647-01-0 Hydrochloric acid

Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 4: Flammable liquids - Category 4 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers