according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

1 Identification · Product identifier · Trade name: Hardness Titrant, High · Product code: NCED2070-B Recommended use and restriction on use · Recommended use: Laboratory chemicals • Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Nashville Chemical 7001 Westbelt Drive, Nashville, TN 37209 (615) 350-7070 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS08 · Signal word: Warning · Hazard statements: H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Precautionary statements: P260 Do not breathe dust/fume/gas/mist/vapors/spray. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. **Other hazards** There are no other hazards not otherwise classified that have been identified. (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name: Hardness Titrant, High

(Cont'd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

139-33-3	Disodium dihydrogenethylenediaminetetraacetate	<6%
	STOT RE 2, H373	
	🚯 Acute Tox. 4, H332	
1310-73-2	Sodium hydroxide	<1%
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
7786-30-3	magnesium chloride	<1%
7732-18-5	Water	>90%
ا م مر م الجالم ام ۸	information.	

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air.

If experiencing respiratory symptoms: Call a doctor.

• After skin contact:

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

· Danger:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

- Suitable extinguishing agents:
- The product is not flammable.

Use fire fighting measures that suit the environment.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name: Hardness Titrant, High

(Cont'd. of page 2)

• For safety reasons unsuitable extinguishing agents: No relevant information available. • Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Environmental precautions No special measures required.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from foodstuffs.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

1310-73-2 Sodium hydroxide

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name: Har	Iness Titrant, High		
			(Cont'd. of page 3
PEL (USA)	Long-term value: 2 mg/	m³	· · · -
REL (USA)	Ceiling limit value: 2 mg	ŋ/m³	
TLV (USA)	Ceiling limit value: 2 mg	J/M³	
EL (Canada)	Ceiling limit value: 2 mg	J/M ³	
EV (Canada)	Ceiling limit value: 2 mg	J/M³	
LMPE (Mexico)	Ceiling limit value: 2 mg	ŋ/m³	
The usual preca Keep away from Wash hands be Engineering co Breathing equ Not required un Use suitable res Protection of h	n foodstuffs, beverages a fore breaks and at the er ontrols: Provide adequat pment: der normal conditions of spiratory protective device	andling chemicals should be followed. and feed. nd of work. te ventilation.	
 Material of glo Butyl rubber, Bl Natural rubber, Neoprene glove Nitrile rubber, N Fluorocarbon ru Sensibilization I Eye protection 	R NR s BR bber (Viton) by the components in the	glove materials is possible.	
Safety	glasses		
 Body protection Limitation and 	n: Protective work clothi	erning the use of protective eyewear. ng osure into the environment	
9 Physical and	d chemical properti	es	
	n basic physical and	l chemical properties	
 Appearance: Form: 		Liquid	
Color:		Colorless	
		Oderlage	

Odorless

8-10

Not determined.

· Odor threshold: · pH-value at 20 °C (68 °F):

· Odor:

Г

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

		(Cont'd. of pa
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100-105 °C (212-221 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.01-1.05 g/cm ³ (8.43-8.76 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

- Contact with acids releases toxic gases.
- Exothermic reaction with acids.
- Reacts with strong oxidizing agents.
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products
- Under fire conditions only:
- Nitrogen oxides
- Carbon monoxide and carbon dioxide
- Chlorine compounds

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name: Hardness Titrant, High

(Cont'd. of page 5)

1 Toxicol	ogical information
	tion on toxicological effects
· Acute tox	-
	values that are relevant for classification:
•	ite Toxicity Estimate)
	LC50/4h >27.8 mg/l
	rritant effect:
	kin: Based on available data, the classification criteria are not met.
	ye: Based on available data, the classification criteria are not met.
	tion: Based on available data, the classification criteria are not met.
•	ernational Agency for Research on Cancer):
	he ingredients are listed.
· NTP (Nati	ional Toxicology Program):
None of th	he ingredients are listed.
· OSHA-Ca	a (Occupational Safety & Health Administration):
None of th	he ingredients are listed.
· Probable	route(s) of exposure:
Ingestion.	
Inhalation	
Eye conta	
Skin conta	
	ects (acute toxicity, irritation and corrosivity): No relevant information available.
	dose toxicity: Possible risk of irreversible effects.
	I mutagenicity: Based on available data, the classification criteria are not met.
	enicity: Based on available data, the classification criteria are not met.
	ctive toxicity: Based on available data, the classification criteria are not met.
	ngle exposure: Based on available data, the classification criteria are not met.
	beated exposure: se damage to the respiratory tract through prolonged or repeated exposure. Route of exposur
Inhalation	
	n hazard: Based on available data, the classification criteria are not met.
2 Ecologi	ical information
[.] Toxicity	
	oxicity No relevant information available.
	nce and degradability No relevant information available.
	nulative potential: No relevant information available.
	in soil: No relevant information available.
	nal ecological information
	notes: Do not allow product to reach ground water, water course or sewage system.
· Other ad	dverse effects No relevant information available.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name: Hardness Titrant, High

(Cont'd. of page 6)

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
[·] UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA Section 302 (extremely hazardous substances): None of the ingredients are listed. Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): None of the ingredients are listed.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name:	Hardness	Titrant,	High
-------------	----------	----------	------

(Cont'd.	of	page	7)
(0000	•••	p~ge	• ,

 TSCA (Toxic Substances Control Ac 	t)
---	----

139-33-3 Disodium dihydrogenethylenediaminetetraacetate

7786-30-3 magnesium chloride

1310-73-2 Sodium hydroxide

7732-18-5 Water

• Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. (Cont'd. on page 9)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: October 16, 2019

Trade name: Hardness Titrant, High

(Cont'd. of page 8)

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com