Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Γ

Revision: September 17, 2020

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Hardness Titrant, Low</u></li> <li>Product code: DUED2073-B</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647</li> <li>Emergency telephone number:</li> </ul>
Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
Classification of the substance or mixture
Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation.
<ul> <li>Classification of the substance or mixture</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> </ul>
Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation.
<ul> <li>Classification of the substance or mixture</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure.</li> </ul>
<ul> <li>Classification of the substance or mixture</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>
<ul> <li>Classification of the substance or mixture</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2A H319 Causes serious eye irritation.</li> <li>STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.</li> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> <li>GHS07 GHS08</li> <li>Signal word: Warning</li> <li>Hazard statements: H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> </ul>
<ul> <li>Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> <li>GHS07 GHS08</li> <li>Signal word: Warning</li> <li>Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.</li> </ul>
<ul> <li>Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> <li>GHS07 GHS08</li> <li>Signal word: Warning</li> <li>Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of</li> </ul>

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

### Trade name: Hardness Titrant, Low

(Cont'd. of page 1) P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. P314 P332+P313 If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. P362+P364 P337+P313 If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international P501 regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Components:		
7732-18-5	Water	>80%
	Disodium dihydrogenethylenediaminetetraacetate STOT RE 2, H373 Acute Tox. 4, H332	<10%
	Sodium hydroxide Net. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	<2%
	Magnesium chloride hexahydrate	<1%

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

### 4 First-aid measures

### <sup>•</sup> Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

### Most important symptoms and effects, both acute and delayed:

Irritating to eyes and skin.

Gastric or intestinal disorders when ingested.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

#### Trade name: Hardness Titrant, Low

(Cont'd. of page 2)

### **5** Fire-fighting measures

#### Extinguishing media

· Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- <sup>•</sup> Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

### • Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

### **Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

### <sup>·</sup> Handling

Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

### <sup>•</sup> Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Store away from foodstuffs.

• Further information about storage conditions: Keep containers tightly sealed.

• **Specific end use(s)** No relevant information available.

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

Trade name: Hardness Titrant, Low

I

(Cont'd. of page 3)

	<b>vith limit values that require monitoring at the workplace:</b> constituent is the only constituent of the product which has a PEL, TLV or c exposure limit.
1310-73-2 Sod	•
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m³
EV (Canada)	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m³
Keep away from Wash hands be Engineering c Breathing equ Not required un Use suitable re Protection of h	der normal conditions of use. spiratory protective device when aerosol or mist is formed. <b>nands:</b> tive gloves <b>ves</b> R NR es IBR JBR
Safety	glasses
Body protection	national guidelines concerning the use of protective eyewear. on: Protective work clothing Id supervision of exposure into the environment ormation available.

(Cont'd. on page 5)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

		(Cont'd. of pa
Information on basic physical a	and chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	8-10	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100-105 °C (212-157 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	1.01-1.05	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

### 10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

<sup>•</sup> Possibility of hazardous reactions

Contact with acids releases toxic gases.

Exothermic reaction with acids.

Reacts with strong oxidizing agents.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

Trade nam	e: Hardness	Titrant, Low
-----------	-------------	--------------

(Cont'd. of page 5)

Toxic fumes may be released if heated above the decomposition point.

• Conditions to avoid No relevant information available.

· Incompatible materials No relevant information available.

<sup>•</sup> Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides

Carbon monoxide and carbon dioxide Chlorine compounds

# 11 Toxicological information

Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

6381-92-6 Disodium dihydrogen ethylenediaminetetraacetate

Oral LD50 2800 mg/kg (rat)

Primary irritant effect:

• On the skin: Irritant to skin and mucous membranes.

· On the eye: Irritating effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

• Aspiration hazard: Based on available data, the classification criteria are not met.

### **12 Ecological information**

<sup>·</sup> Toxicity

• Aquatic toxicity No relevant information available.

\* Persistence and degradability No relevant information available.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

### Trade name: Hardness Titrant, Low

(Cont'd. of page 6)

· Bioaccumulative potential: No relevant information available.

· Mobility in soil: No relevant information available.

### <sup>•</sup> Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

### **13 Disposal considerations**

### <sup>•</sup> Waste treatment methods

### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

4 Transport information	
<sup>·</sup> UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
<sup>·</sup> UN proper shipping name <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Transport hazard class(es)	
<ul> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> <li>Class</li> </ul>	Not regulated.
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Not regulated.
• Environmental hazards • Marine pollutant:	No
Special precautions for user	Not applicable.
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	<b>k II of</b> Not applicable.

### 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

SARA

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

	(Cont'd. of pag
Section 302 (extremely hazardous substances):	(
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
139-33-3 Disodium dihydrogenethylenediaminetetraacetate	
7786-30-3 magnesium chloride	
1310-73-2 Sodium hydroxide	
7732-18-5 Water	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 17, 2020

### Trade name: Hardness Titrant, Low

(Cont'd. of page 8)

Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers
SDS Prepared by:
ChemTel
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtel.com