

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

1 Identification

- **Product identifier**
- **Trade name:** Hydrochloric Acid, 5% v/v in IPA
- **Product code:** HA6305SS
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331 USA
Tel +1 (717)632-1291
Toll-Free: (866)632-1291
info@aquaphoenixsci.com
- **Distributor:**
AquaPhoenix Scientific
860 Gitts Run Road,
Hanover, PA 17331
(717) 632-1291
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
Met. Corr.1 H290 May be corrosive to metals.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS02 GHS05 GHS07

- **Signal word:** Danger
- **Hazard statements:**
H225 Highly flammable liquid and vapor.
H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Cont'd. on page 2)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 1)

H336 May cause drowsiness or dizziness.

Precautionary statements:





- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P233 Keep container tightly closed.
- P234 Keep only in original container.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing mist, vapors, or spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P370+P378 In case of fire: Use for extinction: Alcohol resistant foam or water spray.
- P390 Absorb spillage to prevent material damage.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P406 Store in corrosive resistant container with a resistant inner liner.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Components:

67-63-0	Propan-2-ol	92.7%
	 Flam. Liq. 2, H225  Eye Irrit. 2A, H319; STOT SE 3, H336	
7647-01-0	Hydrochloric acid	2.7%
	 Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318  Acute Tox. 4, H302; STOT SE 3, H335	
7732-18-5	Water	4.6%

4 First-aid measures

Description of first aid measures

- General information:** Immediately remove any clothing soiled by the product.
- After inhalation:** Supply fresh air; consult doctor in case of complaints.

(Cont'd. on page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 2)

- **After skin contact:**
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Protect unharmed eye.
Remove contact lenses if worn.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Dizziness
Coughing
Strong irritant with the danger of severe eye injury.
Causes skin irritation.
Gastric or intestinal disorders when ingested.
Acidosis
Disorientation
- **Danger:**
Danger of gastric perforation.
Causes mild skin irritation.
Causes serious eye damage.
May cause drowsiness or dizziness.
- **Indication of any immediate medical attention and special treatment needed:**
Medical supervision for at least 48 hours.
If necessary oxygen respiration treatment.
If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Alcohol resistant foam
Carbon dioxide
Gaseous extinguishing agents
Water fog / haze
Water spray
Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:** Water stream.
- **Special hazards arising from the substance or mixture**
Highly flammable liquid and vapor.
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:**
Eliminate all ignition sources if safe to do so.
Use large quantities of foam as it is partially destroyed by the product.
Cool endangered receptacles with water in flooding quantities.

(Cont'd. on page 4)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 3)

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

· **Environmental precautions**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· **Methods and material for containment and cleaning up**

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling**

· **Precautions for safe handling:**

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· **Information about protection against explosions and fires:**

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· **Conditions for safe storage, including any incompatibilities**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

· **Further information about storage conditions:**

Keep containers tightly sealed.

This product is hygroscopic.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

(Cont'd. on page 5)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 4)

· **Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

67-63-0 Propan-2-ol

PEL (USA)	Long-term value: 980 mg/m ³ , 400 ppm
REL (USA)	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV (USA)	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE

· **Ingredients with biological limit values:**

67-63-0 Propan-2-ol

BEI (USA)	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----------	---

· **Exposure controls**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

· **Engineering controls:** Provide adequate ventilation.

· **Breathing equipment:** Suitable respiratory protective device recommended.

· **Protection of hands:**



Protective gloves

· **Material of gloves**

Fluorocarbon rubber (Viton)
Butyl rubber, BR
Natural rubber, NR
Laminated film gloves.

· **Not suitable are gloves made of the following materials:**

PVC gloves
PVA gloves

· **Eye protection:**

(Cont'd. on page 6)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 5)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**
No relevant information available.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

- | | |
|-----------------|-----------------|
| Form: | Fluid |
| Color: | Clear |
| Odor: | Alcohol-like |
| Odor threshold: | Not determined. |

- | | |
|------------------------------|----------------------|
| pH-value: | Not determined. |
| Melting point/Melting range: | -89.5 °C (-129.1 °F) |
| Boiling point/Boiling range: | 82 °C (179.6 °F) |

- | | |
|--------------|-----------------|
| Flash point: | 13 °C (55.4 °F) |
|--------------|-----------------|

- | | |
|--------------------------------|-----------------|
| Flammability (solid, gaseous): | Not applicable. |
|--------------------------------|-----------------|

- | | |
|----------------------------|-----------------|
| Auto-ignition temperature: | 425 °C (797 °F) |
|----------------------------|-----------------|

- | | |
|----------------------------|-----------------|
| Decomposition temperature: | Not determined. |
|----------------------------|-----------------|

- | | |
|----------------------|--|
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
|----------------------|--|

· Explosion limits

- | | |
|--------|----------|
| Lower: | 2 Vol % |
| Upper: | 12 Vol % |

- | | |
|-----------------------|-----------------|
| Oxidizing properties: | Not determined. |
|-----------------------|-----------------|

- | | |
|----------------------------------|---------------------|
| Vapor pressure at 20 °C (68 °F): | 43 hPa (32.3 mm Hg) |
|----------------------------------|---------------------|

- | | |
|---------------------------|---------------------------------------|
| Density at 20 °C (68 °F): | 0.79 g/cm ³ (6.59 lbs/gal) |
| Relative density: | Not determined. |
| Vapor density: | Not determined. |
| Evaporation rate: | Not determined. |

- | | |
|---|-------|
| Solubility in / Miscibility with
Water at 20 °C (68 °F): | 1 g/l |
|---|-------|

- | | |
|--|-----------------|
| Partition coefficient (n-octanol/water): | Not determined. |
|--|-----------------|

· Viscosity

- | | |
|---------------------------|-----------------|
| Dynamic at 20 °C (68 °F): | 2.43 mPas |
| Kinematic: | Not determined. |

- | | |
|-------------------|------------------------------------|
| Other information | No relevant information available. |
|-------------------|------------------------------------|

(Cont'd. on page 7)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 6)

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Highly flammable liquid and vapor.
Reacts violently with oxidizing agents.
Reacts with alkali (lyes).
Used empty containers may contain product gases which form explosive mixtures with air.
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid**
Keep ignition sources away - Do not smoke.
Store away from oxidizing agents.
- **Incompatible materials** No relevant information available.
- **Hazardous decomposition products**
Under fire conditions only:
Carbon monoxide and carbon dioxide
Chlorine compounds

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-63-0 Propan-2-ol

Oral	LD50	5,045 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4h	30 mg/l (rat)

· Primary irritant effect:

· On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

· On the eye: Irritating effect.

· Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

All components have the value 3.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

(Cont'd. on page 8)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 7)

Inhalation.

Eye contact.

Skin contact.

· **Acute effects (acute toxicity, irritation and corrosivity):**

Vapors have narcotic effect.

Causes serious eye irritation.

Causes mild skin irritation.

· **Repeated dose toxicity:** No relevant information available.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:** Based on available data, the classification criteria are not met.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** May cause drowsiness or dizziness.

· **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity** No relevant information available.

· **Persistence and degradability** No relevant information available.

· **Bioaccumulative potential:** No relevant information available.

· **Mobility in soil:** No relevant information available.

· **Additional ecological information**

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Other adverse effects** No relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· **Uncleaned packagings**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**

· **DOT, ADR/RID/ADN, IMDG, IATA**

UN2924

· **UN proper shipping name**

(Cont'd. on page 9)









Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 8)

· DOT	Flammable liquids, corrosive, n.o.s. (ISOPROPANOL)
· ADR/RID/ADN, IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ISOPROPANOL)
· Transport hazard class(es)	
· DOT	
 	
· Class	3
· Label	3, 8
· ADR/RID/ADN	
 	
· Class	3 (FC)
· Label	3+8
· IMDG	
 	
· Class	3
· Label	3/8
· IATA	
 	
· Class	3
· Label	3 (8)
· Packing group	
· DOT, ADR/RID/ADN, IMDG, IATA	II
· Environmental hazards	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	338
· EMS Number:	F-E,S-C
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture (Cont'd. on page 10)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 9)

· **United States (USA)**

· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

67-63-0 Propan-2-ol

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

All components have the value 3.

· **Canadian Domestic Substances List (DSL):**

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids – Category 2

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Cont'd. on page 11)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Hydrochloric Acid, 5%v/v in IPA

(Cont'd. of page 10)

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com