acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

SECTION 1: Identification

1.1 Product identifier

Trade name Product code(s)

Indium Chloride Standard

IC2000STND

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Uses advised against laboratory and analytical use

Do not use for products which come into direct contact with the skin.

Date of compilation: 2024-05-22

1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc 860 Gitts Run Road Hanover PA 17331 United States

Telephone: (717) 632-1291 e-mail: info@aquaphoenixsci.com

1.4 Emergency telephone number

Emergency information service

ChemTel Inc. (800) 255-3924 (North America) +1 (813) 248-0585 (International)

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

| Section | Hazard class | Category | Hazard class and cat- egory | Hazard state- ment |
|---------|--|----------|--------------------------------|-----------------------|
| A.2 | skin corrosion/irritation | 1C | Skin Corr. 1C | H314 |
| A.3 | serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| A.9 | specific target organ toxicity - repeated exposure | 1 | STOT RE 1 | H372 |
| B.16 | B.16 substance or mixture corrosive to metals | | Met. Corr. 1 | H290 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05, GHS08



acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

| - Hazard statements | |
|-----------------------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| - Precautionary state | ements |
| P234 | Keep only in original container. |
| P260 | Do not breathe dusts or mists. |
| P270 | Do not eat, drink or smoke when using this product. |
| P280 | Wear eye protection/face protection. |
| P301+P330+P331 | If swallowed: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. |
| P304+P340 | If inhaled: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a poison center/doctor. |
| P321 | Specific treatment (see on this label). |
| P363 | Wash contaminated clothing before reuse. |
| P390 | Absorb spillage to prevent material damage. |
| P405 | Store locked up. |
| P406 | Store in corrosive resistant container with a resistant inner liner. |
| P501 | Dispose of contents/container to industrial combustion plant. |
| | |

- Hazardous ingredients for labelling

indium trichloride, nitric acid

2.3 Other hazards

Hazards not otherwise classified

Corrosive to the respiratory tract.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|---------------------|-------|--|------------|
| Deionized water | CAS No 7732-18-5 | 93.57 | not classified | none |
| Nitric acid | CAS No 7697-37-2 | 4.5 | Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Ox. Liq. 3 / H272 Met. Corr. 1 / H290 | |

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|--------------------|----------------------|------|---|------------|
| Indium trichloride | CAS No 10025-82-8 | 1.93 | Skin Corr. 1C / H314 Eye Dam. 1 / H318 STOT RE 1 / H372 | |

Remarks

Version number: 1.0

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products Nitrogen oxides (NOx)

United States: en

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

Conditions for safe storage, including any incompatibilities 7.2

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Control of the effects

Protect against external exposure, such as

frost

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|---------------|-----------|-----------------|--------------|----------------|---------------|-----------------|--------------------|----------------------|---------------|-------------------------|
| Coun- try | Name of agent | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Nota- tion | Source |
| US | nitric acid | 7697-37-2 | PEL (CA) | 2 | 5 | 4 | 10 | | | | Cal/ OSHA PEL |
| US | nitric acid | 7697-37-2 | REL | 2 (10 h) | 5 (10 h) | 4 | 10 | | | | NIOSH REL |
| US | nitric acid | 7697-37-2 | TLV® | 2 | | 4 | | | | | ACGIH® 2024 |
| US | nitric acid | 7697-37-2 | PEL | 2 | 5 | | | | | | 29 CFR 1910.100 0 |

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified TWA

| Relevant DNELs of components | | | | | | |
|------------------------------|------------|----------|----------------------|------------------------------------|-------------------|---------------------------------|
| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| indium trichloride | 10025-82-8 | DNEL | 6.3 µg/m³ | human, inhalatory | worker (industry) | chronic - local effects |
| indium trichloride | 10025-82-8 | DNEL | 0.12 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic ef- fects |

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

| Relevant PNECs of | fcomponent | s | | | | |
|--------------------|-----------------------------------|------|-------------------------------------|----------------------------|---------------------------------|-----------------------------------|
| Name of substance | Name of substance CAS No Endpoint | | Threshold level | Organism | Environmental com- partment | Exposure time |
| indium trichloride | 10025-82-8 | PNEC | 40.6 ^{µg} / _l | aquatic organisms | freshwater | short-term (single in- stance) |
| indium trichloride | 10025-82-8 | PNEC | 40.6 ^{µg} / _I | aquatic organisms | marine water | short-term (single in- stance) |
| indium trichloride | 10025-82-8 | PNEC | 51.6 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single in- stance) |
| indium trichloride | 10025-82-8 | PNEC | 5,051 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single in- stance) |
| indium trichloride | 10025-82-8 | PNEC | 5,051 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single in- stance) |
| indium trichloride | 10025-82-8 | PNEC | 7.3 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single in- stance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Date of compilation: 2024-05-22

Version number: 1.0

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

| Appearance | |
|---|---|
| Physical state | liquid |
| Color | colorless |
| Particle | not relevant (liquid) |
| Odor | characteristic |
| Other safety parameters | |
| pH (value) | not determined |
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | > 100 °C |
| Flash point | not determined |
| Evaporation rate | not determined |
| Flammability (solid, gas) | not relevant, (fluid) |
| Vapor pressure | < 23.7 mmHg at 25 °C |
| Density | not determined |
| Vapor density | this information is not available |
| Relative density | information on this property is not available |
| Solubility(ies) | |
| - Water solubility | miscible in any proportion |
| Partition coefficient | |
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature | not determined |
| Viscosity | not determined |
| Explosive properties | none |

none

Oxidizing properties

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components | | | | | |
|---|-----------|-------------------|--|--|--|
| Name of substance | CAS No | Exposure route | ATE | | |
| nitric acid | 7697-37-2 | inhalation: vapor | >2.65 ^{mg} / _l /4h | | |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Corrosive to the respiratory tract.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of \geq 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

| SECT | ION 14: Transport information | |
|------|---|--|
| 14.1 | UN number | |
| | DOT | UN 1760 |
| | IMDG-Code | UN 1760 |
| | ICAO-TI | UN 1760 |
| 14.2 | UN proper shipping name | |
| | DOT | Corrosive liquid, n.o.s. |
| | IMDG-Code | CORROSIVE LIQUID, N.O.S. |
| | ICAO-TI | Corrosive liquid, n.o.s. |
| | Technical name (hazardous ingredients) | indium trichloride, nitric acid |
| 14.3 | Transport hazard class(es) | |
| | DOT | 8 |
| | IMDG-Code | 8 |
| | ICAO-TI | 8 |
| 14.4 | Packing group | |
| | DOT | III |
| | IMDG-Code | III |
| | ICAO-TI | III |
| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the danger- ous goods regulations |
| 14.6 | Special precautions for user There is no additional information. | |
| 147 | | |
| 14.7 | Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk. | |
| | Information for each of the UN Model Regulation | — |
| | Transport of dangerous goods by road or rail (49 | CFR US DOT) - Additional information |
| | Particulars in the shipper's declaration | UN1760, Corrosive liquid, n.o.s., (contains: indium trichloride, nitric acid), 8, III |
| | Reportable quantity (RQ) | 22,222 lbs (10,089 kg) (nitric acid) |
| | Danger label(s) | 8 |
| | | |
| | Special provisions (SP) | IB3, T7, TP1, TP28 |
| | ERG No | 154 |
| | | |

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

| number: 1.0 | Date of compilation: 2024-05 | | | | |
|--|---|--|--|--|--|
| International Maritime Dangerous Goods Code (IMDG) - Additional information Marine pollutant - | | | | | |
| | | | | | |
| | | | | | |
| Special provisions (SP) | 223, 274 | | | | |
| Excepted quantities (EQ) | E1 | | | | |
| Limited quantities (LQ) | 5 L | | | | |
| EmS | F-A, S-B | | | | |
| Stowage category | A | | | | |
| International Civil Aviation Organiza | tion (ICAO-IATA/DGR) - Additional information | | | | |
| Danger label(s) | 8 | | | | |
| | | | | | |
| Special provisions (SP) | A3 | | | | |
| Excepted quantities (EQ) | E1 | | | | |
| Limited quantities (LQ) | 1 L | | | | |

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

| The List of Extremely Hazardous Substances and Their Threshold Planning Quantities | | | | | |
|--|-----------|-------|-----------------------------------|--|--|
| Name of substance | CAS No | Notes | Reportable quant- ity (pounds) | Threshold plan- ning quantity (pounds) | |
| nitric acid | 7697-37-2 | | 1,000 | 1000 | |

- Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings | | | |
|---|-----------|--|------------|
| Name of substance CAS No Remarks Effective date | | | |
| nitric acid | 7697-37-2 | | 1986-12-31 |

Г

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|-----------|---------|----------------|----------------------|
| nitric acid | 7697-37-2 | | 1 | 1000 (454) |

Legend

1

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Clean Air Act

| Name of substance | CAS No | Type of registra- tion | Basis for listing | Threshold quantity (lbs) |
|-------------------|-----------|---------------------------|-------------------|-----------------------------|
| nitric acid | 7697-37-2 | Toxic substance | b | 15000 |

Legend b

On EHS list, vapor pressure 10 mmHg or greater.

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

| Name of substance | CAS No | Remarks | Classifications |
|-------------------|-----------|---------|-----------------|
| nitric acid | 7697-37-2 | | CO R2 |

Legend

CO Corrosive

R2 Reactive - Second Degree

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category | Rating | Description |
|---------------------|--------|--|
| Chronic | * | chronic (long-term) health effects may result from repeated overexposure |
| Health | 3 | major injury likely unless prompt action is taken and medical treatment is given |
| Flammability | 0 | material that will not burn under typical fire conditions |
| Physical hazard | 0 | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | - | |

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

| Category | Degree of hazard | Description |
|----------------|---------------------|--|
| Flammability | 0 | material that will not burn under typical fire conditions |
| Health | 3 | material that, under emergency conditions, can cause serious or permanent injury |
| Instability | 0 | material that is normally stable, even under fire conditions |
| Special hazard | | |

National inventories

| Country | Inventory | Status |
|---------|------------|-------------------------------------|
| AU | AIIC | not all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| VN | NCI | all ingredients are listed |
| US | TSCA | all ingredients are listed (ACTIVE) |

Legend

| AIIC CICR | Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation |
|--------------|---|
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |
| | |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

SECTION 16: Other information, including date of preparation or last revision

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Sub- stances (permissible exposure limits) |
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation |
| ACGIH® 2024 | From ACGIH®, 2024 TLVs® and BEIs® Book. Copyright 2024. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presenta-tions/tlv-bei-position-statement |
| Acute Tox. | Acute toxicity |
| ATE | Acute Toxicity Estimate |
| Cal/OSHA PEL | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| DOT | Department of Transportation (USA) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ERG No | Emergency Response Guidebook - Number |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| Met. Corr. | Substance or mixture corrosive to metals |
| NIOSH REL | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs) |
| NLP | No-Longer Polymer |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |

acc. to 29 CFR 1910.1200 App D

Indium Chloride Standard

Version number: 1.0

Date of compilation: 2024-05-22

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| OSHA | Occupational Safety and Health Administration (United States) |
| Ox. Liq. | Oxidizing liquid |
| PBT | Persistent, Bioaccumulative and Toxic |
| PEL | Permissible exposure limit |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| TLV® | Threshold Limit Values |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

| Code | Text |
|------|---|
| H272 | May intensify fire; oxidizer. |
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.