Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

1 Identification	
· Product identif	ier
• Trade name: <u>Iron</u> • Product code: IS	<u>1 Std, 1000ppm as Fe,SS</u> 1000SS
Recommended u	ise and restriction on use i se: Laboratory chemicals i se: No relevant information available.
 Details of the s Manufacturer/Su AquaPhoenix Scie 860 Gitts Run Roa Hanover, PA 1733 Tel +1 (717)632-1 Toll-Free: (866)63 info@aquaphoenix Distributor: AquaPhoenix Scie 860 Gitts Run Ro Hanover, PA 173 (717) 632-1291 	entific, Inc. ad 31 USA 291 52-1291 xsci.com entific ad,
 Emergency telep ChemTel Inc. (800)255-3924 (N +1 (813)248-0585 	lorth America)
. (0.0)=10 0000	
2 Hazard(s) ider	
2 Hazard(s) ider	
2 Hazard(s) ider Classification of Met. Corr.1 H29	ntification of the substance or mixture 90 May be corrosive to metals.
2 Hazard(s) ider Classification of Met. Corr.1 H29 Skin Corr. 1A H3	ntification of the substance or mixture 90 May be corrosive to metals. 14 Causes severe skin burns and eye damage.
2 Hazard(s) ider Classification of Met. Corr.1 H29 Skin Corr. 1A H3 Eye Dam. 1 H3 Label elements GHS label element The product is clas Hazard pictogram	ntification of the substance or mixture 90 May be corrosive to metals. 14 Causes severe skin burns and eye damage. 18 Causes serious eye damage. 5 nts ssified and labeled according to the Globally Harmonized System (GHS).
2 Hazard(s) ider Classification of Met. Corr.1 H29 Skin Corr. 1A H3 Eye Dam. 1 H3 Label elements GHS label element The product is classification Classification of Classification of Classification of Classification of Met. Corr.1 H29 Skin Corr. 1 H29	ntification of the substance or mixture 90 May be corrosive to metals. 14 Causes severe skin burns and eye damage. 18 Causes serious eye damage. 5 nts ssified and labeled according to the Globally Harmonized System (GHS).
2 Hazard(s) ider Classification of Met. Corr. 1 H29 Skin Corr. 1A H37 Eye Dam. 1 H37 Label elements GHS label element The product is clar Hazard pictogram GHS05 Signal word: Dar Hazard statement H290 May be corr H314 Causes sev Precautionary sta P234	htification of the substance or mixture 90 May be corrosive to metals. 14 Causes severe skin burns and eye damage. 18 Causes serious eye damage. 18 Causes serious eye damage. 19 Ants ssified and labeled according to the Globally Harmonized System (GHS). ns: nger ts: osive to metals. ere skin burns and eye damage. atements: Keep only in original container.
2 Hazard(s) ider Classification of Met. Corr. 1 H29 Skin Corr. 1A H37 Eye Dam. 1 H37 Label elements GHS label element The product is clar Hazard pictogram GHS05 Signal word: Dar Hazard statemen H290 May be corr H314 Causes sev Precautionary sta	ntification of the substance or mixture 90 May be corrosive to metals. 14 Causes severe skin burns and eye damage. 18 Causes serious eye damage. 18 Causes serious eye damage. 18 Sauses serious eye damage. 19 Sauses serious eye damage. 19 Sauses serious eye damage. 10 Sauses serious eye damage.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Iron Std, 1000ppm as Fe,SS

P280	(Cont'd. of page 1) Wear protective gloves/protective clothing/eye protection/face protection.
	If swallowed: Rinse mouth. Do NOT induce vomiting.
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
[.] Other hazards ⊺	here are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	nts:	
		30.098%
	♦ Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
7732-18-5	Water	69.288%
7783-85-9	Ferrous ammonium sulfate	0.614%
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
	information:	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures · After inhalation: Supply fresh air; consult doctor in case of complaints. • After skin contact: Immediately remove any clothing soiled by the product. Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: (Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Iron Std, 1000ppm as Fe,SS

(Cont'd. of page 2)

Strong caustic effect on skin and mucous membranes. Gastric or intestinal disorders when ingested. Eye damage. Acidosis **Danger:**

Danger of gastric perforation. Causes serious eye damage.

Danger of impaired breathing.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are:

Warm water

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Iron Std, 1000ppm as Fe,SS

(Cont'd. of page 3)

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Avoid breathing mist, vapors, or spray. Avoid contact with the eyes and skin. Open and handle receptacle with care.

[•] Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Store only in the original receptacle.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

• Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with alkalis (caustic solutions).

Store away from metals.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7664-93-9 Sulfuric acid

PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m ³
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica

[•] Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

· Engineering controls: Provide adequate ventilation.

• Breathing equipment: Use suitable respiratory protective device when high concentrations are present.

Protection of hands:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Iron Std, 1000ppm as Fe,SS

(Cont'd. of page 4)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves**

Nitrile rubber, NBR Neoprene gloves

Natural rubber, NR

Laminated film gloves.

· Not suitable are gloves made of the following materials: PVA gloves

· Eye protection:



Safety glasses

· Body protection: Protective work clothing

- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

Information on basic physical ar	nd chemical properties	
Appearance:	• •	
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2.0	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density:		

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

	(Cont'd. c	of pa
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octand	l/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	
	er normal temperatures and pressures.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s	er normal temperatures and pressures. ditions to be avoided: tored according to specifications.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals. Reacts with alkali (lyes).	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions heated above the decomposition point.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals. Reacts with alkali (lyes). Reacts with oxidizing agents.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions heated above the decomposition point.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals. Reacts with certain metals. Reacts with alkali (lyes). Reacts with oxidizing agents. Conditions to avoid No rele Incompatible materials Metals.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions heated above the decomposition point.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals. Reacts with alkali (lyes). Reacts with oxidizing agents. Conditions to avoid No rele Incompatible materials Metals. Alkalis.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions heated above the decomposition point. vant information available.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals. Reacts with certain metals. Reacts with alkali (lyes). Reacts with oxidizing agents. Conditions to avoid No rele Incompatible materials Metals. Alkalis. Strong oxidizers such as perchl	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions heated above the decomposition point. vant information available. prates, bromates, and nitrates; hydrofluoric acid.	
Reactivity: No relevant inform Chemical stability: Stable und Thermal decomposition / con No decomposition if used and s Possibility of hazardous re Toxic fumes may be released if Corrosive action on metals. Reacts with certain metals. Reacts with alkali (lyes). Reacts with oxidizing agents. Conditions to avoid No rele Incompatible materials Metals. Alkalis.	er normal temperatures and pressures. ditions to be avoided: tored according to specifications. actions heated above the decomposition point. vant information available. prates, bromates, and nitrates; hydrofluoric acid.	

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye: Strong caustic effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

(Cont'd. on page 7)

Κ

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Iron Std, 1000ppm as Fe,SS

(Cont'd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.

- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- **Mobility in soil:** No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

(Cont'd. of page 7)

Trade name: Iron Std, 1000ppm as Fe,SS

14 Transport information [·] UN-Number · DOT, ADR/RID/ADN, IMDG, IATA UN2796 · UN proper shipping name · DOT Sulfuric acid mixture · ADR/RID/ADN, IMDG, IATA SULPHURIC ACID mixture Transport hazard class(es) · DOT · Class 8 · Label 8 · ADR/RID/ADN · Class 8 (C1) · Label 8 · IMDG, IATA · Class 8 · Label 8 [•] Packing group DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards · Marine pollutant: No • Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 · EMS Number: F-A.S-B Segregation groups Acids [·] Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

	(Cont'd. of pa
United States (USA)	
SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
7664-93-9 Sulfuric acid	
TSCA (Toxic Substances Control Act)	
7664-93-9 Sulfuric acid	
7732-18-5 Water	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	
None of the ingredients are listed.	

to other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 · Sources

Website, European Chemicals Agency (echa.europa.eu)

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 22, 2020

Trade name: Iron Std, 1000ppm as Fe,SS

(Cont'd. of page 9) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com