

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

## 1 Identification

- **Product identifier**
- **Trade name:** Lithium Chloride, 20%w/v
- **Product code:** LC1150SS
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover, PA 17331 USA  
Tel +1 (717)632-1291  
Toll-Free: (866)632-1291  
info@aquaphoenixsci.com
- **Distributor:**  
AquaPhoenix Scientific  
860 Gitts Run Road,  
Hanover, PA 17331  
(717) 632-1291
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
STOT SE 2 H371 May cause damage to the central nervous system. Route of exposure: Oral.  
STOT RE 2 H373 May cause damage to the central nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

---

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Warning
- **Hazard statements:**  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H371 May cause damage to the central nervous system. Route of exposure: Oral.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

**Trade name:** Lithium Chloride, 20%w/v

(Cont'd. of page 1)

H373 May cause damage to the central nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

**Precautionary statements:**



P260 Do not breathe mist/vapors/spray.  
 P264 Wash thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves and eye protection.  
 P302+P352 If on skin: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P311 IF exposed or concerned: Call a poison center/doctor.  
 P314 Get medical advice/attention if you feel unwell.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Components:**

7732-18-5	Water	83.3%
7447-41-8	Lithium chloride	16.7%
 STOT SE 2, H371; STOT RE 2, H373  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319		

**Additional information:** For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

**Description of first aid measures**

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:**

Wash with soap and water.

If skin irritation continues, consult a doctor.

**After eye contact:**

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

**Most important symptoms and effects, both acute and delayed:**

Irritant to skin and mucous membranes.

Causes eye irritation.

Gastric or intestinal disorders when ingested.

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

**Trade name: Lithium Chloride, 20%w/v**

(Cont'd. of page 2)

Nausea in case of ingestion.

**· Danger:**

Harmful if swallowed.

May cause neurotoxic effects.

May cause damage to the central nervous system. Route of exposure: Oral.

May cause damage to the central nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

**· Indication of any immediate medical attention and special treatment needed:**

If medical advice is needed, have product container or label at hand.

Medical supervision for at least 48 hours.

## 5 Fire-fighting measures

**· Extinguishing media****· Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**· For safety reasons unsuitable extinguishing agents:** No relevant information available.**· Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**· Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

**· Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

**· Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**· Methods and material for containment and cleaning up**

Wipe up small spills with paper towel and discard.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**· Handling****· Precautions for safe handling:**

Use only in well ventilated areas.

Prevent formation of aerosols.

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

**Trade name:** Lithium Chloride, 20%w/v

(Cont'd. of page 3)

- Avoid splashes or spray in enclosed areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
Storage area should be dry and well-ventilated.  
Keep cool.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Do not store together with acids.
- **Further information about storage conditions:** Keep containers tightly sealed.
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:** Not required under normal conditions of use.
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
Nitrile rubber, NBR  
Neoprene gloves  
Butyl rubber, BR  
Fluorocarbon rubber (Viton)  
Natural rubber, NR  
Sensibilization by the components in the glove materials is possible.
- **Eye protection:**



Safety glasses

- Follow relevant national guidelines concerning the use of protective eyewear.
- **Body protection:** Protection may be required for spills.
- **Limitation and supervision of exposure into the environment**  
No relevant information available.

(Cont'd. on page 5)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

Trade name: Lithium Chloride, 20%w/v

(Cont'd. of page 4)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · Appearance:

Form: Liquid

Color: Clear

· Odor: Odorless

· Odor threshold: Not determined.

· pH-value: Not determined.

· Melting point/Melting range: <0 °C (<32 °F)

· Boiling point/Boiling range: >100 °C (>212 °F)

· Flash point: The product is not flammable.  
Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits

Lower: Not determined.

Upper: Not determined.

· Oxidizing properties: Non-oxidizing.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F): 1.18 g/cm<sup>3</sup> (9.85 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity

Dynamic: Not determined.

Kinematic: Not determined.

· Other information: No relevant information available.

## 10 Stability and reactivity

· **Reactivity:** No relevant information available.

· **Chemical stability:** Stable under normal temperatures and pressures.

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

· **Possibility of hazardous reactions**

Reacts with strong acids.

(Cont'd. on page 6)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

**Trade name:** Lithium Chloride, 20%w/v

(Cont'd. of page 5)

Toxic fumes may be released if heated above the decomposition point.

- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Acids.
- **Hazardous decomposition products**  
Under fire conditions only:  
Chlorine  
Metal oxide smoke.

## 11 Toxicological information

### · Information on toxicological effects

- **Acute toxicity:** Harmful if swallowed.

### · LD/LC50 values that are relevant for classification:

#### Lithium Chloride Reagent Solution

Oral	LD50	1200-1400 mg/kg (None specified) (Acute Toxicity Estimate)
------	------	--

#### 7447-41-8 Lithium chloride

Oral	LD50	526 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Causes serious eye irritation.
- **Sensitization:** Based on available data, the classification criteria are not met.

### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### · NTP (National Toxicology Program):

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

### · Probable route(s) of exposure:

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

### · Acute effects (acute toxicity, irritation and corrosivity):

Irritating to eyes and skin.  
Harmful if swallowed.

### · Repeated dose toxicity: No relevant information available.

### · Germ cell mutagenicity: Based on available data, the classification criteria are not met.

### · Carcinogenicity: Based on available data, the classification criteria are not met.

### · Reproductive toxicity: Based on available data, the classification criteria are not met.

### · STOT-single exposure: May cause damage to the central nervous system. Route of exposure: Oral.

### · STOT-repeated exposure:

May cause damage to the central nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

### · Aspiration hazard: Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

Trade name: Lithium Chloride, 20%w/v

(Cont'd. of page 6)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR/RID/ADN, IMDG, IATA</b>  | Not regulated.  |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR/RID/ADN, IMDG, IATA</b>  | Not regulated.  |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR/RID/ADN, IMDG, IATA</b>  |                 |
| · <b>Class</b>   | Not regulated.  |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR/RID/ADN, IMDG, IATA</b>  | Not regulated.  |
| · <b>Environmental hazards</b>   | Not applicable. |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

## 15 Regulatory information

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

**Trade name: Lithium Chloride, 20%w/v**

(Cont'd. of page 7)

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **United States (USA)**

· **SARA**

· **Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL):**

All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

(Cont'd. on page 9)



## Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 27, 2020

**Trade name: Lithium Chloride, 20%w/v**

(Cont'd. of page 8)

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sor-internet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sor-internet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtel.com](http://www.chemtel.com)