

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

#### SECTION 1: Identification

##### 1.1 Product identifier

SDS Identifier **V6810SS**  
Catalog numbers K-6810, K-6810N

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Components of water analysis test kits

##### 1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover PA 17331  
United States

Telephone: (717) 632-1291  
e-mail: [info@aquaphoenixsci.com](mailto:info@aquaphoenixsci.com)  
Website: <https://www.aquaphoenixsci.com/>

e-mail (competent person) [scraig@aquaphoenixsci.com](mailto:scraig@aquaphoenixsci.com) (Stephen Craig)

##### 1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

#### SECTION 2: Hazard(s) identification

##### 2.1 Classification of the substance or mixture

Classification acc. to GHS

| Hazard class  | Category | Hazard class and category | Hazard statement |
|---|----------|---------------------------|------------------|
| skin corrosion/irritation                             | 2        | Skin Irrit. 2             | H315             |
| serious eye damage/eye irritation                     | 2        | Eye Irrit. 2              | H319             |
| hazardous to the aquatic environment - acute hazard   | 3        | Aquatic Acute 3           | H402             |
| hazardous to the aquatic environment - chronic hazard | 3        | Aquatic Chronic 3         | H412             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### 2.2 Label elements

#### Labeling

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P264+P265 Wash hands thoroughly after handling. Do not touch eyes.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P332+P317 If skin irritation occurs: Get medical help.  
P337+P317 If eye irritation persists: Get medical help.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/container to industrial combustion plant.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)



### 3.2 Mixtures

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### Description of the mixture

| Name of substance      | Identifier          | Wt%  | Classification acc. to GHS   | Pictograms  |
|------------------------|---------------------|------|--|---|
| deionized water        | CAS No<br>7732-18-5 | ≥ 89 |  |   |
| phosphoric acid        | CAS No<br>7664-38-2 | 10   | Skin Corr. 1B / H314<br>Eye Dam. 1 / H318  |  |
| potassium permanganate | CAS No<br>7722-64-7 | ≤ 1  | Ox. Sol. 2 / H272<br>Acute Tox. 4 / H302<br>Acute Tox. 5 / H313<br>Repr. 2 / H361d<br>Aquatic Acute 1 / H400<br>Aquatic Chronic 1 / H410 |  |

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Phosphorus oxides (P<sub>x</sub>O<sub>y</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

Wear impact- and splash-resistant eyewear. Break the ampoule tip only when it is completely immersed in sample. Breaking the tip in air may cause the glass ampoule to shatter.

#### - Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### - Handling of incompatible substances or mixtures

Do not mix with alkali.

#### - Keep away from

Caustic solutions

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

#### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                 |           |            |           |                          |            |                           |                 |                                |          |              |
|--|-----------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------------|
| Country  | Name of agent   | CAS No    | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source       |
| US   | phosphoric acid | 7664-38-2 | PEL (CA)   |           | 1                        |            | 3                         |                 |                                |          | Ca/ OSHA PEL |

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent                  | CAS No    | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source           |
|---------|--------------------------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------------|
| US      | phosphoric acid                | 7664-38-2 | REL        |           | 1<br>(10 h)              |            | 3                         |                 |                                |          | NIOSH REL        |
| US      | phosphoric acid                | 7664-38-2 | TLV®       |           | 1                        |            | 3                         |                 |                                |          | ACGIH® 2023      |
| US      | phosphoric acid                | 7664-38-2 | PEL        |           | 1                        |            |                           |                 |                                |          | 29 CFR 1910.1000 |
| US      | manganese, inorganic compounds | 7722-64-7 | TLV®       |           | 0.1                      |            |                           |                 |                                | i, Mn    | ACGIH® 2023      |
| US      | manganese, inorganic compounds | 7722-64-7 | TLV®       |           | 0.02                     |            |                           |                 |                                | r, Mn    | ACGIH® 2023      |
| US      | manganese compounds            | 7722-64-7 | PEL (CA)   |           | 0.2                      |            |                           |                 |                                | Mn       | Cal/OSHA PEL     |
| US      | manganese compounds            | 7722-64-7 | REL        |           | 1<br>(10 h)              |            | 3                         |                 |                                | Mn       | NIOSH REL        |
| US      | manganese compounds            | 7722-64-7 | PEL        |           |                          |            |                           |                 | 5                              | Mn       | 29 CFR 1910.1000 |

#### Notation

|           |  |
|-----------|--|
| Ceiling-C | ceiling value is a limit value above which exposure should not occur   |
| i         | inhalable fraction   |
| Mn        | calculated as Mn (manganese)   |
| r         | respirable fraction  |
| STEL      | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)                   |
| TWA       | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

#### Relevant DNELs of components

| Name of substance      | CAS No    | Endpoint | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |
|------------------------|-----------|----------|-----------------------|------------------------------------|-------------------|----------------------------|
| potassium permanganate | 7722-64-7 | DNEL     | 0.2 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

| Relevant PNECs of components |           |          |                 |                   |                              |                              |
|------------------------------|-----------|----------|-----------------|-------------------|------------------------------|------------------------------|
| Name of substance            | CAS No    | Endpoint | Threshold level | Organism          | Environmental compartment    | Exposure time                |
| potassium permanganate       | 7722-64-7 | PNEC     | 0.06 µg/l       | aquatic organisms | freshwater                   | short-term (single instance) |
| potassium permanganate       | 7722-64-7 | PNEC     | 1.64 mg/l       | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Other protection measures

Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Product description:** Each Vacu-vial™ ampoule is a 13 mm glass ampoule containing approximately 0.8 - 4.5 mL of liquid reagent sealed under vacuum.

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

|  |                           |
|--|---------------------------|
| Physical state   | liquid                    |
| Color  | colorless                 |
| Odor   | odorless                  |
| Melting point/freezing point                             | 1 °C                      |
| Boiling point or initial boiling point and boiling range | 108 – 296.5 °C at 983 hPa |
| Evaporation rate   | not determined            |
| Flammability   | non-combustible           |
| Lower and upper explosion limit                          | not determined            |
| Flash point  | not determined            |
| Auto-ignition temperature                                | not determined            |
| Decomposition temperature                                | not relevant              |
| pH (value)   | 1 (acid)                  |
| Kinematic viscosity                                      | not determined            |

#### Solubility(ies)

|                  |                            |
|------------------|----------------------------|
| Water solubility | miscible in any proportion |
|------------------|----------------------------|

#### Partition coefficient

|   |                                   |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

|                |                    |
|----------------|--------------------|
| Vapor pressure | 23.7 mmHg at 25 °C |
|----------------|--------------------|

#### Density and/or relative density



## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

|                          |   |
|--------------------------|---|
| Density                  | not determined                                |
| Relative vapour density  | information on this property is not available |
| Relative density         | 1 (water = 1)                                 |
| Particle characteristics | not relevant (liquid)                         |

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components

| Name of substance      | CAS No    | Exposure route | ATE          |
|------------------------|-----------|----------------|--------------|
| potassium permanganate | 7722-64-7 | oral           | 500 mg/kg    |
| potassium permanganate | 7722-64-7 | dermal         | >2,000 mg/kg |

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### 11.2 Information on other hazards

There is no additional information.

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### SECTION 12: Ecological information

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components |           |          |           |                       |               |
|--|-----------|----------|-----------|-----------------------|---------------|
| Name of substance                      | CAS No    | Endpoint | Value     | Species               | Exposure time |
| phosphoric acid                        | 7664-38-2 | EC50     | >100 mg/l | aquatic invertebrates | 48 h          |
| phosphoric acid                        | 7664-38-2 | ErC50    | >100 mg/l | algae                 | 72 h          |
| potassium permanganate                 | 7722-64-7 | LC50     | 1.51 mg/l | fish                  | 24 h          |
| potassium permanganate                 | 7722-64-7 | EC50     | 0.15 mg/l | aquatic invertebrates | 24 h          |
| potassium permanganate                 | 7722-64-7 | EbC50    | 0.43 mg/l | algae                 | 72 h          |
| potassium permanganate                 | 7722-64-7 | ErC50    | 0.8 mg/l  | algae                 | 72 h          |

| Aquatic toxicity (chronic) of components |           |          |             |                |               |
|--|-----------|----------|-------------|----------------|---------------|
| Name of substance                        | CAS No    | Endpoint | Value       | Species        | Exposure time |
| phosphoric acid                          | 7664-38-2 | EC50     | >1,000 mg/l | microorganisms | 3 h           |
| potassium permanganate                   | 7722-64-7 | EC50     | 164 mg/l    | microorganisms | 3 h           |

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

## V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number

|           |         |
|-----------|---------|
| DOT       | UN 1805 |
| IMDG-Code | UN 1805 |
| ICAO-TI   | UN 1805 |

### 14.2 UN proper shipping name

|           |                            |
|-----------|----------------------------|
| DOT       | Phosphoric acid, solutions |
| IMDG-Code | PHOSPHORIC ACID, SOLUTION  |
| ICAO-TI   | Phosphoric acid, solution  |

### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| DOT       | 8 |
| IMDG-Code | 8 |
| ICAO-TI   | 8 |

### 14.4 Packing group

|           |     |
|-----------|-----|
| DOT       | III |
| IMDG-Code | III |
| ICAO-TI   | III |

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

#### 14.6 Other relevant information


Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### **Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

|   |  |
|---|--|
| Particulars in the shipper's declaration  | UN1805, Phosphoric acid, solutions, 8, III                       |
| Reportable quantity (RQ)  | 10,101 lbs (4,586 kg) (potassium permanganate) (phosphoric acid) |
| Danger label(s)   | 8  |
|  |  |
| Special provisions (SP)   | A7, IB3, N34, T4, TP1  |
| ERG No  | 154  |

##### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

|   |           |
|---|-----------|
| Marine pollutant  | -         |
| Danger label(s)   | 8         |
|  |           |
| Special provisions (SP)   | 223       |
| Excepted quantities (EQ)  | E1        |
| Limited quantities (LQ)   | 5 L       |
| EmS   | F-A, S-B  |
| Stowage category  | A         |
| Segregation group   | 1 - Acids |

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|   |     |
|---|-----|
| Danger label(s)   | 8   |
|  |     |
| Special provisions (SP)   | A3  |
| Excepted quantities (EQ)  | E1  |
| Limited quantities (LQ)   | 1 L |

#### SECTION 15: Regulatory information

##### 15.1 Safety, health and environmental regulations specific for the product in question

###### National regulations (United States)

###### Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

###### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

###### Toxics Release Inventory: Specific Toxic Chemical Listings

| Name of substance      | Remarks | Effective date |
|------------------------|---------|----------------|
| potassium permanganate |         | 1986-12-31     |

###### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance      | Remarks | Statutory code | Final RQ pounds (Kg) |
|------------------------|---------|----------------|----------------------|
| phosphoric acid        |         | 1              | 5000 (2270)          |
| potassium permanganate |         | 1              | 100 (45,4)           |

###### Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

###### Clean Air Act

none of the ingredients are listed

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

#### Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

| Name of substance      | Remarks | Classifications |
|------------------------|---------|-----------------|
| phosphoric acid        |         | CO              |
| potassium permanganate |         |                 |

Legend

CO Corrosive

#### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

#### National inventories

| Country | Inventory  | Status                              |
|---------|------------|-------------------------------------|
| AU      | AIIC       | all ingredients are listed          |
| CA      | DSL        | all ingredients are listed          |
| CN      | IECSC      | all ingredients are listed          |
| EU      | ECSI       | all ingredients are listed          |
| EU      | REACH Reg. | all ingredients are listed          |
| JP      | CSCL-ENCS  | all ingredients are listed          |
| JP      | ISHA-ENCS  | not all ingredients are listed      |
| KR      | KECI       | all ingredients are listed          |
| MX      | INSQ       | all ingredients are listed          |
| NZ      | NZIoC      | all ingredients are listed          |
| PH      | PICCS      | all ingredients are listed          |
| TR      | CICR       | not all ingredients are listed      |
| TW      | TCSI       | all ingredients are listed          |
| VN      | NCI        | all ingredients are listed          |
| US      | TSCA       | all ingredients are listed (ACTIVE) |

Legend

AIIC Australian Inventory of Industrial Chemicals  
CICR Chemical Inventory and Control Regulation  
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)  
DSL Domestic Substances List (DSL)  
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

#### Legend

|            |   |
|------------|---|
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| ISHA-ENCS  | Inventory of Existing and New Chemical Substances (ISHA-ENCS)           |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NCI        | National Chemical Inventory   |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

| Abbr.            | Descriptions of used abbreviations   |
|------------------|--|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)  |
| 49 CFR US DOT    | 49 CFR U.S. Department of Transportation   |
| ACGIH® 2023      | From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a> |
| Acute Tox.       | Acute toxicity   |
| Aquatic Acute    | Hazardous to the aquatic environment - acute hazard  |
| Aquatic Chronic  | Hazardous to the aquatic environment - chronic hazard  |
| ATE              | Acute Toxicity Estimate  |
| Cal/OSHA PEL     | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)   |
| CAS              | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C        | Ceiling value  |
| DGR              | Dangerous Goods Regulations (see IATA/DGR)   |
| DNEL             | Derived No-Effect Level  |
| DOT              | Department of Transportation (USA)   |
| EbC50            | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control   |
| EC50             | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval   |



## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

| Abbr.       | Descriptions of used abbreviations   |
|-------------|--|
| ED          | Endocrine disruptor  |
| EINECS      | European Inventory of Existing Commercial Chemical Substances  |
| ELINCS      | European List of Notified Chemical Substances  |
| EmS         | Emergency Schedule   |
| ErC50       | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| ERG No      | Emergency Response Guidebook - Number  |
| Eye Dam.    | Seriously damaging to the eye  |
| Eye Irrit.  | Irritant to the eye  |
| GHS         | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations  |
| IATA        | International Air Transport Association  |
| IATA/DGR    | Dangerous Goods Regulations (DGR) for the air transport (IATA)   |
| ICAO        | International Civil Aviation Organization  |
| ICAO-TI     | Technical instructions for the safe transport of dangerous goods by air  |
| IMDG        | International Maritime Dangerous Goods Code  |
| IMDG-Code   | International Maritime Dangerous Goods Code  |
| LC50        | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval                      |
| NIOSH REL   | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)  |
| NLP         | No-Longer Polymer  |
| OSHA        | Occupational Safety and Health Administration (United States)  |
| Ox. Sol.    | Oxidizing solid  |
| PBT         | Persistent, Bioaccumulative and Toxic  |
| PEL         | Permissible exposure limit   |
| PNEC        | Predicted No-Effect Concentration  |
| ppm         | Parts per million  |
| Repr.       | Reproductive toxicity  |
| RTECS       | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)  |
| Skin Corr.  | Corrosive to skin  |
| Skin Irrit. | Irritant to skin   |
| STEL        | Short-term exposure limit  |

## Safety Data Sheet

### V6810SS

Version number: 12.0  
SDS Identifier: V6810SS

Revision: 2023-11-08

| Abbr. | Descriptions of used abbreviations       |
|-------|--|
| TLV®  | Threshold Limit Values                   |
| TWA   | Time-weighted average                    |
| vPvB  | Very Persistent and very Bioaccumulative |

#### Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code  | Text  |
|-------|---|
| H272  | May intensify fire; oxidizer.                         |
| H302  | Harmful if swallowed.                                 |
| H313  | May be harmful in contact with skin.                  |
| H314  | Causes severe skin burns and eye damage.              |
| H315  | Causes skin irritation.                               |
| H318  | Causes serious eye damage.                            |
| H319  | Causes serious eye irritation.                        |
| H361d | Suspected of damaging the unborn child.               |
| H400  | Very toxic to aquatic life.                           |
| H402  | Harmful to aquatic life.                              |
| H410  | Very toxic to aquatic life with long lasting effects. |
| H412  | Harmful to aquatic life with long lasting effects.    |

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.