according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

# **1** Identification Product identifier Trade name: Molisch Reagent · Product code: MO2900SS Recommended use and restriction on use · Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Flam. Liq. 2 H225 Highly flammable liquid and vapor. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. <sup>•</sup> Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS02 GHS05 GHS07 · Signal word: Danger · Hazard statements: H225 Highly flammable liquid and vapor. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. · Precautionary statements: P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. (Cont'd. on page 2)

# according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

(Cont'd. of page ound/bond container and receiving equipment. e explosion-proof electrical/ventilating/lighting/equipment. e only non-sparking tools. ke precautionary measures against static discharge. bid breathing dust/fume/gas/mist/vapors/spray ntaminated work clothing must not be allowed out of the workplace. ear protective gloves/protective clothing/eye protection/face protection.
e explosion-proof electrical/ventilating/lighting/equipment. e only non-sparking tools. ke precautionary measures against static discharge. bid breathing dust/fume/gas/mist/vapors/spray ntaminated work clothing must not be allowed out of the workplace.
e only non-sparking tools. The precautionary measures against static discharge. The precautionary measures against static discharge. The precaution of the workplace.
te precautionary measures against static discharge. bid breathing dust/fume/gas/mist/vapors/spray ntaminated work clothing must not be allowed out of the workplace.
te precautionary measures against static discharge. bid breathing dust/fume/gas/mist/vapors/spray ntaminated work clothing must not be allowed out of the workplace.
ntaminated work clothing must not be allowed out of the workplace.
n skin (or hair): Take off immediately all contaminated clothing. Rinse skin w ær/shower.
N EYES: Rinse cautiously with water for several minutes. Remove contact lenses sent and easy to do. Continue rinsing.
ye irritation persists: Get medical advice/attention.
ase of fire: Use for extinction: Alcohol resistant foam or water spray.
re in a well-ventilated place. Keep cool.
pose of contents/container in accordance with local/regional/national/internation ulations.
iei N se ye re po

# 3 Composition/information on ingredients

# · Chemical characterization: Mixtures

# · Components:

•	
64-17-5 Ethanol	95%
<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2A, H319</li> </ul>	
Eye Imt. 2A, H319	
135-19-3 2-naphthol	5%
🔶 Eye Dam. 1, H318	
Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317	
Additional information:	

#### • Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

# 4 First-aid measures

## <sup>•</sup> Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

## · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### · After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

## · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

## • After swallowing:

Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

#### Trade name: Molisch Reagent

(Cont'd. of page 2)

Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Causes eye irritation. Breathing difficulty Coughing Causes mild skin irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Dizziness Acidosis Disorientation Unconsciousness Danger: May cause neurotoxic effects. Danger of impaired breathing. Indication of any immediate medical attention and special treatment needed: If medical advice is needed, have product container or label at hand.

# 5 Fire-fighting measures

## • Extinguishing media Suitable extinguishing agents: Alcohol resistant foam Water fog / haze Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder · For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. <sup>•</sup> Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. <sup>•</sup> Additional information: Eliminate all ignition sources if safe to do so. Use large quantities of foam as it is partially destroyed by the product. Cool endangered receptacles with water in flooding quantities.

# 6 Accidental release measures

# • Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

# **Environmental precautions**

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

## Trade name: Molisch Reagent

(Cont'd. of page 3)

Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.

#### Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

## <sup>·</sup> Handling

Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about protection against explosions and fires:
- Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

# <sup>•</sup> Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store in a cool location.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

# Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

## · Control parameters

## Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

64-17-5 Ethano	l l
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm
	(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

(Cont'd. on page 6)

Trade name: Molisch Reagent
(Cont'd. of page 4)
LMPE (Mexico) Long-term value: 1000 ppm A3
• Exposure controls • General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
<ul> <li>Wash hands before breaks and at the end of work.</li> <li>Do not inhale dust / smoke / mist.</li> <li>Engineering controls: Provide adequate ventilation.</li> <li>Breathing equipment:</li> <li>Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are</li> </ul>
exceeded. • Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • <b>Material of gloves</b> Laminated film gloves. Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR
• Not suitable are gloves made of the following materials: PVC gloves PVA gloves • Eye protection:
Safety glasses
Follow relevant national guidelines concerning the use of protective eyewear. • Body protection: Solvent resistant protective clothing • Limitation and supervision of exposure into the environment No relevant information available.
9 Physical and chemical properties
<ul> <li>Information on basic physical and chemical properties</li> <li>Appearance:</li> </ul>

Liquid

Clear, colorless

Not determined.

Not determined.

Not determined.

Like alcohol

Form:

Color:

· pH-value:

· Odor threshold:

• Melting point/Melting range:

· Odor:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

de name: Molisch Reagent	
	(Cont'd. of page
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
Explosion limits	
Lower:	3.5 Vol %
Upper:	15 Vol %
Oxidizing properties:	Not determined.
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.8 g/cm³ (6.68 lbs/gal)
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.

# 10 Stability and reactivity

· Reactivity: No relevant information available. · Chemical stability: Stable under normal temperatures and pressures. Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Reacts violently with oxidizing agents. Highly flammable liquid and vapor. Toxic fumes may be released if heated above the decomposition point. Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. <sup>·</sup> Conditions to avoid Keep ignition sources away - Do not smoke. Store away from oxidizing agents. · Incompatible materials No relevant information available. · Hazardous decomposition products Under fire conditions only: (Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

(Cont'd. of page 6)

#### Trade name: Molisch Reagent

Carbon monoxide and carbon dioxide

## 11 Toxicological information Information on toxicological effects • Acute toxicity: Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: 64-17-5 Ethanol 7060 mg/kg (rat) Oral LD50 Inhalative LC50/4h 20000 mg/l (rat) 135-19-3 2-naphthol Oral LD50 1320 mg/kg (rat) Primary irritant effect: · On the skin: Based on available data, the classification criteria are not met. • On the eve: Strong irritant with the danger of severe eve injury. · Sensitization: Sensitization possible through skin contact. · IARC (International Agency for Research on Cancer): All components have the value 1. · NTP (National Toxicology Program): None of the ingredients are listed. **OSHA-Ca** (Occupational Safety & Health Administration): None of the ingredients are listed. Probable route(s) of exposure: Indestion. Inhalation. Eve contact. Skin contact. · Acute effects (acute toxicity, irritation and corrosivity): Causes serious eve damage. Causes mild skin irritation. • **Repeated dose toxicity:** Sensitizing effect by skin contact is possible with prolonged exposure. • Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • Reproductive toxicity: Based on available data, the classification criteria are not met. • **STOT-single exposure:** Based on available data, the classification criteria are not met. • STOT-repeated exposure: Based on available data, the classification criteria are not met. • Aspiration hazard: Based on available data, the classification criteria are not met.

# **12 Ecological information**

- <sup>·</sup> Toxicity
- · Aquatic toxicity No relevant information available.
- \* Persistence and degradability No relevant information available.
- · **Bioaccumulative potential:** No relevant information available.
- · Mobility in soil: No relevant information available.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

## Trade name: Molisch Reagent

## <sup>•</sup> Additional ecological information

#### · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• Other adverse effects No relevant information available.

# **13 Disposal considerations**

## · Waste treatment methods

#### · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information	
<sup>·</sup> UN-Number <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	UN1170
<ul> <li>UN proper shipping name</li> <li>DOT</li> <li>ADR/RID/ADN</li> </ul>	Ethanol ETHANOL (ETHYL ALCOHOL), ENVIRONMENTALL HAZARDOUS
· IMDG · IATA	ETHANOL (ETHYL ALCOHOL) ETHANOL
· Transport hazard class(es)	
· DOT	
Class	3
·Label	3
· ADR/RID/ADN	
· Class	3 (F1)
· Label	3
	(Cont'd. on page

(Cont'd. of page 7)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

Iass 3 abel 3 acking group	(Cont'd. of pag
lass 3 abel 3	
abel 3	
abel 3	
abel 3	
acking group	
OT, ADR/RID/ADN, IMDG, IATA	
nvironmental hazards N	lot applicable.
	Varning: Flammable liquids
azard identification number (Kemler code): 3	
	-E,S-D
ransport in bulk according to Annex II of IARPOL73/78 and the IBC Code	lot applicable.
ARA ection 302 (extremely hazardous substances):	
one of the ingredients are listed.	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings):	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed.	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California)	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer:	age consumption and is not applicable for product
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer:	age consumption and is not applicable for product.
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: thanol - listing refers specifically to alcoholic bever	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: thanol - listing refers specifically to alcoholic bever Il ingredients are listed.	
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: thanol - listing refers specifically to alcoholic bever Il ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed. hemicals known to cause developmental toxic	ity for females:
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: thanol - listing refers specifically to alcoholic bever Il ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed.	ity for females: ity for males:
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: thanol - listing refers specifically to alcoholic bever Il ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed. hemicals known to cause developmental toxic	ity for females: ity for males: ity:
one of the ingredients are listed. ection 313 (Specific toxic chemical listings): one of the ingredients are listed. SCA (Toxic Substances Control Act) Il ingredients are listed or exempt. roposition 65 (California) hemicals known to cause cancer: thanol - listing refers specifically to alcoholic bever Il ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed. hemicals known to cause developmental toxic one of the ingredients are listed. hemicals known to cause developmental toxic	ity for females: ity for males:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: August 28, 2020

Trade name: Molisch Reagent

(Cont'd. of page 9)

#### · IARC (International Agency for Research on Cancer):

All components have the value 1.

#### Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### • Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Lig. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity - Category 4 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eve Irrit. 2A: Serious eve damage/eve irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com