Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Molybdate Reagent for PO4</u></li> <li>Product code: DUMTK-671</li> </ul>
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647</li> </ul>
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
<sup>•</sup> Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals.
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>
GHS05
<ul> <li>Signal word: Warning</li> <li>Hazard statements: H290 May be corrosive to metals.</li> <li>Precautionary statements: P234 Keep only in original container. P280 Wear protective gloves and eye protection. P390 Absorb spillage to prevent material damage. P406 Store in corrosive resistant container with a resistant inner liner.</li> </ul>
• Other hazards There are no other hazards not otherwise classified that have been identified.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## Trade name: Molybdate Reagent for PO4

(Cont'd. of page 1)

· Component	S:	
7732-18-5	Water	95
7664-93-9	Sulfuric acid	40
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
10102-40-6	sodium molybdate dihydrate	19
	nformation: I ingredient(s), the identity and/or exact percentage(s) are being wi ling of the listed Hazard Statements, refer to section 16.	thheld as a trade secret.
4 First-aid ı		
	n of first aid measures	
	<b>prmation:</b> Immediately remove any clothing soiled by the product.	
<ul> <li>After Innala</li> <li>After skin c</li> </ul>	tion: Supply fresh air; consult doctor in case of complaints.	
	ontact: hair): Take off immediately all contaminated clothing. Rinse skin v	with water/shower
	on is experienced, consult a doctor.	ntri water/shower.
	liate help for blistering or open wounds.	
· After eye co		
Protect unha	irmed eve.	
	itact lenses if worn.	
	d eye for several minutes under running water. Then consult a doc	stor.
· After swallo		
	outh and then drink plenty of water.	
	e vomiting; immediately call for medical help.	
· Most impor	tant symptoms and effects, both acute and delayed:	
	it with the danger of severe eye injury.	
	testinal disorders when ingested.	
	ase of ingestion.	
Acidosis		
· Danger:		
	ous eye damage.	
	astric perforation.	
· indication d	f any immediate medical attention and special treatment need	lea:
	ervision for at least 48 hours. lvice is needed, have product container or label at hand.	
	ivice is needed, have brodilict container or lanel at hand	

## • Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

## · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## Trade name: Molybdate Reagent for PO4

(Cont'd. of page 2)

## Advice for firefighters

## • Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

## 6 Accidental release measures

## • Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

## <sup>•</sup> Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Send for recovery or disposal in suitable receptacles.

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

## <sup>·</sup> Handling

- Precautions for safe handling:
- Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Avoid contact with the eyes and skin.

## Information about protection against explosions and fires:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

## <sup>•</sup> Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

- Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with alkalis (caustic solutions).

## Further information about storage conditions:

Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

	(Cont'd. of page
Control paran	neters
	vith limit values that require monitoring at the workplace:
	constituent is the only constituent of the product which has a PEL, TLV or oth
recommended e	•
7664-93-9 Sulfu	
PEL (USA)	Long-term value: 1 mg/m³
REL (USA)	Long-term value: 1 mg/m³
TLV (USA)	Long-term value: 0.2* mg/m³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m³
LMPE (Mexico)	Long-term value: 0.2* mg/m <sup>3</sup>
· ,	A2;*fracción torácica
Keep away from Wash hands be Avoid contact w	autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. fore breaks and at the end of work. ith the eyes and skin. Introls: Provide adequate ventilation.
Keep away from Wash hands be Avoid contact w Engineering co Breathing equi Protection of h	n foodstuffs, beverages and feed. fore breaks and at the end of work. ith the eyes and skin. <b>ontrols:</b> Provide adequate ventilation. i <b>pment:</b> Use suitable respiratory protective device when aerosol or mist is formed.
Keep away from Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protection of h Protect The glove mater Material of glov Fluorocarbon ru Natural rubber, Penetration tim	n foodstuffs, beverages and feed. fore breaks and at the end of work. ith the eyes and skin. <b>ontrols:</b> Provide adequate ventilation. <b>ipment:</b> Use suitable respiratory protective device when aerosol or mist is formed. <b>iands:</b> ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation. <b>ves</b> ibber (Viton) NR <b>ne of glove material</b> k through time has to be found out by the manufacturer of the protective gloves and has
Keep away from Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protection of h Protection of h Material of glow Fluorocarbon ru Natural rubber, I Penetration tim The exact break be observed.	n foodstuffs, beverages and feed. fore breaks and at the end of work. ith the eyes and skin. <b>ontrols:</b> Provide adequate ventilation. ipment: Use suitable respiratory protective device when aerosol or mist is formed. <b>ands:</b> ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation. <b>ves</b> ibber (Viton) NR <b>ne of glove material</b> k through time has to be found out by the manufacturer of the protective gloves and has
Keep away from Wash hands be Avoid contact w Engineering co Breathing equi Protection of h Protection of h Protection of h Material of glow Fluorocarbon ru Natural rubber, 1 Penetration tim The exact break be observed. Eye protection Safety g Follow relevant Body protectio	n foodstuffs, beverages and feed. fore breaks and at the end of work. ith the eyes and skin. pontrols: Provide adequate ventilation. ipment: Use suitable respiratory protective device when aerosol or mist is formed. iands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation. ves ibber (Viton) NR ne of glove material < through time has to be found out by the manufacturer of the protective gloves and has :

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## Trade name: Molybdate Reagent for PO4

(Cont'd. of page 4)

9 Physical and chemical prope	rties
<sup>·</sup> Information on basic physical a	nd chemical properties
Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Not determined.
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Melting point/Melting range:	Not determined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	105-110 °C (221-166 °F)
· Flash point:	The product is not flammable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
<sup>•</sup> Other information	No relevant information available.

## 10 Stability and reactivity

· **Reactivity:** Corrosive action on metals.

- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

## Possibility of hazardous reactions

- Reacts with certain metals.
- Reacts with alkali (lyes).

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## Trade name: Molybdate Reagent for PO4

(Cont'd. of page 5)

Corrosive action on metals. Toxic fumes may be released if heated above the decomposition point. • Conditions to avoid No relevant information available. • Incompatible materials Alkalis Metals. • Hazardous decomposition products Under fire conditions only: Sulfur oxides (SOx) Carbon monoxide and carbon dioxide

## 11 Toxicological information

<sup>·</sup> Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

On the eye: Strong irritant with the danger of severe eye injury.
Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): Causes serious eye damage.

· Repeated dose toxicity: No relevant information available.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

## **12 Ecological information**

<sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

\* Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

(Cont'd. on page 7)

Κ

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## Trade name: Molybdate Reagent for PO4

(Cont'd. of page 6)

· Mobility in soil: No relevant information available.

## <sup>•</sup> Additional ecological information

## · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

## **13 Disposal considerations**

## <sup>·</sup> Waste treatment methods

## · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

## <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
· UN-NUMDER · DOT, ADR/RID/ADN, IMDG, IATA	UN1760
· UN proper shipping name	
	Corrosive liquids, n.o.s. (Sulfuric Acid)
· ADR/RID/ADN, IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid)
Transport hazard class(es)	
DOT	
CORRESP. ?	
· Class	8
Label	8
ADR/RID/ADN	
1 B	
Class	8 (C1)
Label	8

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

	(Cont'd. of pa
· IMDG, IATA	
8	
Class	8
Label	8
Packing group	
DOT, ADR/RID/ADN, IMDG, IATA	
Environmental hazards	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number: Segregation groups	F-A,S-B Acids
Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	Not applicable.
Safety, health and environmental regula mixture United States (USA)	ations/legislation specific for the substanc
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances	
Safety, health and environmental regula mixture United States (USA) SARA	-
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substance None of the ingredients are listed. Section 313 (Specific toxic chemical listings):	s):
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed.	s):
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 7664-93-9 Sulfuric acid TSCA (Toxic Substances Control Act)	s):
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 7664-93-9 Sulfuric acid TSCA (Toxic Substances Control Act) 7664-93-9 Sulfuric acid	s):
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 7664-93-9 Sulfuric acid TSCA (Toxic Substances Control Act)	s):
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 7664-93-9 Sulfuric acid TSCA (Toxic Substances Control Act) 7664-93-9 Sulfuric acid 7732-18-5 Water Proposition 65 (California)	s):
Safety, health and environmental regula mixture United States (USA) SARA Section 302 (extremely hazardous substances None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 7664-93-9 Sulfuric acid TSCA (Toxic Substances Control Act) 7664-93-9 Sulfuric acid 7732-18-5 Water Proposition 65 (California) Chemicals known to cause cancer:	s):
Safety, health and environmental regularization         mixture         United States (USA)         SARA         Section 302 (extremely hazardous substances         None of the ingredients are listed.         Section 313 (Specific toxic chemical listings):         7664-93-9         Sulfuric acid         TSCA (Toxic Substances Control Act)         7664-93-9         Sulfuric acid         7732-18-5         Water         Proposition 65 (California)         Chemicals known to cause cancer:         None of the ingredients are listed.	s):
Safety, health and environmental regulation         mixture         United States (USA)         SARA         Section 302 (extremely hazardous substances         None of the ingredients are listed.         Section 313 (Specific toxic chemical listings):         7664-93-9         Sulfuric acid         TSCA (Toxic Substances Control Act)         7664-93-9         Sulfuric acid         7732-18-5         Water         Proposition 65 (California)         Chemicals known to cause cancer:         None of the ingredients are listed.	s):
Safety, health and environmental regularization         mixture         United States (USA)         SARA         Section 302 (extremely hazardous substances         None of the ingredients are listed.         Section 313 (Specific toxic chemical listings):         7664-93-9         Sulfuric acid         TSCA (Toxic Substances Control Act)         7664-93-9         Sulfuric acid         7732-18-5         Water         Proposition 65 (California)         Chemicals known to cause cancer:         None of the ingredients are listed.         Chemicals known to cause developmental to         None of the ingredients are listed.	s):
Safety, health and environmental regulation         mixture         United States (USA)         SARA         Section 302 (extremely hazardous substances         None of the ingredients are listed.         Section 313 (Specific toxic chemical listings):         7664-93-9         Sulfuric acid         TSCA (Toxic Substances Control Act)         7664-93-9         Sulfuric acid         7732-18-5         Water         Proposition 65 (California)         Chemicals known to cause cancer:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.	s):
Safety, health and environmental regularization         mixture         United States (USA)         SARA         Section 302 (extremely hazardous substances         None of the ingredients are listed.         Section 313 (Specific toxic chemical listings):         7664-93-9         Sulfuric acid         TSCA (Toxic Substances Control Act)         7664-93-9         Sulfuric acid         7732-18-5         Water         Proposition 65 (California)         Chemicals known to cause cancer:         None of the ingredients are listed.         Chemicals known to cause developmental to         None of the ingredients are listed.         Chemicals known to cause developmental to         None of the ingredients are listed.         Chemicals known to cause developmental to         None of the ingredients are listed.	s): xicity for females: xicity for males:
Safety, health and environmental regularization         Mixture         United States (USA)         SARA         Section 302 (extremely hazardous substances         None of the ingredients are listed.         Section 313 (Specific toxic chemical listings):         7664-93-9         Sulfuric acid         TSCA (Toxic Substances Control Act)         7664-93-9         Sulfuric acid         7732-18-5         Water         Proposition 65 (California)         Chemicals known to cause cancer:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.         Chemicals known to cause developmental to:         None of the ingredients are listed.	s): xicity for females: xicity for males:
<ul> <li>mixture</li> <li>United States (USA)</li> <li>SARA</li> <li>Section 302 (extremely hazardous substances</li> <li>None of the ingredients are listed.</li> <li>Section 313 (Specific toxic chemical listings):</li> <li>7664-93-9 Sulfuric acid</li> <li>TSCA (Toxic Substances Control Act)</li> <li>7664-93-9 Sulfuric acid</li> <li>7732-18-5 Water</li> <li>Proposition 65 (California)</li> <li>Chemicals known to cause cancer:</li> <li>None of the ingredients are listed.</li> <li>Chemicals known to cause developmental to</li> <li>None of the ingredients are listed.</li> <li>Chemicals known to cause developmental to</li> <li>None of the ingredients are listed.</li> </ul>	xicity for females:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 04, 2020

## Trade name: Molybdate Reagent for PO4

(Cont'd. of page 8)

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### • Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com