Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

1 Identification	
· Product identifier	
<ul> <li>Trade name: <u>Molybdovanadate Reagent</u></li> <li>Product code: 20760SS</li> </ul>	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com</li> <li>Distributor: AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291</li> </ul>	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
2 Hazard(s) identification · Classification of the substance or mixture	
Classification of the substance or mixture	
Classification of the substance or mixtureMet. Corr.1H290May be corrosive to metals.Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.	
<ul> <li>Classification of the substance or mixture</li> <li>Met. Corr.1 H290 May be corrosive to metals.</li> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> </ul>	
Classification of the substance or mixtureMet. Corr.1H290 May be corrosive to metals.Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

#### Trade name: Molybdovanadate Reagent

Baaa	(Cont'd. of page 1)
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original container.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P33	1 If swallowed: Rinse mouth. Do NOT induce vomiting.
	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<sup>.</sup> Other hazards	There are no other hazards not otherwise classified that have been identified.

# **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Component	ts:	
	Sulfuric acid	40-50%
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
12027-67-7	ammonium molybdate	1-5%
7783-20-2	ammonium sulfate	1-5%
7803-55-6	Ammonium metavanadate Acute Tox. 3, H301 Repr. 2, H361; STOT RE 1, H372 Acute Tox. 4, H332; Eye Irrit. 2A, H319	<1%
7727-21-1	<ul> <li>dipotassium peroxodisulphate</li> <li>Ox. Sol. 3, H272</li> <li>Resp. Sens. 1, H334</li> <li>Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335</li> </ul>	<0.1%
· Additional i	nformation:	·

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

## **4 First-aid measures**

#### <sup>•</sup> Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

### · After skin contact:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

## Trade name: Molybdovanadate Reagent (Cont'd. of page 2) Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Strong caustic effect on skin and mucous membranes. Gastric or intestinal disorders when ingested. Danger: Danger of gastric perforation. Causes serious eve damage. Suspected of damaging fertility or the unborn child. Route of exposure: Oral. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If medical advice is needed, have product container or label at hand. 5 Fire-fighting measures

#### • Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

#### · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

#### <sup>•</sup> Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Environmental precautions Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up
Use limestone to neutralize and/or absorb spill.
Send for recovery or disposal in suitable receptacles.
 Reference to other sections
See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

#### Trade name: Molybdovanadate Reagent

(Cont'd. of page 3)

#### 7 Handling and storage

#### <sup>·</sup> Handling

- Precautions for safe handling:
- Prevent formation of aerosols.
- Avoid splashes or spray in enclosed areas.
- Use only in well ventilated areas.
- Information about protection against explosions and fires: No special measures required.

### <sup>•</sup> Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.
- Unsuitable material for receptacle: aluminium.
- Unsuitable material for receptacle: steel.
- · Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from metals.
- Do not store together with alkalis (caustic solutions).
- · Further information about storage conditions:
- Keep containers tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

#### 8 Exposure controls/personal protection

#### <sup>•</sup> Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

7664-93-9 Sulfu PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>
REL (USA)	Long-term value: 1 mg/m <sup>3</sup>
TLV (USA)	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m³ thoracic, ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m³
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica

The usual precautionary measures for handling chemicals should be followed.


Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Engineering controls: Provide adequate ventilation.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020



· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
<ul> <li>Explosion limits</li> <li>Lower:</li> <li>Upper:</li> <li>Oxidizing properties:</li> </ul>	Not determined. Not determined. Non-oxidizing.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density:</li> <li>Vapor density:</li> </ul>	1.38 g/cm³ (11.52 lbs/gal) Not determined. Not determined.

(Cont'd. on page 6)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

		(Cont'd. of pa
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# 10 Stability and reactivity

• Reactivity: No relevant information available.

- Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

#### <sup>•</sup> Possibility of hazardous reactions

Reacts with alkali (lyes).

Corrosive action on metals.

Reacts with metals forming hydrogen.

Toxic fumes may be released if heated above the decomposition point.

• **Conditions to avoid** No relevant information available.

#### <sup>·</sup> Incompatible materials

Metals. Alkalis.

## · Hazardous decomposition products

Under fire conditions only: Sulfur oxides (SOx) Metal oxide smoke.

## **11 Toxicological information**

#### Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

## · LD/LC50 values that are relevant for classification:

### 7803-55-6 Ammonium metavanadate

Oral	LD50	169.33 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (rat)

Inhalative LC50/4h 2.51 mg/l (rat)

#### Primary irritant effect:

• On the skin: Strong caustic effect on skin and mucous membranes.

· On the eye: Strong caustic effect.

• Sensitization: Based on available data, the classification criteria are not met.

## · IARC (International Agency for Research on Cancer):

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

N	
	None of the ingredients are listed.
٠N	ITP (National Toxicology Program):
7	7664-93-9 Sulfuric acid
·C	OSHA-Ca (Occupational Safety & Health Administration):
Ν	None of the ingredients are listed.
·P	Probable route(s) of exposure:
I	ngestion.
lı	nhalation.
	Eye contact.
S	Skin contact.
· A	Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage
۰F	Repeated dose toxicity: Possible risk of irreversible effects.
٠C	Germ cell mutagenicity: Based on available data, the classification criteria are not met.
·C	Carcinogenicity: Based on available data, the classification criteria are not met.
٠F	Reproductive toxicity: Suspected of damaging fertility or the unborn child. Route of exposure: Oral.
	STOT-single exposure: Based on available data, the classification criteria are not met.
	<b>STOT-repeated exposure:</b> Based on available data, the classification criteria are not met.
	Aspiration hazard: Based on available data, the classification criteria are not met.

#### <sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Other adverse effects No relevant information available.

### 13 Disposal considerations

#### · Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

## Trade name: Molybdovanadate Reagent

(Cont'd. of page 7)

UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN2796
UN proper shipping name DOT ADR/RID/ADN IMDG, IATA	Sulfuric acid SULPHURIC ACID solution SULPHURIC ACID
Transport hazard class(es)	
DOT	
CORRESPONDENCE 1	
Class	8
ADR/RID/ADN	8
Class Label	8 (C1) 8
IMDG, IATA	
Class	8
Label	8
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	II
Environmental hazards	Not applicable.
Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups	Warning: Corrosive substances 80 F-A,S-B Strong acids

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

	(Cont'd. of pag
United States (USA)	
SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
7664-93-9 Sulfuric acid	
7783-20-2 ammonium sulfate	
TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	
All ingredients listed on DSL or NDSL.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Sol. 3: Oxidizing solids – Category 3 Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

(Cont'd. on page 10)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 24, 2020

#### Trade name: Molybdovanadate Reagent

(Cont'd. of page 9)

Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtel.com