Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

1 Identification		
· Product identi	fier	
 Trade name: <u>Ne</u> Product code: N 	utral Red, 0.1% Alcoholic NR5600SS	
· Recommended	use and restriction on use use: Laboratory chemicals use: No relevant information available.	
 Manufacturer/Su AquaPhoenix Sci 860 Gitts Run Ro Hanover, PA 173 Tel +1 (717)632- Toll-Free: (866)6 info@aquaphoen Distributor: AquaPhoenix Sci 860 Gitts Run Ro Hanover, PA 17 (717) 632-1291 	ientific, Inc. bad 331 USA 1291 32-1291 nixsci.com ientific oad, 7331	
 Emergency tele ChemTel Inc. (800)255-3924 (+1 (813)248-058 		
. (0.0)2.0000		
2 Hazard(s) ide		
2 Hazard(s) ide Classification	entification of the substance or mixture	
2 Hazard(s) ide Classification Flam. Liq. 2 H22	entification of the substance or mixture 25 Highly flammable liquid and vapor.	
2 Hazard(s) ide Classification	entification of the substance or mixture 25 Highly flammable liquid and vapor. s	
2 Hazard(s) ide Classification Flam. Liq. 2 H22 Label elements GHS label elements	entification of the substance or mixture 25 Highly flammable liquid and vapor. s ents assified and labeled according to the Globally Harmonized System (GHS)).
2 Hazard(s) ide Classification Flam. Liq. 2 H22 Label elements GHS label elements The product is classical	entification of the substance or mixture 25 Highly flammable liquid and vapor. s ents assified and labeled according to the Globally Harmonized System (GHS)).

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic (Cont'd. of page 1) P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 In case of fire: Use for extinction: Alcohol resistant foam or water spray. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:			
7732-18-5	Water	50%	
553-24-2	N8,N8,3-trimethyl-2,8-phenazinediaminemonohydrochloride	0.1%	
	Propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	2.5%	
64-17-5	Ethanol Flam. Liq. 2, H225 Eye Irrit. 2A, H319	47.4%	
· Additional	Additional information		

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

· After eve contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

May cause drowsiness or dizziness.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Coughing

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic

(Cont'd. of page 2)

Disorientation

Unconsciousness

· **Danger:** No relevant information available.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[·] Extinguishing media

· Suitable extinguishing agents:

Alcohol resistant foam Water fog / haze Carbon dioxide Gaseous extinguishing agents

Fire-extinguishing powder

• For safety reasons unsuitable extinguishing agents: Water stream.

 $^{\rm \cdot}$ Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic

(Cont'd. of page 3)

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

[•] Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- Further information about storage conditions:
- Keep containers tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

Components with limit values that require monitoring at the workplace:			
64-17-5 Ethanol			
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm		
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm		
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm		
EL (Canada)	Short-term value: 1000 ppm		
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm		
LMPE (Mexico)	Long-term value: 1000 ppm A3		
67-63-0 Propan	67-63-0 Propan-2-ol		
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm		
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm		
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI		
EL (Canada)	Short-term value: 400 ppm		
	(Cont'd. on page 5)		

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

	(Cont'd. of pa Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm
	Long-term value: 200 ppm
LMPE (Mexico)	
, , , , , , , , , , , , , , , , , , ,	Long-term value: 200 ppm
	A4, IBE
-	th biological limit values:
67-63-0 Propar	
BEI (USA) 40 n	ng/L lium: urine
	e: end of shift at end of workweek
	ameter: Acetone (background, nonspecific)
Exposure cor	atrole
	tive and hygienic measures:
The usual preca	autionary measures for handling chemicals should be followed.
	n foodstuffs, beverages and feed.
	nove all soiled and contaminated clothing.
	fore breaks and at the end of work. ust / smoke / mist.
· Endineerind co	ontrols: Provide adequate ventilation.
Breathing equi	ontrols: Provide adequate ventilation. pment: Not required under normal conditions of use.
	pment: Not required under normal conditions of use.
Breathing equi	pment: Not required under normal conditions of use. ands:
Breathing equi	pment: Not required under normal conditions of use.
Breathing equi Protection of h	ipment: Not required under normal conditions of use. ands: ive gloves
Breathing equi Protection of h Protect Protect The glove mate Material of glove	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves
Breathing equi Protection of h Protect Protect Protect The glove mate Material of glov Laminated film	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves.
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR ss R
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film of Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, J	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR ss R
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film of Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, Sensibilization b Not suitable ar	ipment: Not required under normal conditions of use. lands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR es NR
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, BF Natural rubber, Sensibilization b Not suitable ar PVC gloves	ipment: Not required under normal conditions of use. aands: ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR is R NR oy the components in the glove materials is possible.
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, BF Natural rubber, Sensibilization b Not suitable ar PVC gloves PVA gloves	ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR is R NR oy the components in the glove materials is possible. e gloves made of the following materials:
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, BF Natural rubber, Sensibilization b Not suitable ar PVC gloves	ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR is R NR oy the components in the glove materials is possible. e gloves made of the following materials:
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, BF	ipment: Not required under normal conditions of use. ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR is R NR by the components in the glove materials is possible. e gloves made of the following materials: :
Breathing equi Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, BF	ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR is R NR oy the components in the glove materials is possible. e gloves made of the following materials:
Breathing equi Protection of h Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, BF Natural rubber, Sensibilization b Not suitable ar PVC gloves PVA gloves Eye protection Safety g	ipment: Not required under normal conditions of use. ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR is R NR by the components in the glove materials is possible. e gloves made of the following materials: :
Breathing equi Protection of h Protection of h Protection of h Protect The glove mate Material of glov Laminated film g Nitrile rubber, N Neoprene glove Butyl rubber, BF Natural rubber, S Not suitable ar PVC gloves PVA gloves Eye protection Safety g Follow relevant	ive gloves rial has to be impermeable and resistant to the product/ the substance/ the preparation ves gloves. BR ss R NR NR by the components in the glove materials is possible. e gloves made of the following materials: :

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic

(Cont'd. of page 5)

9 Physical and chemical prope	Physical and chemical properties		
[·] Information on basic physical a	nd chemical properties		
· Appearance:			
Form:	Liquid		
Color:	Light red		
· Odor:	Alcohol-like		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
 Melting point/Melting range: 	Not determined.		
 Boiling point/Boiling range: 	>78 °C (>172.4 °F)		
· Flash point:	<23 °C (<73.4 °F)		
· Flammability (solid, gaseous):	Not applicable.		
· Auto-ignition temperature:	425 °C (797 °F)		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.		
· Explosion limits			
Lower:	3 Vol %		
Upper:	16 Vol %		
 Oxidizing properties: 	Non-oxidizing.		
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)		
· Density:			
Relative density:	Not determined.		
Vapor density:	Not determined.		
Evaporation rate:	Not determined.		
 Solubility in / Miscibility with 			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/wat	er): Not determined.		
· Viscosity			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
[•] Other information	No relevant information available.		

10 Stability and reactivity

• **Reactivity:** No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• Possibility of hazardous reactions

Reacts with oxidizing agents.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic

(Cont'd. of page 6)

1

3

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Highly flammable liquid and vapor.

Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

· Incompatible materials No relevant information available.

Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

• On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

67-63-0 Propan-2-ol

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.

- · Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic

(Cont'd. of page 7)

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1170
[•] UN proper shipping name • DOT • ADR/RID/ADN, IMDG • IATA	Ethanol solutions ETHANOL_SOLUTION (ETHYL_ALCOH) SOLUTION) ETHANOL SOLUTION
Transport hazard class(es)	
DOT	
Class	3
Label	3
ADR/RID/ADN	
Class	3 (F1)
Label	3

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

rade name: Neutral Red, 0.1% Alcoholic	
	(Cont'd. of page 8
· IMDG, IATA	
Class	3
·Label	3
[·] Packing group [·] DOT, ADR/RID/ADN, IMDG, IATA	II
· Environmental hazards	Not applicable.
[·] Special precautions for user	Warning: Flammable liquids
 Hazard identification number (Kemler code): EMS Number: 	33 F-E,S-D
[·] Transport in bulk according to Annex II o	
MARPOL73/78 and the IBC Code	Not applicable.
	····
5 Regulatory information	
United States (USA) SARA Section 302 (extremely hazardous substances)	<u>x)</u> .
None of the ingredients are listed.	·)·
· Section 313 (Specific toxic chemical listings):	
67-63-0 Propan-2-ol	
TSCA (Toxic Substances Control Act)	
64-17-5 Ethanol	
67-63-0 Propan-2-ol 553-24-2 N8,N8,3-trimethyl-2,8-phenazinediam	inemonohydrochloride
7732-18-5 Water	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
<u> </u>	verage consumption and is not applicable for product.
64-17-5 Ethanol	
Chemicals known to cause developmental tox	cicity for females:
None of the ingredients are listed.	riaity for malacy
Chemicals known to cause developmental tox None of the ingredients are listed.	kicity for males:
-	
· Chemicals known to cause developmental to>	ricity:

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 28, 2020

Trade name: Neutral Red, 0.1% Alcoholic

(Cont'd. of page 9)

1

3

64-17-5 Ethanol

• EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

67-63-0 Propan-2-ol

Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com