Page: 1/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

1 Identification

· Product identifier

· Trade name: Nitric Acid, 1.0N · Product code: NA7040SS

Recommended use and restriction on use
 Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS05

· Signal word: Danger

· Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P234 Keep only in original container.
P260 Do not breathe mist/vapors/spray.
P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

	(Cont'd. of page 1)
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	omponents:				
7732-18-5	Water		93.7%		
7697-37-2	nitric acid	© Ox. Liq. 2, H272 Acute Tox. 3, H331 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	6.3%		

[·] Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eve contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Nausea

Gastric or intestinal disorders when ingested.

Causes skin and eye irritation.

Methaemoglobinaemia

Strong caustic effect on skin and mucous membranes.

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Substance/product is oxidizing when dry.

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Avoid storage near extreme heat.

· Information about storage in one common storage facility:

Store away from metals.

Store away from foodstuffs.

· Further information about storage conditions: Keep containers tightly sealed.

(Cont'd. on page 4)

Page: 4/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 3)

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

	· Components with limit values that require monitoring at the workplace:			
Ī	7697-37-2 nitric acid			
PEL (USA) Long-term value: 5 mg/m³, 2 ppm				
	REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
	TLV (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm		
	EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm		
	EV (Canada)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
	LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm		

Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

· Material of gloves

Butyl rubber, BR

Laminated film gloves.

Natural rubber, NR

Nitrile rubber, NBR

Neoprene gloves

Sensibilization by the components in the glove materials is possible.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

(Cont'd. on page 5)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 4)



Safety glasses

- · Body protection: Acid resistant protective clothing.
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties				
· Information on basic physical and chemical properties				
· Appearance:				
Form:	Liquid			
Color:	Clear			
· Odor: · Odor threshold:	Nearly odorless Not determined.			
pH-value at 20 °C (68 °F):	<2			
Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	102-105 °C (215.6-221 °F)			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
· Density at 20 °C (68 °F):	1.02 g/cm³ (8.51 lbs/gal)			
· Relative density:	Not determined.			
· Vapor density:	Not determined.			
· Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/wate	er): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Other information	No relevant information available.			

(Cont'd. on page 6)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 5)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Corrodes aluminium.

Reacts with alkali (lyes).

Corrodes copper and brass.

Reacts with certain metals.

Reacts with organic materials.

- · Conditions to avoid Excessive heat.
- · Incompatible materials

Metals.

Alkalis.

Hazardous decomposition products

Under fire conditions only:

Nitrogen oxides

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h >42.1 mg/l (rat)

7697-37-2 nitric acid

Inhalative LC50/4h >2.65 mg/l (rat)

- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Causes serious eye damage.
- · Sensitization: No sensitizing effects known.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

(Cont'd. on page 7)

Page: 7/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 6)

- · Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- \cdot Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information				
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN2031			
	0142031			
· UN proper shipping name · DOT	Nitric acid solution			
· ADR/RID/ADN, IMDG, IATA	NITRIC ACID solution			
· Transport hazard class(es)				

(Cont'd. on page 8)

Page: 8/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 7) · DOT · Class 8 · Label 8 · ADR/RID/ADN · Class 8 (C1) · Label · IMDG, IATA 8 · Class · Label 8 Packing group · DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards · Marine pollutant: No · Special precautions for user Warning: Corrosive substances · Danger code (Kemler): · EMS Number: F-A,S-Q Acids · Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

(Cont'd. on page 9)

Page: 9/10

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 8)

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

· TSCA (Toxic Substances Control Act)

7697-37-2 nitric acid

7732-18-5 Water

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All components have the value *.

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Ox. Liq. 2: Oxidizing liquids – Category 2

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Sources

(Cont'd. on page 10)

Page: 10/10

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: March 14, 2019

Trade name: Nitric Acid, 1.0N

(Cont'd. of page 9)

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com