Revision: January 29, 2021

1 Identification
· Product identifier
 Trade name: <u>Nitric Acid Solution</u> Product code: DUMTK-665-02
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 USA Tel +1 (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd, Cincinnati, OH 45241 (800) 438-2647
Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification Classification of the substance or mixture
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation.
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage.
Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation.
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:

96.953%

3.047%

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Nitric Acid Solution

	(Cont'd. of page 1)
P280	Wear protective gloves and eye protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5 Water

7697-37-2 Nitric acid

🕸 Ox. Liq. 2, H272

🔆 Acute Tox. 3, H331

💑 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

• Additional information: For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[·] Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Danger of severe eye injury.

Irritant to skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Methaemoglobinaemia

Danger: Causes serious eye damage.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Nitric Acid Solution

(Cont'd. of page 2)

5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: No relevant information available.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

• Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Avoid storage near extreme heat.

· Information about storage in one common storage facility:

Store away from metals.

Store away from foodstuffs.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

Revision: January 29, 2021

Trade name: Nitric Acid Solution

I

(Cont'd. of page 3)

B Exposure co	· ·		
• Control parameters • Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or othe recommended exposure limit.			
7697-37-2 Nitrie	c acid		
PEL (USA)	Long-term value: 5 mg/m ³ , 2 ppm		
REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
TLV (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm		
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm		
EV (Canada)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm		
The usual preca Keep away from Immediately ren Wash hands be Avoid contact w	tive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. Ifore breaks and at the end of work. If the eyes and skin. It the eyes and skin.		
The usual preca Keep away from Immediately ren Wash hands be Avoid contact w • Engineering co • Breathing equi Not required uno	autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. Ifore breaks and at the end of work. If the eyes and skin. If the eyes and skin		
The usual preca Keep away from Immediately rem Wash hands be Avoid contact w • Engineering co • Breathing equi Not required und Use suitable res • Protection of h	autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. Ifore breaks and at the end of work. If the eyes and skin. If the eyes and skin		
The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Not required und Use suitable res Protection of h Protection of h Material of glov Butyl rubber, BF Laminated film g Natural rubber, N Neoprene glove Sensibilization b	autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin. pontrols: Provide adequate ventilation. pment: der normal conditions of use. spiratory protective device when high concentrations are present. ands: ive gloves ves S gloves. NR BR BR BR BR BR BR BR BR BR B		
The usual preca Keep away from Immediately ren Wash hands be Avoid contact w Engineering co Breathing equi Not required und Use suitable res Protection of h Protection of h Material of glov Butyl rubber, BF Laminated film g Natural rubber, N Neoprene glove Sensibilization b	autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Inove all soiled and contaminated clothing. fore breaks and at the end of work. ith the eyes and skin. pontrols: Provide adequate ventilation. pment: der normal conditions of use. spiratory protective device when high concentrations are present. ands: ive gloves ves R gloves. NR BR is by the components in the glove materials is possible. the of glove material k through time has to be found out by the manufacturer of the protective gloves and has is		

Revision: January 29, 2021

Trade name: Nitric Acid Solution

(Cont'd. of page 4)

Safety glasses

· Body protection: Acid resistant protective clothing.

Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical proper	9 Physical and chemical properties		
Information on basic physical and chemical properties			
· Appearance:			
Form:	Liquid		
Color:	Clear		
· Odor:	Nearly odorless		
· Odor threshold:	Not determined.		
· pH-value at 20 °C (68 °F):	<2		
• Melting point/Melting range:	Not determined.		
 Boiling point/Boiling range: 	100-103 °C (212-153.4 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
· Auto-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
 Oxidizing properties: 	Not determined.		
· Vapor pressure:	Not determined.		
· Density at 20 °C (68 °F):	1.01 g/cm³ (8.43 lbs/gal)		
· Relative density:	Not determined.		
· Vapor density:	Not determined.		
· Evaporation rate:	Not determined.		
· Solubility in / Miscibility with			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
[•] Other information	No relevant information available.		

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Nitric Acid Solution

(Cont'd. of page 5)

10 Stability and reactivity · Reactivity: No relevant information available. · Chemical stability: Stable under normal temperatures and pressures. · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Corrodes aluminium. Reacts with alkali (lyes). Corrodes copper and brass. Reacts with certain metals. Reacts with organic materials. · Conditions to avoid Excessive heat. Incompatible materials Metals. Alkalis · Hazardous decomposition products Under fire conditions only: Nitrogen oxides 11 Toxicological information Information on toxicological effects · Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

Nitric Acid 3-4.9999%

Inhalative LC50/4h >87 mg/l (rat) (Acute Toxicity Estimate)

7697-37-2 Nitric acid

Inhalative LC50/4h >2.65 mg/l (rat)

· Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

· On the eye: Causes serious eye damage.

· Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Nitric Acid Solution

(Cont'd. of page 6)

• Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye damage.

Irritating to skin.

• Repeated dose toxicity: No relevant information available.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

• **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

· Mobility in soil: No relevant information available.

[•] Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3264
 [•] UN proper shipping name [•] DOT [•] ADR/RID/ADN, IATA 	Corrosive liquid, acidic, inorganic, n.o.s. CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
	(Cont'd. on page 8)

Revision: January 29, 2021

IMDG CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (NITRIC ACID), MARINE POLLUTANT Transport hazard class(es) DOT Impose the second secon		(Osuthi star
Image: Constraint of the second se	IMDC	
DOT Class 8 Label 8 ADR/RID/ADN Class 8 (C1) Label 8 IMDG Class 8 (C1) Label 8 IMDG Class 8 Label 8 IMDG Class 8 Label 8 IMDG Class 8 Label 8 IMDG Class 8 Label 8 IATA Class 8 Label 8 Packing group DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 80 F-A, S-B Segregation groups Acids		
View View Class 8 Label 8 ADR/RID/ADN View View 8 Class 8 (C1) Label 8 IMDG View View View Class 8 Label 8 Packing group 8 DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards Yes (DOT) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) 80 EMS Number: 80 EMS Number: 80 Segregation groups Acids	Transport hazard class(es)	
Label 8 ADR/RID/ADN Class 8 (C1) Label 8 IMDG Class 8 (C1) Label 8 IMDG Class 8 Label	DOT	
Label 8 ADR/RID/ADN Class 8 (C1) Label 8 IMDG Class 8 (C1) Label 8 IMDG Class 8 Label		
ADR/RID/ADN Class 8 (C1) Label 8 IMDG Class 8 Label 8 IATA Class 8 Label 8 IATA Class 8 Label 8 Packing group DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids	Class	
Class 8 (C1) Label 8 IMDG 8 IMDG 8 Imbox 8 Class 8 Label 8 IATA 8 IATA 8 Class 8 Label 8 Packing group 8 DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards No Yes (DOT) Symbol (fish and tree) Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids	Label	8
Label 8 IMDG IMDG IMDG Impose Impose Impose Class 8 Label 8 IATA Impose Impose 8 Packing group 8 Dot, ADR/RID/ADN, IMDG, IATA III Environmental hazards No Yes (DOT) Symbol (fish and tree) Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids	ADR/RID/ADN	
Label 8 IMDG IMDG IMDG Impose Impose Impose Class 8 Label 8 IATA Impose Impose 8 Impose 8 IATA Impose Impose 8 Impose 8 Impose 8 Impose 8 Packing group 8 DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards No Yes (DOT) Symbol (fish and tree) Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids		
IMDG IMDG Impose Class 8 Label 8 IATA IATA Impose 8 Class 8 Label 8 Packing group 8 DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards No Yes (DOT) Symbol (fish and tree) Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids		8 (C1)
Image: Approximate and the second s		8
Label8IATAIATAIATAIATAIATAIATAIATAIATAIATA8Class8Label8Packing group DOT, ADR/RID/ADN, IMDG, IATAIIIEnvironmental hazards Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Corrosive substances 80 F-A,S-B Acids		
IATA Class Label 8 Packing group DOT, ADR/RID/ADN, IMDG, IATA III Environmental hazards Marine pollutant: No Yes (DOT) Symbol (fish and tree) Special precautions for user Hazard identification number (Kemler code): 80 Hazard identification number (Kemler code): F-A,S-B Segregation groups Acids	Class	
Class Label8 8Packing group DOT, ADR/RID/ADN, IMDG, IATAIIIEnvironmental hazards Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for user Hazard identification number (Kemler code):Warning: Corrosive substancesSpecial precautions for user Hazard identification number (Kemler code):Warning: Corrosive substancesSpecial precautions for user Hazard identification number (Kemler code):Xo Ro Acids		8
Label8Packing group DOT, ADR/RID/ADN, IMDG, IATAIIIEnvironmental hazards Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groupsWarning: Corrosive substances 80 F-A,S-B Acids	ΙΑΤΑ	
Label8Packing group DOT, ADR/RID/ADN, IMDG, IATAIIIEnvironmental hazards Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groupsWarning: Corrosive substances 80 F-A,S-B Acids		
Packing group DOT, ADR/RID/ADN, IMDG, IATAIIIEnvironmental hazards Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for user Hazard identification number (Kemler code):Warning: Corrosive substancesBaser Hazard identification number (Kemler code):80 F-A,S-B Acids	Class	
DOT, ADR/RID/ADN, IMDG, IATAIIIEnvironmental hazards Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for user Hazard identification number (Kemler code):Warning: Corrosive substances 80 F-A,S-B Acids	Label	8
Marine pollutant:No Yes (DOT) Symbol (fish and tree)Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsAcids		111
Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsAcids		Yes (DOT)
Segregation groups Acids	Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Corrosive substances 80
Transport in bulk according to Annex II of		
· · ·	Transport in bulk according to Annex II of	of

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: January 29, 2021

Trade name: Nitric Acid Solution

(Cont'd. of page 8)

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA · Section 302 (extremely hazardous substances): None of the ingredients are listed. · Section 313 (Specific toxic chemical listings): 7697-37-2 Nitric acid **TSCA (Toxic Substances Control Act)** 7697-37-2 Nitric acid 7732-18-5 Water Proposition 65 (California) · Chemicals known to cause cancer: None of the ingredients are listed. Chemicals known to cause developmental toxicity for females: None of the ingredients are listed. Chemicals known to cause developmental toxicity for males: None of the ingredients are listed. Chemicals known to cause developmental toxicity: None of the ingredients are listed. · EPA (Environmental Protection Agency): None of the ingredients are listed. · IARC (International Agency for Research on Cancer): None of the ingredients are listed. Canadian Domestic Substances List (DSL): All components have the value *. • National regulations: The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Cont'd. on page 10)

Revision: January 29, 2021

Trade name: Nitric Acid Solution

(Cont'd. of page 9)

OSHA: Occupational Safety & Health Administration Ox. Liq. 2: Oxidizing liquids – Category 2 Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1