

Safety Data Sheet


according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

1 Identification

- **Product identifier**
- **Trade name:** ORP Standard, 600 mV +/-5% @ 25°C
- **Product code:** OR4600SS
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
AquaPhoenix Scientific, Inc.
860 Gitts Run Road
Hanover, PA 17331 USA
Tel +1 (717)632-1291
Toll-Free: (866)632-1291
info@aquaphoenixsci.com
- **Distributor:**
AquaPhoenix Scientific
860 Gitts Run Road,
Hanover, PA 17331
(717) 632-1291
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
Met. Corr.1 H290 May be corrosive to metals.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**

GHS05
- **Signal word:** Warning
- **Hazard statements:**
H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements:**
P234 Keep only in original container.
P264 Wash thoroughly after handling.

(Cont'd. on page 2)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 1)

P280 Wear protective gloves and eye protection.
 P302+P352 If on skin: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P390 Absorb spillage to prevent material damage.
 P406 Store in corrosive resistant container with a resistant inner liner.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

7732-18-5	Water	88.97%
7664-93-9	Sulfuric acid ⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	6.00%
7783-83-7	Ferric Ammonium Sulfate	5.00%
7783-85-9	Ferrous ammonium sulfate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0.03%

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
 For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting. Seek medical attention.

· **Most important symptoms and effects, both acute and delayed:**

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Acidosis

Causes skin and eye irritation.

· **Danger:** Danger of impaired breathing.

· **Indication of any immediate medical attention and special treatment needed:**

(Cont'd. on page 3)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 2)

Medical supervision for at least 48 hours.
If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No relevant information available.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**
Use calcium oxide as a neutralizing agent.
Clean the affected area carefully; suitable cleaners are:
Water
Dispose of the collected material according to regulations.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Prevent formation of aerosols.
Avoid splashes or spray in enclosed areas.
Use only in well ventilated areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Unsuitable material for receptacle: aluminium.
Unsuitable material for receptacle: steel.
- **Information about storage in one common storage facility:**

(Cont'd. on page 4)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 3)

- Store away from foodstuffs.
- Do not store together with alkalis (caustic solutions).
- Store away from oxidizing agents.
- Store away from metals.
- **Further information about storage conditions:**
 - Keep containers tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Exposure controls**
- **General protective and hygienic measures:**
 - The usual precautionary measures for handling chemicals should be followed.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:** For large spills, respiratory protection may be advisable.
- **Protection of hands:**



Protective gloves

Not required under normal conditions of use.

- **Material of gloves**
 - Natural rubber, NR
 - Nitrile rubber, NBR
 - Neoprene gloves
 - Butyl rubber, BR
 - Fluorocarbon rubber (Viton)
 - Sensibilization by the components in the glove materials is possible.
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Safety glasses

- Follow relevant national guidelines concerning the use of protective eyewear.
- **Body protection:** Acid resistant protective clothing.
- **Limitation and supervision of exposure into the environment** No special requirements.
- **Risk management measures** No special requirements.

(Cont'd. on page 5)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

Form: Liquid

Color: Clear

· Odor: Odorless

· Odor threshold: Not determined.

· pH-value: Not determined.

· Melting point/Melting range: Not determined.

· Boiling point/Boiling range: 105-110 °C (221-166 °F)

· Flash point: The product is not flammable.

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits

Lower: Not determined.

Upper: Not determined.

· Oxidizing properties: Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density:

Relative density: Not determined.

Vapor density: Not determined.

Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

Dynamic: Not determined.

Kinematic: Not determined.

· Other information: No relevant information available.

10 Stability and reactivity

· Reactivity:

Corrosive action on metals.

Corrodes copper and brass.

Toxic fumes may be released if heated above the decomposition point.

· Chemical stability: Stable under normal temperatures and pressures.

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 6)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 5)

- **Possibility of hazardous reactions**

Toxic fumes may be released if heated above the decomposition point.

Reacts with certain metals.

Reacts with alkali (lyes).

Reacts with oxidizing agents.

- **Conditions to avoid** Excessive heat.

- **Incompatible materials**

Metals.

Alkalis.

Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.

- **Hazardous decomposition products**

Under fire conditions only:

Sulfur oxides (SO_x)

Sulfur dioxide

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:** None.

- **Primary irritant effect:**

· **On the skin:** Irritant to skin and mucous membranes.

· **On the eye:** Causes serious eye irritation.

· **Sensitization:** Based on available data, the classification criteria are not met.

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

7664-93-9 | Sulfuric acid

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):**

Causes serious eye irritation.

Irritating to skin.

- **Repeated dose toxicity:** No relevant information available.

· **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

· **Carcinogenicity:** Based on available data, the classification criteria are not met.

· **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· **STOT-single exposure:** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

· **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 6)


12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|--|
| · UN-Number | |
| · DOT, ADR/RID/ADN, IMDG, IATA | UN3264 |
| · UN proper shipping name | |
| · DOT | Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid) |
| · ADR/RID/ADN, IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID) |
| · Transport hazard class(es) | |
| · DOT | |
|  | |
| · Class | 8 |
| · Label | 8 |

(Cont'd. on page 8)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 7)

· ADR/RID/ADN



· Class 8 (C1)
· Label 8

· IMDG, IATA



· Class 8
· Label 8

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA III

· Environmental hazards

Not applicable.

· Special precautions for user

Warning: Corrosive substances

· Hazard identification number (Kemler code): 80

· EMS Number: F-A, S-B

· Segregation groups Acids

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

7447-40-7 Potassium chloride

13746-66-2 tripotassium hexacyanoferrate

7732-18-5 Water

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

(Cont'd. on page 9)

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 22, 2020

Trade name: ORP Standard, 600 mV +/-5% @ 25°C

(Cont'd. of page 8)

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL):**

All ingredients listed on DSL or NDSL.

*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com