

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Potassium Chromate, 10% w/v**  
SDS Identifier **PC8010SS**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses laboratory and analytical use

#### 1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific  
860 Gitts Run Road  
Hanover PA 17331  
United States

Telephone: (866) 632-1291  
e-mail: [info@aquaphoenixsci.com](mailto:info@aquaphoenixsci.com)  
Website: <https://www.aquaphoenixsci.com/>

#### 1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200, Rev. 2024)

| Hazard class                                          | Category | Hazard class and category | Hazard statement |
|-------------------------------------------------------|----------|---------------------------|------------------|
| acute toxicity (oral)                                 | 4        | Acute Tox. 4              | H302             |
| skin corrosion/irritation                             | 3        | Skin Irrit. 3             | H316             |
| skin sensitization                                    | 1        | Skin Sens. 1              | H317             |
| germ cell mutagenicity                                | 1B       | Muta. 1B                  | H340             |
| carcinogenicity                                       | 1A       | Carc. 1A                  | H350             |
| hazardous to the aquatic environment - acute hazard   | 2        | Aquatic Acute 2           | H401             |
| hazardous to the aquatic environment - chronic hazard | 2        | Aquatic Chronic 2         | H411             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200, Rev. 2024)

- Signal word **danger**

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

- Pictograms

GHS07, GHS08, GHS09



- Hazard statements

|      |                                                  |
|------|--------------------------------------------------|
| H302 | Harmful if swallowed.                            |
| H316 | Causes mild skin irritation.                     |
| H317 | May cause an allergic skin reaction.             |
| H340 | May cause genetic defects.                       |
| H350 | May cause cancer.                                |
| H411 | Toxic to aquatic life with long lasting effects. |

- Precautionary statements

|           |                                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------|
| P203      | Obtain, read and follow all safety instructions before use.                                         |
| P261      | Avoid breathing dust/fume/gas/mist/vapours/spray.                                                   |
| P270      | Do not eat, drink or smoke when using this product.                                                 |
| P272      | Contaminated work clothing should not be allowed out of the workplace.                              |
| P273      | Avoid release to the environment.                                                                   |
| P280      | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.       |
| P301+P317 | IF SWALLOWED: Get medical help.                                                                     |
| P302+P352 | IF ON SKIN: Wash with plenty of water.                                                              |
| P318      | IF exposed or concerned, get medical advice.                                                        |
| P321      | Specific treatment (see on this label).                                                             |
| P330      | Rinse mouth.                                                                                        |
| P332+P317 | If skin irritation occurs: Get medical help.                                                        |
| P333+P317 | If skin irritation or rash occurs: Get medical help.                                                |
| P362+P364 | Take off contaminated clothing and wash it before reuse.                                            |
| P391      | Collect spillage.                                                                                   |
| P405      | Store locked up.                                                                                    |
| P501      | Dispose of contents/container in accordance with local/regional/national/international regulations. |

- Hazardous ingredients for labelling potassium chromate

### 2.3 Other hazards

### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

## Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### Description of the mixture

| Name of substance  | Identifier          | Wt% | Classification acc. to GHS                                                                                                                                                                                                                              | Pictograms                                                                                                                                                                                                                                                  |
|--------------------|---------------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Water              | CAS No<br>7732-18-5 | 90  |                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                             |
| potassium chromate | CAS No<br>7789-00-6 | 10  | Acute Tox. 3 / H301<br>Acute Tox. 5 / H313<br>Acute Tox. 2 / H330<br>Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Skin Sens. 1 / H317<br>Muta. 1B / H340<br>Carc. 1A / H350<br>STOT SE 3 / H335<br>Aquatic Acute 1 / H400<br>Aquatic Chronic 1 / H410 |    |

### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Information on this property is not available.

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                                 |           |            |           |             |            |              |                 |                   |                               |                  |
|----------------------------------------------------------------|---------------------------------|-----------|------------|-----------|-------------|------------|--------------|-----------------|-------------------|-------------------------------|------------------|
| Country                                                        | Name of agent                   | CAS No    | Identifier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Notation                      | Source           |
| US                                                             | chromates                       | 7789-00-6 | REL        |           | 0.0002      |            |              |                 |                   | appx-A, appx-C                | NIOSH REL        |
| US                                                             | chromates                       | 7789-00-6 | PEL        |           |             |            |              |                 | 0.1               | CrO <sub>3</sub> , us-pel-z2c | 29 CFR 1910.1000 |
| US                                                             | chromium(VI), soluble compounds | 7789-00-6 | TLV®       |           | 0.0002      |            | 0.0005       |                 |                   | i, Cr(VI)                     | ACGIH® 2025      |
| US                                                             | chromium(VI) compounds          | 7789-00-6 | PEL (CA)   |           | 0.005       |            |              |                 | 0.1               | Cr                            | Cal/OSHA PEL     |

##### Notation

|                  |                                                                                                                                                                          |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| appx-A           | NIOSH Potential Occupational Carcinogen (Appendix A)                                                                                                                     |
| appx-C           | Appendix C - Supplementary Exposure Limits                                                                                                                               |
| Ceiling-C        | ceiling value is a limit value above which exposure should not occur                                                                                                     |
| Cr               | calculated as Cr (chromium)                                                                                                                                              |
| Cr(VI)           | calculated as chromium (VI)                                                                                                                                              |
| CrO <sub>3</sub> | calculated as CrO <sub>3</sub> (chromium trioxide)                                                                                                                       |
| i                | inhalable fraction                                                                                                                                                       |
| STEL             | short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)                   |
| TWA              | time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |
| us-pel-z2c       | This standard applies to any operations or sectors for which the exposures limit in the Chromium (VI) standard, Sec. 1910.1026, is stayed or is otherwise not in effect. |

| Relevant PNECs of components |           |          |                 |                       |                              |                              |
|------------------------------|-----------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance            | CAS No    | Endpoint | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| potassium chromate           | 7789-00-6 | PNEC     | 0 mg/l          | aquatic organisms     | freshwater                   | short-term (single instance) |
| potassium chromate           | 7789-00-6 | PNEC     | 0.21 mg/l       | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| potassium chromate           | 7789-00-6 | PNEC     | 0.15 mg/kg      | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| potassium chromate           | 7789-00-6 | PNEC     | 0.035 mg/kg     | terrestrial organisms | soil                         | short-term (single instance) |

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Other protection measures

Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Product description:** See website or catalog for details.

|                                                          |                 |
|----------------------------------------------------------|-----------------|
| Physical state                                           | liquid          |
| Color                                                    | yellow          |
| Odor                                                     | characteristic  |
| Melting point/freezing point                             | 0 °C            |
| Boiling point or initial boiling point and boiling range | 100 °C          |
| Evaporation rate                                         | not determined  |
| Flammability                                             | non-combustible |
| Lower and upper explosion limit                          | not determined  |
| Flash point                                              | not determined  |
| Auto-ignition temperature                                | not determined  |
| Decomposition temperature                                | not relevant    |
| pH (value)                                               | not determined  |
| Kinematic viscosity                                      | not determined  |

### Solubility(ies)

|                  |                            |
|------------------|----------------------------|
| Water solubility | miscible in any proportion |
|------------------|----------------------------|

### Partition coefficient

|                                                   |                                   |
|---------------------------------------------------|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---------------------------------------------------|-----------------------------------|

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

|                |                 |
|----------------|-----------------|
| Vapor pressure | 23 hPa at 20 °C |
|----------------|-----------------|

### Density and/or relative density

|                         |                                               |
|-------------------------|-----------------------------------------------|
| Density                 | not determined                                |
| Relative vapour density | information on this property is not available |

|                          |                       |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200, Rev. 2024)

#### Acute toxicity

Harmful if swallowed.

#### - Acute toxicity estimate (ATE)

Oral 1,295 mg/kg

#### Acute toxicity estimate (ATE) of components

| Name of substance  | CAS No    | Exposure route        | ATE           |
|--------------------|-----------|-----------------------|---------------|
| potassium chromate | 7789-00-6 | oral                  | 129.5 mg/kg   |
| potassium chromate | 7789-00-6 | dermal                | >2,000 mg/kg  |
| potassium chromate | 7789-00-6 | inhalation: dust/mist | 0.099 mg/l/4h |

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### Skin corrosion/irritation

Causes mild skin irritation.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitization

May cause an allergic skin reaction.

### Germ cell mutagenicity

May cause genetic defects.

### Carcinogenicity

May cause cancer.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

| Name of substance  | CAS No     | Classification | Number |
|--------------------|------------|----------------|--------|
| potassium chromate | 18540-29-9 | 1              |        |

#### Legend

1 Carcinogenic to humans

#### National Toxicology Program (United States): Report on Carcinogens

| Name of substance  | CAS No     | Classification                | Number                    |
|--------------------|------------|-------------------------------|---------------------------|
| potassium chromate | 18540-29-9 | Known to be human carcinogens | 1st Report on Carcinogens |

#### 29 CFR 1910/1915/1926 Occupational Safety and Health Standards: Toxic and Hazardous Substances (carcinogens)

| Name of substance  | CAS No | Type of registration                        |
|--------------------|--------|---------------------------------------------|
| potassium chromate |        | GI §1910.1026, SE §1915.1026, CI §1926.1126 |

#### Legend

CI §1926.1126 Construction Industry (29 CFR 1926.1126)  
GI §1910.1026 General Industry (29 CFR 1910.1026)  
SE §1915.1026 Shipyard Employment (29 CFR 1915.1026)

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### SECTION 12: Ecological information

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

| Name of substance | CAS No    | BCF | Log KOW                     | BOD5/COD |
|-------------------|-----------|-----|-----------------------------|----------|
| Water             | 7732-18-5 |     | -0.467 (pH value: 7, 20 °C) |          |

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0.1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

### SECTION 14: Transport information

#### 14.1 UN number

|           |         |
|-----------|---------|
| DOT       | UN 3082 |
| IMDG-Code | UN 3082 |
| ICAO-TI   | UN 3082 |

#### 14.2 UN proper shipping name

|                                        |                                                     |
|----------------------------------------|-----------------------------------------------------|
| DOT                                    | Environmentally hazardous substance, liquid, n.o.s. |
| IMDG-Code                              | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| ICAO-TI                                | Environmentally hazardous substance, liquid, n.o.s. |
| Technical name (hazardous ingredients) | potassium chromate                                  |

#### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| DOT       | 9 |
| IMDG-Code | 9 |
| ICAO-TI   | 9 |

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### 14.4 Packing group

|           |     |
|-----------|-----|
| DOT       | III |
| IMDG-Code | III |
| ICAO-TI   | III |

### 14.5 Environmental hazards

|                                                           |                                      |
|-----------------------------------------------------------|--------------------------------------|
|                                                           | hazardous to the aquatic environment |
| Environmentally hazardous substance (aquatic environment) | potassium chromate                   |

### 14.6 Other relevant information

Shipping container markings and labels, received from AquaPhoenix, may vary from the above information. Products that are regulated for transport will be packaged by AquaPhoenix as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. AquaPhoenix may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

|                                          |                                                                                                    |
|------------------------------------------|----------------------------------------------------------------------------------------------------|
| Particulars in the shipper's declaration | UN3082, Environmentally hazardous substance, liquid, n.o.s., (potassium chromate, mixture), 9, III |
| Reportable quantity (RQ)                 | 100 lbs (45.4 kg) (potassium chromate)                                                             |
| Danger label(s)                          | 9, fish and tree                                                                                   |



|                         |                                            |
|-------------------------|--------------------------------------------|
| Environmental hazards   | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 8, 146, 173, 335, 441, IB3, T4, TP1, TP29  |
| ERG No                  | 171                                        |

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

|                  |                                                                 |
|------------------|-----------------------------------------------------------------|
| Marine pollutant | yes (hazardous to the aquatic environment) (Potassium chromate) |
| Danger label(s)  | 9, fish and tree                                                |



|                          |                    |
|--------------------------|--------------------|
| Special provisions (SP)  | 274, 335, 375, 969 |
| Excepted quantities (EQ) | E1                 |
| Limited quantities (LQ)  | 5 L                |
| EmS                      | F-A, S-F           |
| Stowage category         | A                  |

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|                       |                                            |
|-----------------------|--------------------------------------------|
| Environmental hazards | yes (hazardous to the aquatic environment) |
|-----------------------|--------------------------------------------|

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

Danger label(s)

9, fish and tree



Special provisions (SP)

A97, A158, A197, A215

Excepted quantities (EQ)

E1

Limited quantities (LQ)

30 kg

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

###### Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

###### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

##### Toxics Release Inventory: Specific Toxic Chemical Listings

| Name of substance  | CAS No | Remarks                                                                                                                                                                                                                                                                                                                   | Effective date |
|--------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| potassium chromate |        | except for chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the chromite ore processing residue (COPR). COPR is the solid waste remaining after aqueous extraction of oxidized chromite ore that has been combined with soda ash and kiln roasted at approximately 2,000 °F. | 1986-12-31     |

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance  | CAS No    | Remarks | Statutory code | Final RQ pounds (Kg) |
|--------------------|-----------|---------|----------------|----------------------|
| potassium chromate | 7789-00-6 |         | 1              | 10 (4,54)            |

##### Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### - Hazardous Substance List (NJ-RTK)

| Name of substance  | CAS No    | Remarks | Classifications |
|--------------------|-----------|---------|-----------------|
| potassium chromate | 7789-00-6 |         | CA<br>MU        |

#### Legend

CA Carcinogenic

MU Mutagenic

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals |        |         |                             |
|----------------------------------|--------|---------|-----------------------------|
| Name acc. to inventory           | CAS No | Remarks | Type of the toxicity        |
| chromium(VI) compounds           |        |         | cancer                      |
| chromium(VI) compounds           |        |         | developmental, female, male |

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

| Category            | Rating | Description                                                                                                                                                |
|---------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chronic             | *      | chronic (long-term) health effects may result from repeated overexposure                                                                                   |
| Health              | 2      | temporary or minor injury may occur                                                                                                                        |
| Flammability        | 0      | material that will not burn under typical fire conditions                                                                                                  |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |                                                                                                                                                            |

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

| Category       | Degree of hazard | Description                                                                                      |
|----------------|------------------|--------------------------------------------------------------------------------------------------|
| Flammability   | 0                | material that will not burn under typical fire conditions                                        |
| Health         | 2                | material that, under emergency conditions, can cause temporary incapacitation or residual injury |
| Instability    | 0                | material that is normally stable, even under fire conditions                                     |
| Special hazard |                  |                                                                                                  |

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

### National inventories

| Country | Inventory  | Status                              |
|---------|------------|-------------------------------------|
| AU      | AIIC       | all ingredients are listed          |
| CA      | DSL        | all ingredients are listed          |
| CN      | IECSC      | all ingredients are listed          |
| EU      | ECSI       | all ingredients are listed          |
| EU      | REACH Reg. | not all ingredients are listed      |
| JP      | CSCL-ENCS  | all ingredients are listed          |
| KR      | KECI       | all ingredients are listed          |
| MX      | INSQ       | all ingredients are listed          |
| NZ      | NZIoC      | all ingredients are listed          |
| PH      | PICCS      | all ingredients are listed          |
| TW      | TCSI       | all ingredients are listed          |
| US      | TSCA       | all ingredients are listed (ACTIVE) |

#### Legend

|            |                                                                         |
|------------|-------------------------------------------------------------------------|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)                                          |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances                                             |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act                                             |

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

| Abbr.            | Descriptions of used abbreviations                                                                                                                                                                                                                                                                                                                               |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 29 CFR 1910.1000 | 29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)                                                                                                                                                                                                                  |
| 49 CFR US DOT    | 49 CFR U.S. Department of Transportation                                                                                                                                                                                                                                                                                                                         |
| ACGIH® 2025      | From ACGIH®, 2025 TLVs® and BEIs® Book. Copyright 2025. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a> |
| Acute Tox.       | Acute toxicity                                                                                                                                                                                                                                                                                                                                                   |
| Aquatic Acute    | Hazardous to the aquatic environment - acute hazard                                                                                                                                                                                                                                                                                                              |
| Aquatic Chronic  | Hazardous to the aquatic environment - chronic hazard                                                                                                                                                                                                                                                                                                            |

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

| Abbr.          | Descriptions of used abbreviations                                                                            |
|----------------|---------------------------------------------------------------------------------------------------------------|
| ATE            | Acute Toxicity Estimate                                                                                       |
| BCF            | Bioconcentration factor                                                                                       |
| BOD            | Biochemical Oxygen Demand                                                                                     |
| Cal/OSHA PEL   | California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)          |
| Carc.          | Carcinogenicity                                                                                               |
| CAS            | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)        |
| Ceiling-C      | Ceiling value                                                                                                 |
| COD            | Chemical oxygen demand                                                                                        |
| DGR            | Dangerous Goods Regulations (see IATA/DGR)                                                                    |
| DOT            | Department of Transportation (USA)                                                                            |
| ED             | Endocrine disruptor                                                                                           |
| EINECS         | European Inventory of Existing Commercial Chemical Substances                                                 |
| ELINCS         | European List of Notified Chemical Substances                                                                 |
| EmS            | Emergency Schedule                                                                                            |
| ERG No         | Emergency Response Guidebook - Number                                                                         |
| Eye Dam.       | Seriously damaging to the eye                                                                                 |
| Eye Irrit.     | Irritant to the eye                                                                                           |
| GHS            | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations     |
| IARC           | International Agency for Research on Cancer                                                                   |
| IATA           | International Air Transport Association                                                                       |
| IATA/DGR       | Dangerous Goods Regulations (DGR) for the air transport (IATA)                                                |
| ICAO           | International Civil Aviation Organization                                                                     |
| ICAO-TI        | Technical instructions for the safe transport of dangerous goods by air                                       |
| IMDG           | International Maritime Dangerous Goods Code                                                                   |
| IMDG-Code      | International Maritime Dangerous Goods Code                                                                   |
| log KOW        | n-Octanol/water                                                                                               |
| Muta.          | Germ cell mutagenicity                                                                                        |
| NIOSH REL      | National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)             |
| NLP            | No-Longer Polymer                                                                                             |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA           | Occupational Safety and Health Administration (United States)                                                 |
| PBT            | Persistent, Bioaccumulative and Toxic                                                                         |
| PEL            | Permissible exposure limit                                                                                    |
| PNEC           | Predicted No-Effect Concentration                                                                             |
| ppm            | Parts per million                                                                                             |
| RTECS          | Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)           |
| Skin Corr.     | Corrosive to skin                                                                                             |

# Safety Data Sheet

## PC8010SS

Version number: 1.2

Date of compilation: 2026-01-06

| Abbr.       | Descriptions of used abbreviations               |
|-------------|--------------------------------------------------|
| Skin Irrit. | Irritant to skin                                 |
| Skin Sens.  | Skin sensitization                               |
| STEL        | Short-term exposure limit                        |
| STOT SE     | Specific target organ toxicity - single exposure |
| TLV®        | Threshold Limit Values                           |
| TWA         | Time-weighted average                            |
| vPvB        | Very Persistent and very Bioaccumulative         |

### Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").  
Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                                  |
|------|-------------------------------------------------------|
| H301 | Toxic if swallowed.                                   |
| H302 | Harmful if swallowed.                                 |
| H313 | May be harmful in contact with skin.                  |
| H315 | Causes skin irritation.                               |
| H316 | Causes mild skin irritation.                          |
| H317 | May cause an allergic skin reaction.                  |
| H319 | Causes serious eye irritation.                        |
| H330 | Fatal if inhaled.                                     |
| H335 | May cause respiratory irritation.                     |
| H340 | May cause genetic defects.                            |
| H350 | May cause cancer.                                     |
| H400 | Very toxic to aquatic life.                           |
| H401 | Toxic to aquatic life.                                |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.