

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### SECTION 1: Identification

#### 1.1 Product identifier

SDS Identifier **V7925SS**  
Catalog numbers A-7925, S-7925

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Components of water analysis test kits

#### 1.3 Details of the supplier of the safety data sheet

AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover PA 17331  
United States

Telephone: (717) 632-1291  
e-mail: [info@aquaphoenixsci.com](mailto:info@aquaphoenixsci.com)  
Website: <https://www.aquaphoenixsci.com/>

e-mail (competent person) [scraig@aquaphoenixsci.com](mailto:scraig@aquaphoenixsci.com) (Stephen Craig)

#### 1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Hazard class	Category	Hazard class and category	Hazard statement
skin corrosion/irritation	1	Skin Corr. 1	H314
serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### Labeling

- Signal word                    danger

- Pictograms

GHS05



- Hazard statements

H314                                Causes severe skin burns and eye damage.

- Precautionary statements

P260                                Do not breathe dusts or mists.

P264+P265                        Wash hands thoroughly after handling. Do not touch eyes.

P280                                Wear eye protection/face protection.

P301+P330+P331                IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P361+P354                IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

P304+P340                        IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P354+P338                IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P316                                Get emergency medical help immediately.

P321                                Specific treatment (see on this label).

P363                                Wash contaminated clothing before reuse.

P405                                Store locked up.

P501                                Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling                                acetic acid, sulfuric acid

### 2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures





## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
deionized water	CAS No 7732-18-5	86.9		
acetic acid	CAS No 64-19-7	12.5	Flam. Liq. 3 / H226 Skin Corr. 1A / H314 Eye Dam. 1 / H318	
sulfuric acid	CAS No 7664-93-9	0.55	Acute Tox. 5 / H303 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Carc. 1A / H350 Aquatic Acute 3 / H402 Aquatic Chronic 2 / H411	
hydrogen peroxide	CAS No 7722-84-1	0.02	Ox. Liq. 1 / H271 Acute Tox. 4 / H302 Acute Tox. 5 / H313 Acute Tox. 4 / H332 Skin Corr. 1A / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 2 / H401 Aquatic Chronic 3 / H412	
peracetic acid	CAS No 79-21-0	0.003	Flam. Liq. 3 / H226 Org. Perox. D / H242 Acute Tox. 2 / H300 Acute Tox. 4 / H312 Acute Tox. 2 / H330 Skin Corr. 1A / H314 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	

For full text of abbreviations: see SECTION 16.

## SECTION 4: First-aid measures

### 4.1 Description of first-aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

Wear impact- and splash-resistant eyewear.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Handling of incompatible substances or mixtures

- Keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

heat, high temperatures, light, UV-radiation/sunlight

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	acetic acid	64-19-7	PEL (CA)	10	25	15	37	40			Ca/ OSHA PEL
US	acetic acid	64-19-7	REL	10 (10 h)	25 (10 h)	15	37				NIOSH REL
US	acetic acid	64-19-7	TLV®	10		15					ACGIH® 2023
US	acetic acid	64-19-7	PEL	10	25						29 CFR 1910.1000
US	sulfuric acid	7664-93-9	PEL (CA)		0.1		3				Ca/ OSHA PEL
US	sulfuric acid	7664-93-9	REL		1 (10 h)						NIOSH REL
US	sulfuric acid	7664-93-9	PEL		1						29 CFR 1910.1000
US	sulfuric acid	7664-93-9	TLV®		0.2					t	ACGIH® 2023
US	hydrogen peroxide	7722-84-1	PEL (CA)	1	1.4						Ca/ OSHA PEL
US	hydrogen peroxide	7722-84-1	REL	1 (10 h)	1.4 (10 h)						NIOSH REL
US	hydrogen peroxide	7722-84-1	TLV®	1							ACGIH® 2023
US	hydrogen peroxide	7722-84-1	PEL	1	1.4						29 CFR 1910.1000
US	peracetic acid	79-21-0	TLV®			0.4				iv	ACGIH® 2023

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

iv inhalable fraction and vapor

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

t thoracic fraction

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

#### Notation

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sulfuric acid	7664-93-9	DNEL	0.05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
sulfuric acid	7664-93-9	DNEL	0.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
hydrogen peroxide	7722-84-1	DNEL	1.4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
hydrogen peroxide	7722-84-1	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
peracetic acid	79-21-0	DNEL	0.56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
peracetic acid	79-21-0	DNEL	0.56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
peracetic acid	79-21-0	DNEL	0.56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
peracetic acid	79-21-0	DNEL	0.56 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

#### Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
sulfuric acid	7664-93-9	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	8.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	0.002 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	0.002 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
hydrogen peroxide	7722-84-1	PNEC	0.013 mg/l	aquatic organisms	freshwater	short-term (single instance)
hydrogen peroxide	7722-84-1	PNEC	0.013 mg/l	aquatic organisms	marine water	short-term (single instance)
hydrogen peroxide	7722-84-1	PNEC	4.66 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
hydrogen peroxide	7722-84-1	PNEC	0.047 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
hydrogen peroxide	7722-84-1	PNEC	0.047 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
hydrogen peroxide	7722-84-1	PNEC	0.002 mg/kg	terrestrial organisms	soil	short-term (single instance)
peracetic acid	79-21-0	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
peracetic acid	79-21-0	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
peracetic acid	79-21-0	PNEC	0.051 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
peracetic acid	79-21-0	PNEC	0 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
peracetic acid	79-21-0	PNEC	0 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
peracetic acid	79-21-0	PNEC	0.32 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Appropriate engineering controls

General ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection.

#### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Other protection measures

Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.



## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Product description:** Each double-tipped ampoule is a sealed glass ampoule containing approximately 4 mL of liquid reagent.

Physical state	liquid
Color	colorless
Odor	sharp
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	4 vol% - 19.9 vol%
Flash point	118 °C at 101.3 kPa
Auto-ignition temperature	463 °C
Decomposition temperature	not relevant
pH (value)	1.4 (acid)
Kinematic viscosity	not determined

#### Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

Vapor pressure	23.7 mmHg at 25 °C
----------------	--------------------

### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available
Relative density	1 (water = 1)

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

##### Acute toxicity

Shall not be classified as acutely toxic.

##### Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
sulfuric acid	7664-93-9	oral	2,140 mg/kg
sulfuric acid	7664-93-9	inhalation: vapor	3 mg/l/4h
sulfuric acid	7664-93-9	inhalation: dust/mist	0.85 mg/l/4h
hydrogen peroxide	7722-84-1	oral	1,026 mg/kg
hydrogen peroxide	7722-84-1	dermal	>2,000 mg/kg
hydrogen peroxide	7722-84-1	inhalation: vapor	11 mg/l/4h
peracetic acid	79-21-0	oral	50 mg/kg
peracetic acid	79-21-0	dermal	1,100 mg/kg
peracetic acid	79-21-0	inhalation: vapor	0.5 mg/l/4h
peracetic acid	79-21-0	inhalation: dust/mist	0.204 mg/l/4h

##### Skin corrosion/irritation

Causes severe skin burns and eye damage.

##### Serious eye damage/eye irritation

Causes serious eye damage.

##### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### Carcinogenicity

Shall not be classified as carcinogenic.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
hydrogen peroxide	7722-84-1	3	
sulfuric acid	7664-93-9	1	

#### Legend

- 1 Carcinogenic to humans  
3 Not classifiable as to carcinogenicity in humans

#### National Toxicology Program (United States): Report on Carcinogens

Name of substance	CAS No	Classification	Number
sulfuric acid	7664-93-9	Known to be a human carcinogen	9th Report on Carcinogens

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

## V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0.1\%$ .

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0.1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number

DOT	UN 2790
IMDG-Code	UN 2790
ICAO-TI	UN 2790

### 14.2 UN proper shipping name

DOT	Acetic acid solutions
IMDG-Code	ACETIC ACID SOLUTION
ICAO-TI	Acetic acid solution

### 14.3 Transport hazard class(es)

DOT	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

DOT	III
IMDG-Code	III

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

ICAO-TI

III

#### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Other relevant information


Shipping container markings and labels, received from CHEMetrics, may vary from the above information. Products that are regulated for transport will be packaged by CHEMetrics as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations. CHEMetrics may also elect to ship certain products as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### **Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information**

Particulars in the shipper's declaration	UN2790, Acetic acid solutions, 8, III
Reportable quantity (RQ)	40,000 lbs (18,160 kg) (acetic acid) (sulfuric acid)
Danger label(s)	8
	
Special provisions (SP)	148, IB3, T4, TP1
ERG No	153

##### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant	-
Danger label(s)	8
	
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 1 L

#### SECTION 15: Regulatory information

##### 15.1 Safety, health and environmental regulations specific for the product in question

###### National regulations (United States)

###### Toxic Substance Control Act (TSCA)

all ingredients are listed (ACTIVE) or exempt from listing

###### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities			
Name of substance	Notes	Reportable quantity (pounds)	Threshold planning quantity (pounds)
hydrogen peroxide	f	1,000	1000
sulfuric acid		1,000	1000
peracetic acid		500	500

###### Legend

f Chemical on the original list that does not meet toxicity criteria but because of its acute lethality, high production volume and known risk is considered chemical of concern ("Other chemicals"). (November 17, 1986, and February 15, 1990.)

- Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings		
Name of substance	Remarks	Effective date
sulfuric acid	acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size	1986-12-31
peracetic acid		1986-12-31

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	Remarks	Statutory code	Final RQ pounds (Kg)
acetic acid		1	5000 (2270)
sulfuric acid		1	1000 (454)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

### Clean Air Act

Name of substance	Type of registration	Basis for listing	Threshold quantity (lbs)
peracetic acid	Toxic substance	b	10000

Legend

b On EHS list, vapor pressure 10 mmHg or greater.

### Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	Remarks	Classifications
acetic acid		CO F2
hydrogen peroxide		CO MU R3
sulfuric acid		CA CO R2
peracetic acid		CO F2 R4

Legend

CA Carcinogenic  
CO Corrosive  
F2 Flammable - Second Degree  
MU Mutagenic  
R2 Reactive - Second Degree  
R3 Reactive - Third Degree  
R4 Reactive - Fourth Degree



## Safety Data Sheet

# V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
VN	NCI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## Safety Data Sheet

# V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2023	From ACGIH®, 2023 TLVs® and BEIs® Book. Copyright 2023. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
Org. Perox.	Organic peroxide
OSHA	Occupational Safety and Health Administration (United States)
Ox. Liq.	Oxidizing liquid
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Safety Data Sheet

### V7925SS

Version number: 12.0  
SDS Identifier: V7925SS

Revision: 2023-11-08

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidizer.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.